Printing date 01/16/2020 Reviewed on 01/16/2020

1 Identification

· Product identifier

Trade name: Chemical Blend #4

in 2-Methoxyethanol

· Article number: FIS067

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Ethylene Glycol Monomethyl Ether

· Hazard statements

Flammable liquid and vapor.

(Contd. on page 2)

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4
in 2-Methoxyethanol

(Contd. of page 1)

Harmful in contact with skin or if inhaled.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

2	
Dangerous components:	
Ethylene Glycol Monomethyl Ether	99.07%
Table of Nonhazardous Ingredients	
CAS: 78-78-4 2-Methylbutane (Isopentane)	0.5%
CAS: 108-90-7 Chlorobenzene	0.25%

(Contd. on page 3)

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4
in 2-Methoxyethanol

 CAS: 64-17-5
 Ethyl Alcohol, Absolute 200 Proof
 (Contd. of page 2)

 0.18%
 0.18%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	<u>.</u>	
	Ethylene Glycol Monomethyl Ether	0.3 ppm
CAS: 78-78-4	2-Methylbutane (Isopentane)	3000* ppm
CAS: 108-90-7	Chlorobenzene	10 ррт
	(0	ontd. on page 4

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4
in 2-Methoxyethanol

CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	(Contd. of page 3 1,800 ppm
· PAC-2:		
	Ethylene Glycol Monomethyl Ether	14 ppm
CAS: 78-78-4	2-Methylbutane (Isopentane)	33000*** ppm
CAS: 108-90-7	Chlorobenzene	150 ppm
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
· PAC-3:		
	Ethylene Glycol Monomethyl Ether	2000* ppm
CAS: 78-78-4	2-Methylbutane (Isopentane)	200000*** ppm
CAS: 108-90-7	Chlorobenzene	400 ppm
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Compo	nents with limit values that require monitoring at the workplace:	
Ethyler	ne Glycol Monomethyl Ether	
PEL	Long-term value: 80 mg/m³, 25 ppm Skin	
REL	Long-term value: 0.3 mg/m³, 0.1 ppm Skin	
TLV	Long-term value: 0.3 mg/m³, 0.1 ppm Skin; BEI	
WEEL	Skin; B	

(Contd. on page 5)

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4 in 2-Methoxyethanol

(Contd. of page 4)

· Ingredients with biological limit values:

Ethylene Glycol Monomethyl Ether

BEI 1 mg/g creatinine

LD50 Intraperitoneal: urine

Time: end of shift at end of workweek

LD50: 2-Methoxyacetic acid

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless
Odor: Characteristic

(Contd. on page 6)

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4 in 2-Methoxyethanol

	(Contd. of page
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	4-7
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	-85 °C (-185 °F) 124-125 °C (255.2-257 °F)
· Flash point:	38 °C (100.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	310 °C (590 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits: Lower: Upper:	2.4 Vol % 20.6 Vol %
· Vapor pressure at 20 °C (68 °F):	10 hPa (7.5 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.96331 g/cm ³ (8.03882 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	1.7 mPas Not determined.
· Solvent content: Organic solvents: VOC content:	99.8 % 99.75 % 960.9 g/l / 8.02 lb/gal
Solids content: Other information	0.2 % No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4
in 2-Methoxyethanol

(Contd. of page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 1	values tha	t are relevant for classification:
ATE (Acut	te Toxicity	Estimate)
Oral	LD50	2,392 mg/kg (rat)
Dermal	LD50	1,292 mg/kg (rabbit)
Inhalative	LC50/4h	11.1 mg/l

Ethylene Glycol Monomethyl EtherOralLD50500 mg/kg (ATE)DermalLD501,100 mg/kg (ATI

Dermal LD50 1,100 mg/kg (ATE)
Inhalative LC50/4h 11 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

ı İ

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4
in 2-Methoxyethanol

· Other adverse effects No further relevant information available.

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

1 4 70		C	. •
14 Trans	port in	tormai	non

17	N_	Nu	mh	or

· DOT, IMDG, IATA

UN1197

· UN proper shipping name

 $\cdot DOT$

Extracts, flavoring, liquid

· IMDG, IATA

EXTRACTS, FLAVOURING, LIQUID

- · Transport hazard class(es)
- $\cdot DOT$



· Class 3 Flammable liquids

· Label

· IMDG, IATA



· Class 3 Flammable liquids

· Label

· Packing group

· DOT, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids

· Danger code (Kemler):

30

3

EMS Number: F-E,S-DStowage Category A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 9)

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4 in 2-Methoxyethanol

	(Contd. of page
· Transport/Additional information:	
\cdot DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III

	nformation	
Safety, health a Sara	and environmental regulations/legislation specific for the substan	nce or mixture
Section 355 (ex	tremely hazardous substances):	
-	redients is listed.	
Section 313 (St	pecific toxic chemical listings):	
(1	Ethylene Glycol Monomethyl Ether	
CAS: 108-90-7	Chlorobenzene	
TSCA (Toxic S	ubstances Control Act):	
	Monomethyl Ether	ACTIV
2-Methylbutane	(Isopentane)	ACTIV
Chlorobenzene		ACTIV
Ethyl Alcohol, A	Absolute 200 Proof	ACTIV
Hazardous Air	Pollutants	
CAS: 108-90-7	Chlorobenzene	
Proposition 65		
	wn to cause cancer:	
None of the ing	redients is listed.	
	wn to cause reproductive toxicity for females:	
None of the ing	redients is listed.	
Chemicals kno	wn to cause reproductive toxicity for males:	
Ethylene Glyco	Monomethyl Ether	
Chemicals kno	wn to cause developmental toxicity:	
	Ethylene Glycol Monomethyl Ether	
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	
Carcinogenic c	ategories	
EPA (Environn	nental Protection Agency)	
CAS: 108-90-7	Chlorobenzene	i

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4 in 2-Methoxyethanol

(Contd. of page 9)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Ethylene Glycol Monomethyl Ether

· Hazard statements

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 0.1, 01-16-2020: Creation date for SDS. STN 01/16/2020 / -

(Contd. on page 11)

Printing date 01/16/2020 Reviewed on 01/16/2020

Trade name: Chemical Blend #4 in 2-Methoxyethanol

(Contd. of page 10)

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4

Repr. 1B: Reproductive toxicity - Category 1B