Printing date 04/25/2024


Reviewed on 04/25/2024

1 Identification

- · Product identifier
- · Trade name: Lead ICP Standard 1000 ppm
- · Article number: 5249
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc.
- 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666*

2 Hazard(s) identification

· Classification of the substance or mixture



Carcinogenicity 2H351 Suspected of causing cancer.Toxic to Reproduction 1AH360 May damage fertility or the unborn child.Specific Target Organ Toxicity - Single Exposure 2H371 May cause damage to organs.



Skin Corrosion 1A Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling:* Nitric Acid Lead Nitrate

(Contd. on page 2)

US

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

(Contd. of page
· Hazard statements
Harmful if swallowed.
Causes severe skin burns and eye damage.
Suspected of causing cancer.
May damage fertility or the unborn child.
May cause damage to organs.
· Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to de
Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Wash with plenty of water.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 0
$\frac{3}{0} \frac{1}{Reactivity} = 0$
\bigvee Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH 3 $Health = 3$
FIRE 0 $Fire = 0$
REACTIVITY Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
• vPvB: Not applicable.
3 Composition/information on ingredients
· Chemical characterization: Mixtures
• Description: Mixture of the substances listed below with nonhazardous additions.
· Dangerous components:

· Dangerous compo	unenis:		
CAS: 7697-37-2	Nitric Acid		2.0%
CAS: 10099-74-8	Lead Nitrate		0.16%
		(Contd.	on page 3)

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

(Contd. of page 2)

97.84%

 \cdot Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

US -

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

· Protective Action	Criteria for Chemicals	(Contd. of page 3)
· PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m ³
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 10099-74-8	Lead Nitrate	180 mg/m ³
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
CAS:	r 7697-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m ³ , 2 ppm
	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
	Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor, NIC-A4
CAS:	2 10099-74-8 Lead Nitrate
	Long-term value: 0.05 mg/m ³ as Pb; See 29 CFR 1910.1025
	Long-term value: 0.05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C
	Long-term value: 0.05 mg/m ³ as Pb; A3, BEI
	(Contd. on page 5)

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

(Contd. of page 4)

• Ingredients with biological limit values:	
---	--

CAS: 10099-74-8 Lead Nitrate BEI 200 µg/100 ml LD50 Intraperitoneal: blood Time: not critical

LD50: Lead

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

	sical and chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

	(Contd. of pag
· Odor threshold:	Not determined.
• <i>pH-value at 20</i> ° <i>C</i> (68 ° <i>F</i>):	<2
· Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
<i>Lower:</i>	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
• Density at 20 °C (68 °F):	1.01572 g/cm ³ (8.47618 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	t er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	97.8 %
VOC content:	0.00~%
	0.0 g/l / 0.00 lb/gal
• Other information	No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

(Contd. of page 6)

• Information on toxicological effects • Acute toxicity:	
· LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	
Inhalative LC50/4h 150 mg/l	
 Primary irritant effect: on the skin: Strong caustic effect on skin and mucous membranes. on the eye: Strong caustic effect. Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved cat Harmful 	lculation methods for preparations
Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the and stomach.	e danger of perforation of esophag
Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the and stomach. • Carcinogenic categories	e danger of perforation of esophag
Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the and stomach. Carcinogenic categories IARC (International Agency for Research on Cancer)	
Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the and stomach. Carcinogenic categories IARC (International Agency for Research on Cancer) CAS: 10099-74-8 Lead Nitrate	e danger of perforation of esophag
Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the and stomach. • Carcinogenic categories • IARC (International Agency for Research on Cancer)	

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pHvalue harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

US

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	11112764
DOT, IMDG, IATA UN proper shipping name DOT IMDG, IATA	UN3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
· Class	8 Corrosive substances
· Label	8
· Class	8 Corrosive substances
· Label	8
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user · Hazard identification number (Kemler code): · EMS Number:	Warning: Corrosive substances 80 F-A,S-B
Segregation groups	(SGG1a) Strong acids, (SGG7) heavy metals and their salt. (including their organometallic compounds), (SGG9) lead and its compounds
Stowage Category	Α
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG35 Stow "separated from" SGG1-acids
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

	(Contd. of page
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ ·	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID), 8, III

15 Regulatory information

*

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

5474	
• Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
CAS: 10099-74-8 Lead Nitrate	
TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Nitric Acid	ACTIVE
Lead Nitrate	ACTIVE
· Hazardous Air Pollutants	
CAS: 10099-74-8 Lead Nitrate	
Proposition 65	
· Chemicals known to cause cancer:	
CAS: 10099-74-8 Lead Nitrate	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
CAS: 10099-74-8 Lead Nitrate	B2
· TLV (Threshold Limit Value)	
CAS: 10099-74-8 Lead Nitrate	A3
I	(Contd. on page 10)

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

NIOSH-Ca (National	(Contd. of page Institute for Occupational Safety and Health)
None of the ingredient	
	The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms	ne produci is classified and labeled according to the Globally Harmonized System (GHS).
mazara piciograms	
\land	
GHS05 GHS07	GHS08
Signal word Danger	
-	
	components of labeling:
Nitric Acid	
Lead Nitrate	
Hazard statements	
Harmful if swallowed.	ma and ma damaga
Causes severe skin but	
Suspected of causing of	
May damage fertility of	
May cause damage to	
Precautionary stateme	
Obtain special instruct	lions before use. I safety precautions have been read and understood.
Do not breathe dusts of	
Wash thoroughly after	
	noke when using this product.
	s/protective clothing/eye protection/face protection.
	oison center/doctor if you feel unwell.
	outh. Do NOT induce vomiting.
	ike off immediately all contaminated clothing. Rinse skin with water/shower.
	e person to fresh air and keep comfortable for breathing.
	iously with water for several minutes. Remove contact lenses, if present and easy to d
Continue rinsing.	iousiy with water for several minutes. Remove contact tenses, if present and easy to a
Immediately call a poi	son center/doctor
	ed: Get medical advice/attention.
Specific treatment (see	
Wash with plenty of we	
Wash contaminated cl	
Store locked up.	Shing bejore reuse.
	ntainer in accordance with local/regional/national/international regulations.
	sment: A Chemical Safety Assessment has not been carried out.
	SHICH. 11 CHUHUUI BUJELY 1135CSSHICHI HUS HOL DEER CULTEU OUI.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

*

Date of Preparation / Last Revision:

 \cdot Date of preparation / last revision

Revision 1.1, 4/25/24: Reviewed/ updated SDS based on new supplier information on raw materials. CS 04/25/2024

(Contd. on page 11)

US

Printing date 04/25/2024

Reviewed on 04/25/2024

Trade name: Lead ICP Standard 1000 ppm

	(Contd. of page 1
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Carcinogenicity 2: Carcinogenicity – Category 2	
Toxic to Reproduction 1A: Reproductive toxicity – Category 1A	
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) – Category 2	
• * Data compared to the previous version altered.	
······································	