Printing date 03/10/2020

Reviewed on 03/10/2020

I Identification	
· Product identifier	
· Trade name: AO-Original	
Level 1	
• Article number: ARL012	
\cdot Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	AQUA
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
· Information department:	
Technical Coordinator Sherman Nelson sherman@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
GHS02 Flame	
<i>GHS02 Flame</i> <i>Flam. Liq. 2 H225 Highly flammable liquid and vapor.</i>	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07	
Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	to the Globally Harmonized System (GHS)
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	to the Globally Harmonized System (GHS).
 Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the second secon	to the Globally Harmonized System (GHS).
 Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the second secon	to the Globally Harmonized System (GHS).
 Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the second secon	to the Globally Harmonized System (GHS).
 Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to the second secon	to the Globally Harmonized System (GHS).
 Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to Hazard pictograms 	to the Globally Harmonized System (GHS).
 Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger 	to the Globally Harmonized System (GHS).
 Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Cyclohexane 	to the Globally Harmonized System (GHS).
 Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The product is classified and labeled according to Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: 	to the Globally Harmonized System (GHS).

Printing date 03/10/2020

Reviewed on 03/10/2020

Trade name: AO-Original Level 1

	(Contd. of page 1)
Causes skin irritation.	
May cause drowsiness or dizziness.	
May be fatal if swallowed and enters airways.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Call a poison center/doctor if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>.S</i> .
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 3	
$\frac{1}{10} Reactivity = 0$	
· HMIS-ratings (scale 0 - 4)	
HEALTH 1 $Health = 1$	
FIRE 3 $Fire = 3$	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT : Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
Composition/information on ingreatents	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
· Dungerous components.	00 750
÷ .	99.75%
CAS: 110-82-7 Cyclohexane	99.75%
CAS: 110-82-7 Cyclohexane • Table of Nonhazardous Ingredients	
CAS: 110-82-7 Cyclohexane	0.1% (Contd. on page 3)

Printing date 03/10/2020

Reviewed on 03/10/2020

Trade name: AO-Original Level 1

	(Contd.	of page 2)
CAS: 110553-27-0	2-Methyl-4,6-bis[(n-octylthio)methyl]phenol	0.1%
CAS: 26523-78-4	tris(nonylphenyl) phosphite	0.05%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- \cdot After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

*	utions, protective equipment and emergency procedures e equipment. Keep unprotected persons away.	
	precautions: Do not allow to enter sewers/ surface or ground water.	
	naterial for containment and cleaning up:	
	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contan	ninated material as waste according to item 13.	
Ensure adequat	te ventilation.	
· Reference to ot	ther sections	
See Section 7 fc	or information on safe handling.	
See Section 8 fo	or information on personal protection equipment.	
v	for disposal information.	
	on Criteria for Chemicals	
· Protective Action	on Criteria for Chemicals	300 ppm
• Protective Action • PAC-1:	on Criteria for Chemicals	300 ppm
• Protective Activ • PAC-1: CAS: 110-82-7	on Criteria for Chemicals Cyclohexane	300 ppm 1700* ppm
• Protective Action • PAC-1: CAS: 110-82-7 • PAC-2:	on Criteria for Chemicals Cyclohexane	

(Contd. on page 4)

Printing date 03/10/2020

Reviewed on 03/10/2020

Trade name: AO-Original Level 1

(Contd. of page 3)

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 110-82-7 Cyclohexane

PEL Long-term value: 1050 mg/m³, 300 ppm

REL Long-term value: 1050 mg/m³, 300 ppm

TLV Long-term value: 344 mg/m³, 100 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

US

Printing date 03/10/2020

Trade name: AO-Original Level 1

Reviewed on 03/10/2020

· Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and c	hemical properties
General Information	
· Appearance:	
Form:	Liquid
Color:	Clear to pale yellow
Odor:	Strong
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	6.4 °C (43.5 °F)
Boiling point/Boiling range:	81 °C (177.8 °F)
Flash point:	-18 °C (-64.4 °F)
· Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	260 °C (500 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	8.3 Vol %
Vapor pressure at 20 °C (68 °F):	104 hPa (78 mm Hg)
Density at 20 °C (68 °F):	0.78 g/cm ³ (6.5091 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	0.05 g/l
	(Contd. on page

Printing date 03/10/2020

Reviewed on 03/10/2020

Trade name: AO-Original Level 1

	(Contd. c	of page :
• Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	0.94 mPas	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	99.8 %	
VOC content:	99.75 %	
	997.5 g/l / 8.32 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

US

Printing date 03/10/2020

Trade name: AO-Original Level 1 Reviewed on 03/10/2020


(Contd. of page 6)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot **Mobility in soil** No further relevant information available.
- \cdot Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.



Printing date 03/10/2020

Reviewed on 03/10/2020

Trade name: AO-Original Level 1

	(Contd. of page
Label	3
·IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardous substances
	Cyclohexane
Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
EMS Number:	F- E , S - D
Stowage Category	В
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ .	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (\widetilde{EQ})	Code: E2
~ ~ ~ ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (CYCLOHEXANE), 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 110-82-7 Cyclohexane	
· TSCA (Toxic Substances Control Act):	
Cyclohexane	ACTIVE
<i>Irganox</i> ®	ACTIVE
2-Methyl-4,6-bis[(n-octylthio)methyl]phenol	ACTIVE
tris(nonylphenyl) phosphite	ACTIVE
	(Contd. on page 9

Printing date 03/10/2020

Reviewed on 03/10/2020

Trade name: AO-Original Level 1

(Contd. of page 8)

Ι

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 110-82-7 Cyclohexane

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Cyclohexane · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting.

(Contd. on page 10)

⁻ US

Printing date 03/10/2020

Reviewed on 03/10/2020

Trade name: AO-Original Level 1

(Contd. of page 9)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 0.0, 03-09-2020: Creation date for SDS. STN 03/10/2020 / -
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard - Category 1