Printing date 05/18/2020

Reviewed on 05/18/2020

1 Identification

- · Product identifier
- · Trade name: Zirconyl-Spadns Reagent
- · Article number: 9990
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225
- DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator
 Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid
Hazard statements Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

US

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

(Contd. of page 1)
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed. Store locked up.
1
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 0
$\frac{3}{Reactivity} = 0$
Keuchivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH *3 $Health = *3$
FIRE 0 $Fire = 0$
$\frac{1}{\text{REACTIVITY[0]}} Reactivity = 0$
REACTIVITION Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.
• vPvB : Not applicable.
3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 7647-01-0	Hydrochloric Acid	40.243%
• Table of Nonhaz	ardous Ingredients	
CAS: 7732-18-5	Water	59.648%
	$trisodium\ 4,5-dihydroxy-3-(4-sulphonatophenylazo) naphthalene-2,7-disulphonate$	0.0958%
CAS: 13520-92-8	Zirconyl Chloride Octahydrate, Reagent	0.013%

4 First-aid measures

 \cdot Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 13520-92-8	Zirconyl Chloride Octahydrate, Reagent	35 mg/m ³
· PAC-2:		
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 13520-92-8	Zirconyl Chloride Octahydrate, Reagent	300 mg/m ³
· PAC-3:		
CAS: 7647-01-0	Hydrochloric Acid	100 ppm
CAS: 13520-92-8	Zirconyl Chloride Octahydrate, Reagent	1,800 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

(Contd. of page 2)

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:	
CAS: 7647-01-0 Hydrochloric Acid	
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³
PEL	Ceiling limit value: 7 mg/m³, 5 ppm
REL	Ceiling limit value: 7 mg/m³, 5 ppm
TLV	Ceiling limit value: 2.98 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

· Body protection: Protective work clothing

iquid lear red dorless fot determined. fot determined. fot determined. fot applicable. fot applicable. fot applicable. fot determined. fot determined. fot determined. fot determined.	
ear red dorless 'ot determined. 'ot determined. 'ot determined. '00 °C (212 °F) 'ot applicable. 'ot applicable. 'ot determined. 'ot determined. 'ot determined. 'ot determined.	
ear red dorless 'ot determined. 'ot determined. 'ot determined. '00 °C (212 °F) 'ot applicable. 'ot applicable. 'ot determined. 'ot determined. 'ot determined. 'ot determined.	
dorless fot determined. fot determined. fot determined. fot applicable. fot applicable. fot determined. fot determined. fot determined. fot determined.	
ot determined. Indetermined. 00 °C (212 °F) Tot applicable. Tot applicable. Tot determined. Tot determined. To duct does not present an explosion hazard. Tot determined. Tot determined.	
Indetermined. 00 °C (212 °F) Tot applicable. Tot applicable. Tot determined. Toduct is not selfigniting. Toduct does not present an explosion hazard.	
00 °C (212 °F) fot applicable. fot applicable. fot determined. roduct is not selfigniting. roduct does not present an explosion hazard. fot determined. fot determined.	
00 °C (212 °F) fot applicable. fot applicable. fot determined. roduct is not selfigniting. roduct does not present an explosion hazard. fot determined. fot determined.	
ot applicable. Tot applicable. Tot determined. Toduct is not selfigniting. Toduct does not present an explosion hazard. Tot determined.	
ot applicable. Tot determined. roduct is not selfigniting. roduct does not present an explosion hazard. Tot determined. Tot determined.	
ot determined. roduct is not selfigniting. roduct does not present an explosion hazard. ot determined. ot determined.	
roduct is not selfigniting. roduct does not present an explosion hazard. ot determined. ot determined.	
roduct does not present an explosion hazard. ot determined. ot determined.	
ot determined. ot determined.	
ot determined.	
ot determined.	
3 hPa (17.3 mm Hg)	
07255 g/cm ³ (8.95043 lbs/gal)	
ot determined.	
ot determined.	
ot determined.	
ully miscible.	
ot determined.	
ot determined.	
ot determined.	
9.6 %	
0 %	
on on on on on on on on on on	t determined. t determined. t determined. t determined. t determined. t determined. 6 % 0 % g/l / 0.00 lb/gal

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

US

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	10/17/0
DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Hydrochloric acid)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
AND	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code).	
EMS Number:	F-A,S-B
Segregation groups	Strong acids
Stowage Category	C

(Contd. of page 6)

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

	(Contd. of page 7
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
·IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID), 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVE
trisodium 4,5-dihydroxy-3-(4-sulphonatophenylazo)naphthalene-2,7-disulphonate	ACTIVE
· Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
	(Contd. on page 9)

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

(Contd. of page 8)
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
• <i>GHS label elements</i> The product is classified and labeled according to the Globally Harmonized System (GHS). • <i>Hazard pictograms</i>
GHS05 GHS07
· Signal word Danger
· Hazard-determining components of labeling:
Hydrochloric Acid
· Hazard statements
Causes severe skin burns and eye damage.
May cause respiratory irritation.
· Precautionary statements
Do not breathe dusts or mists.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

```
· Date of preparation / last revision
 Revision 0.0 05-15-2020: Creation date for SDS. STN
 05/18/2020 / -
• Abbreviations and acronyms:
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
```

(Contd. on page 10)

US

Printing date 05/18/2020

Reviewed on 05/18/2020

Trade name: Zirconyl-Spadns Reagent

(Contd. of page 9)

US

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3