Printing date 06/13/2024

\*

Reviewed on 06/13/2024


Identification		
Product identifier		
Trade name: <u>Nitric Act</u> 5.0 Norm	id al Solution	
Article number: 6468		
Details of the supplier of Manufacturer/Supplier Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77530 USA 800-256-2586		AQUA SOLUTIONS
Information department Technical Coordinator Sherman Nelson sherma Emergency telephone n Chemtrec: 800-424-930 Canutec: 613-996-6666	ann@aquasolutions.org <b>uumber:</b> 00	
Hazard(s) identifica	ation	
Classification of the su	bstance or mixture	
GHS06 Skull	and crossbones	
Acute Toxicity - Inhalat		
Acute Toxicity - Inhalat	ion 3 H331 Toxic if inhaled.	
	ion 3 H331 Toxic if inhaled.	eye damage.
GHS05 Corre	ion 3 H331 Toxic if inhaled. osion	l eye damage.
GHS05 Corro Skin Corrosion 1A Eye Damage 1 Label elements	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage.	
Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage.	
Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage.	
GHS05 Corro Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage.	
GHS05 Corro Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining co	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage. e product is classified and labeled accord	
GHS05 Corro Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining co Nitric Acid Hazard statements	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage. e product is classified and labeled accord	
GHS05 Corro Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining co Nitric Acid Hazard statements Toxic if inhaled. Causes severe skin burr	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage. e product is classified and labeled accord <b>omponents of labeling:</b> as and eye damage.	
GHS05 Corro Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining co Nitric Acid Hazard statements Toxic if inhaled. Causes severe skin burr Precautionary statemen	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage. e product is classified and labeled accord <b>omponents of labeling:</b> ns and eye damage. <b>nts</b>	
GHS05 Corro Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining co Nitric Acid Hazard statements Toxic if inhaled. Causes severe skin burr	ion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and H318 Causes serious eye damage. e product is classified and labeled accord omponents of labeling: ms and eye damage. ts mists. handling.	eye damage. ing to the Globally Harmonized System (GHS)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Nitric Acid

**5.0 Normal Solution** 



CAS: 7732-18-5 Water

# 4 First-aid measures

### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

55.0%

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Nitric Acid 5.0 Normal Solution

(Contd. of page 2)

- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor. • Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7697-37-2 Nitric Acid	0.16 ppm
· PAC-2:	
CAS: 7697-37-2 Nitric Acid	24 ppm
· PAC-3:	
CAS: 7697-37-2 Nitric Acid	92 ppm

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- *Information about protection against explosions and fires: Keep respiratory protective device available.*

(Contd. on page 4)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Nitric Acid 5.0 Normal Solution

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

### · Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

- REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- TLV Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

#### • Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

- US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Nitric Acid 5.0 Normal Solution

(Contd. of page 4)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information	- •	
· Appearance:		
Form:	Liquid	
Color: • Odor:	Clear Odorless	
· Odor: · Odor threshold:	Not determined.	
• pH-value at 20 °C (68 °F):	<2	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	25 hPa (18.8 mm Hg)	
· Density at 20 °C (68 °F):	1.18 g/cm <sup>3</sup> (9.8471 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	55.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	

Printing date 06/13/2024

Reviewed on 06/13/2024

(Contd. of page 5)

Trade name: Nitric Acid

5.0 Normal Solution

Solids content:

0.0 %

• Other information

No further relevant information available.

# **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 6.67 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: *Toxic*
- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

US

*Printing date 06/13/2024* 

Reviewed on 06/13/2024

Trade name: Nitric Acid

### **5.0 Normal Solution**

(Contd. of page 6)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN2031	
· UN proper shipping name		
· DOT	Nitric acid solution	
· IMDG, IATA	NITRIC ACID solution	
· Transport hazard class(es)		
·DOT		
CORROSIVE 8		
· Class	8 Corrosive substances	
· Label	8	
· IMDG, IATA		
ALL		
· Class	8 Corrosive substances	

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Nitric Acid

5.0 Normal Solution

	(Contd. of page
Label	8
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	: 80
EMS Number:	F-A,S-B
Segregation groups	(SGG1a) Strong acids
Stowage Category	D
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2031 NITRIC ACID SOLUTION, 8, II

# **15 Regulatory information**

\*

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

Suru	
· Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Nitric Acid	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page 9)

*Printing date 06/13/2024* 

Reviewed on 06/13/2024

Trade name: Nitric Acid

**5.0 Normal Solution** 

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Nitric Acid · Hazard statements Toxic if inhaled. Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 10)

<sup>-</sup> US

Printing date 06/13/2024

Reviewed on 06/13/2024

## Trade name: Nitric Acid 5.0 Normal Solution

	(Contd. of page 9)
Contact:	
Date of Preparation / Last Revision:	
Date of preparation / last revision	
Revision 1.2, 06/12/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 05-29-2024: Creation date for SDS. STN	
06/13/2024 / 1.0	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	