Printing date 06/07/2024

*

*


Reviewed on 06/07/2024

I Identification	
· Product identifier	
· Trade name: <u>Potassium Dichromate, Primary Stand</u>	ard Grade
• Article number: P3782 • CAS Number: 7778-50-9 • EC number: 231-906-6 • Index number: 024-002-00-6	AQUA
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 	
• Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
• Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
• Emergency telephone number: Chemtrec: 800-424-9300	
• Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 • Hazard(s) identification	
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture 	
• Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification	
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture 	H272 May intensify fire; oxidizer.
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 2 	H272 May intensify fire; oxidizer.
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle 	H272 May intensify fire; oxidizer.
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 2 GHS06 Skull and crossbones 	
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 	H301 Toxic if swallowed.
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 2 GHS06 Skull and crossbones 	
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 	H301 Toxic if swallowed.
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Inhalation 2 	H301 Toxic if swallowed.
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Inhalation 2 GHS08 Health hazard 	H301 Toxic if swallowed. H330 Fatal if inhaled. H334 May cause allergy or asthma symptoms
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Inhalation 2 GHS08 Health hazard Sensitization - Respiratory 1 	H301 Toxic if swallowed. H330 Fatal if inhaled. H334 May cause allergy or asthma symptoms breathing difficulties if inhaled.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture of GHS03 Flame over circle Oxidizing Solids 2 of GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Inhalation 2 of GHS08 Health hazard Sensitization - Respiratory 1 Germ Cell Mutagenicity 1B Carcinogenicity 1A Toxic to Reproduction 1B	H301 Toxic if swallowed. H330 Fatal if inhaled. H334 May cause allergy or asthma symptoms breathing difficulties if inhaled. H340 May cause genetic defects.

(Contd. on page 2)

Printing date 06/07/2024

Reviewed on 06/07/2024



Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Potassium Dichromate, Primary Standard Grade

	(Contd. of page 2)
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, i Continue rinsing.	f present and easy to do.
IF exposed or concerned: Get medical advice/attention.	
1	
Call a poison center/doctor if you feel unwell. Get medical advice/attention if you feel unwell.	
Specific treatment is urgent (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international r	agulations
Classification system:	eguiations.
· NFPA ratings (scale 0 - 4)	
4 0 Health = 4 Fire = 0 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH \checkmark Health = *4FIRE0Fire = 0REACTIVITY0Reactivity = 0	
· Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
• vPvB: Not applicable.	

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 7778-50-9 Potassium Dichromate
- · Identification number(s)
- EC number: 231-906-6
- · Index number: 024-002-00-6

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

(Contd. on page 4)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Potassium Dichromate, Primary Standard Grade

(Contd. of page 3)

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Do not induce vomiting; immediately call for medical help.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Use neutralizing agent.

Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- PAC-1: 0.42 mg/m³
- **PAC-2:** 7.4 mg/m³
- · PAC-3: 44 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- *Open and handle receptacle with care.*
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

[–] US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Potassium Dichromate, Primary Standard Grade

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Control parameters			
· Com	ponents with limit values that require monitoring at the workplace:		
CAS:	: 7778-50-9 Potassium Dichromate		
PEL	Long-term value: 0.005* mg/m ³ Ceiling limit value: 0.1** mg/m ³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026		
REL	Long-term value: 0.0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C		
TLV	Short-term value: 0.0005 mg/m³ Long-term value: 0.0002 mg/m³ as Cr(VI); A1;inhalable, Skin;BEI, DSEN, RSEN		
· Ingre	edients with biological limit values:		
CAS.	7778-50-9 Potassium Dichromate		
	25μg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Total chromium (fume)		
	10μg/L LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)		
 Expo Perso Gene Keep Imme Wash Store Avoid Avoid Brea In ca respi 	tional information: The lists that were valid during the creation were used as basis. psure controls pral protective equipment: pral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. a hands before breaks and at the end of work. protective clothing separately. d contact with the eyes. d contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use ratory protective device that is independent of circulating air.		
NII.	Protective gloves		

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Potassium Dichromate, Primary Standard Grade

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

 Information on basic physical and chemical properties General Information 					
· Appearance:					
Form:	Crystalline				
Color:	Bright Red-Orange				
· Odor:	Odorless				
· Odor threshold:	Not determined.				
· pH-value:	4				
· Change in condition					
Melting point/Melting range:	398 °C (748.4 °F)				
Boiling point/Boiling range:	>500 °C (>932 °F)				
Flash point:	Not applicable.				
· Flammability (solid, gaseous):	Product is not flammable.				
Decomposition temperature:	Not determined.				
· Ignition temperature:	Not determined.				
Danger of explosion:	Product does not present an explosion hazard.				
· Explosion limits:					
Lower:	Not determined.				
Upper:	Not determined.				
· Vapor pressure at 20 °C (68 °F):	0 hPa				
· Density at 20 °C (68 °F):	2.676 g/cm ³ (22.33122 lbs/gal)				
· Relative density	Not determined.				
· Vapor density	Not applicable.				
• Evaporation rate	Not applicable.				
· Solubility in / Miscibility with					
Water at 20 °C (68 °F):	125 g/l				
· Partition coefficient (n-octanol/wate	r): Not determined.				
· Viscosity:					
Dynamic:	Not applicable.				
Kinematic:	Not applicable.				

(Contd. of page 5)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

(Contd. of page 6)

Trade name: Potassium Dichromate, Primary Standard Grade

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

 Oral
 LD50
 100 mg/kg (ATE)

 Dermal
 LD50
 1,100 mg/kg (ATE)

 Inhalative
 LC50/4h
 0.05 mg/l (ATE)

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer) 1
- · NTP (National Toxicology Program) K
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 8)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Potassium Dichromate, Primary Standard Grade (Contd. of page 7) Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even extremely small quantities leak into the ground. · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. · Other adverse effects No further relevant information available. **13 Disposal considerations** · Waste treatment methods · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. · Uncleaned packagings: • Recommendation: Disposal must be made according to official regulations. 14 Transport information · UN-Number · DOT, IMDG, IATA UN3086 · UN proper shipping name · DOT Toxic solids, oxidizing, n.o.s. (Potassium Dichromate) · IMDG, IATA TOXIC SOLID, OXIDIZING, N.O.S. (Potassium Dichromate) · Transport hazard class(es) · DOT TOXIC 6.1 Toxic substances · Class · Label 6.1, 5.1 · IMDG 5è · Class 6.1 Toxic substances · Label 6.1/5.1 ·IATA · Class 6.1 Toxic substances · Label 6.1 (5.1) · Packing group · DOT, IMDG, IATA Π (Contd. on page 9)

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Potassium Dichromate, Primary Standard Grade

	(Contd. of page
Environmental hazards:	Environmentally hazardous substance, solid
Marine pollutant:	No
-	Symbol (fish and tree)
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code)	: 886
• EMS Number:	F-A,S-B
· Stowage Category	С
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 kg
	On cargo aircraft only: 25 kg
Hazardous substance:	10 lbs, 4.54 kg
· IMDG	
Limited quantities (LQ)	0
Excepted quantities (\widetilde{EQ})	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 3086 TOXIC SOLID, OXIDIZING, N.O.S. (POTASSIUN DICHROMATE), 6.1 (5.1), II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.

· Proposition 65

- · Chemicals known to cause cancer: Substance is listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is listed.
- · Chemicals known to cause developmental toxicity: Substance is listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) A(inh), D(oral), K/L(inh), CBD(oral)
- · TLV (Threshold Limit Value) A1
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

(Contd. on page 10)

US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Potassium Dichromate, Primary Standard Grade

· Hazard statements	(Contd. of page 9)
May intensify fire; oxidizer.	
Toxic if swallowed.	
Harmful in contact with skin.	
Fatal if inhaled.	
Causes severe skin burns and eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
May cause an anergic skin reaction. May cause genetic defects.	
May cause cancer.	
May damage fertility or the unborn child.	
May cause respiratory irritation.	
Causes damage to the respiratory system through prolonged or repeated exposure.	
• Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat.	
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Immediately call a poison center/doctor.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	1
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/	snower.
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if p	present and easy to ao.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Get medical advice/attention if you feel unwell.	
Specific treatment is urgent (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international reg	ulations.
National regulations:	
Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group I (extremely dangerous).	
Carcinogenic hazardous material group II (very dangerous).	
Carcinogenic hazardous material group III (dangerous).	
Information about limitation of use:	
Workers are not allowed to be exposed to this hazardous material. Exceptions can be ma	de by the authorities in
certain cases.	

certain cases.

(Contd. on page 11)

[–] US

Printing date 06/07/2024

Reviewed on 06/07/2024

Trade name: Potassium Dichromate, Primary Standard Grade

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision

Date of preparation / last revision
 Revision 1.2, 06/07/2024: Reviewed SDS for accuracy. MH/STN
 Creation date for SDS 09-23-2014 STN
 06/07/2024
 Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Oxidizing Solids 2: Oxidizing solids – Category 2

Acute Toxicity - Oral 3: Acute toxicity – Category 2

Acute Toxicity - Dermal 4: Acute toxicity – Category 4

Acute Toxicity - Inhalation 2: Acute toxicity – Category 2 Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eve Damage 1: Serious eve damage/eve irritation – Category 1B

Sensitization - Respiratory 1: Respiratory sensitisation – Category 1

Sensitization - Skin 1: Skin sensitisation – Category 1

Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B

Carcinogenicity 1A: Carcinogenicity – Category 1A Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1

• * Data compared to the previous version altered.

-US -