Printing date 07/25/2024

*

Reviewed on 07/25/2024

Identification	
Product identifier	
Trade name: <u>Barium Nitrate</u> 10% w/v Aqueous Solution	
Article number: DEL137	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number:	
<i>Chemtrec:</i> 800-424-9300 <i>Canutec:</i> 613-996-6666	
Harand(a) identification	
Hazard(s) identification	
Classification of the substance or mixture	
GHS03 Flame over circle	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2H272 May intensify fire; oxidizer.Image: Construct of the system o	
Oxidizing Liquids 2H272 May intensify fire; oxidizer.Oxidizing Liquids 2H272 May intensify fire; oxidizer.OxidizerGHS07Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Eye Irritation 2AH319 Causes serious eye irritation	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing CHS07 GHS07 Acute Toxicity - Inhalation 4 H332 Harmful if inhaled. Eye Irritation 2A H319 Causes serious eye irritation Label elements GHS label elements GHS label elements The product is classified and labeled accord	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing CHS07 GHS07 Acute Toxicity - Inhalation 4 H332 Harmful if inhaled. Eye Irritation 2A H319 Causes serious eye irritation Label elements GHS label elements GHS label elements The product is classified and labeled accord	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing CHS07 GHS07 Acute Toxicity - Inhalation 4 H332 Harmful if inhaled. Eye Irritation 2A H319 Causes serious eye irritation Label elements GHS06 GHS07 GHS07	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 GHS07 Acute Toxicity - Inhalation 4 H332 Harmful if inhaled. Eye Irritation 2A H319 Causes serious eye irritation Label elements GHS label elements The product is classified and labeled accord Hazard pictograms GHS03 GHS03 GHS07	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 GHS07 Acute Toxicity - Inhalation 4 H332 Harmful if inhaled. Eye Irritation 2A H319 Causes serious eye irritation Label elements GHS label elements The product is classified and labeled accord GHS03 GHS07 Signal word Danger Hazard-determining components of labeling:	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 GHS07 Acute Toxicity - Inhalation 4 H332 Harmful if inhaled. Eye Irritation 2A H319 Causes serious eye irritation Label elements GHS label elements The product is classified and labeled accord GHS03 GHS07 Signal word Danger Hazard-determining components of labeling: Barium Nitrate	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 GHS07 Acute Toxicity - Inhalation 4 H332 Harmful if inhaled. Eye Irritation 2A H319 Causes serious eye irritation Label elements GHS label elements The product is classified and labeled accord GHS03 GHS07 Signal word Danger Hazard-determining components of labeling: Barium Nitrate Hazard statements	
Oxidizing Liquids 2H272 May intensify fire; oxidizer.Oxidizing Liquids 2H272 May intensify fire; oxidizer.Oxidizing Liquids 2GHS07Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Eye Irritation 2AH319 Causes serious eye irritationLabel elementsGHS01GHS label elementsThe product is classified and labeled accordHazard pictogramsGHS03GHS03GHS07Signal word DangerHazard-determining components of labeling: Barium NitrateHazard statements May intensify fire; oxidizer.	
Oxidizing Liquids 2H272 May intensify fire; oxidizer. $\widehat{Oxidizing Liquids 2}$ H272 May intensify fire; oxidizer. $\widehat{Oxidizing CHS07}$ H272 May intensify fire; oxidizer. $\widehat{Oxidizing CHS03}$ $\widehat{Oxidizer.}$ $\widehat{Oxidizing CHS03}$ H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2H272 May intensify fire; oxidizer.Oxidizing CHS07GHS07Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Eye Irritation 2AH319 Causes serious eye irritationLabel elementsHappendic tis classified and labeled accordGHS label elementsThe product is classified and labeled accordHazard pictogramsOxidicalOxid CHS03GHS07Signal word DangerHazard-determining components of labeling: Barium NitrateHazard statements May intensify fire; oxidizer.Hamful if inhaled. Causes serious eye irritation.	
Oxidizing Liquids 2H272 May intensify fire; oxidizer.Oxidizing Liquids 2H272 May intensify fire; oxidizer.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Eye Irritation 2AH319 Causes serious eye irritationLabel elementsH319 Causes serious eye irritationGHS label elementsThe product is classified and labeled accordHazard pictogramsGHS03GHS03GHS07Signal word DangerHazard-determining components of labeling: Barium NitrateHazard statementsMay intensify fire; oxidizer. Harmful if inhaled. Causes serious eye irritation.Precautionary statementsNa	
Oxidizing Liquids 2H272 May intensify fire; oxidizer.Oxidizing CHS07GHS07Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Eye Irritation 2AH319 Causes serious eye irritationLabel elementsHappenetsGHS label elementsThe product is classified and labeled accordHazard pictogramsOxidizerOxidized Hasard determining components of labeling: Barium NitrateHazard statements May intensify fire; oxidizer. Harmful if inhaled. Causes serious eye irritation.	

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Barium Nitrate 10% w/v Aqueous Solution

(Contd. of page 1)
Take any precaution to avoid mixing with combustibles.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a closed container.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2
2×0 Fire = 3
Reactivity = 0
The substance possesses oxidizing properties.
· HMIS-ratings (scale 0 - 4)
$\frac{\text{HEALTH}}{2} Health = 2$
FIRE 3 $Fire = 3$
REACTIVITY 0 Reactivity = 0
· Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
· vPvB: Not applicable.
3 Composition/information on ingredients
5 Composition information on ingreatents
· Chemical characterization: Mixtures
· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 10022-31-	8 Barium Nitrate	10.0%
• Table of Nonha	zardous Ingredients	
CAS: 7732-18-5	Water	90.0%

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Barium Nitrate 10% w/v Aqueous Solution

(Contd. of page 2)

- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· Trolective Action Crueria for Chemicals	
· PAC-1:	
CAS: 10022-31-8 Barium Nitrate	$2.9 mg/m^3$
· PAC-2:	
CAS: 10022-31-8 Barium Nitrate	350 mg/m ³
· PAC-3:	
CAS: 10022-31-8 Barium Nitrate	2,100 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

• Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

US

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Barium Nitrate

10% w/v Aqueous Solution

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 10022-31-8 Barium Nitrate

PEL Long-term value: 0.5 mg/m³ as Ba

- REL Long-term value: 0.5 mg/m³ as Ba TLV Long-term value: 0.5 mg/m³
- as Ba, A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Barium Nitrate 10% w/v Aqueous Solution

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information	nemeal properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.224 g/cm³ (10.21428 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	90.0 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	

Printing date 07/25/2024

Reviewed on 07/25/2024

(Contd. of page 5)

Trade name: Barium Nitrate

10% w/v Aqueous Solution

Solids content:

10.0~%

· Other information

No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 3,550 mg/kg (rat)

Inhalative LC50/4h 15 mg/l

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

US

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Barium Nitrate

10% w/v Aqueous Solution

(Contd. of page 6)

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1446	
· UN proper shipping name · DOT · IMDG, IATA	Barium nitrate solution BARIUM NITRATE solution	
· Transport hazard class(es)		
·DOT		
OXIDZER 51 8		
· Class	6.1 Toxic substances	
· Label	5.1, 6.1	
·IMDG		
· Class	6.1 Toxic substances	
·Label	5.1/6.1	
· IATA		
· Class	6.1 Toxic substances	

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Barium Nitrate 10% w/v Aqueous Solution

	(Contd. of page 7)
· Label	5.1 (6.1)
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Toxic substances
• Transport in bulk according to Annex L MARPOL73/78 and the IBC Code	I of Not applicable.
· UN "Model Regulation":	UN 1446 BARIUM NITRATE SOLUTION, 5.1 (6.1), II

15 Regulatory information

\cdot Safety, health and environmental regulations/legislation specific for the substance or mixture
No further relevant information available.
· Sara

Section 355	(extremely	hazardous	substances):
-------------	------------	-----------	------------	----

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 10022-31-8 Barium Nitrate

• TSCA (Toxic Substances Control Act):

Water

ACTIVE ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Barium Nitrate

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 10022-31-8 Barium Nitrate

D, CBD(inh), NL(oral)

· TLV (Threshold Limit Value)

CAS: 10022-31-8 Barium Nitrate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

US

A4

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name:	Barium Nitrate	
	10% w/v Aqueous	Solution

(Contd. of page 8) · Hazard pictograms GHS03 GHS07 · Signal word Danger · Hazard-determining components of labeling: **Barium** Nitrate · Hazard statements May intensify fire; oxidizer. Harmful if inhaled. Causes serious eye irritation. · Precautionary statements Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a closed container. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department. • Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2 07/25/2024: Reviewed SDS for accuracy. MH/STN 07/25/2024 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

(Contd. on page 10)

[·]US

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Barium Nitrate 10% w/v Aqueous Solution

(Contd. of page 9)

us

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Oxidizing Liquids 2: Oxidizing liquids – Category 2 Acute Toxicity - Inhalation 4: Acute toxicity – Category 4 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A • * Data compared to the previous version altered.