Printing date 10/30/2017

Reviewed on 10/30/2017

nting date 10/30/2017	Reviewed on 10/30/20
Identification	
Product identifier	
Trade name: <u>Iodine 0.1 N in MEOH</u> for Propenyl Test in Ucon	
Article number: DC738-275	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
• Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
P Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS06 Skull and crossbones	
Acute Tox. 3 H331 Toxic if inhaled.	
GHS08 Health hazard	
STOT SE 1 H370 Causes damage to organs.	
STOT RE 1 H372 Causes damage to organs through prolon	ged or repeated exposure.
• Label elements • GHS label elements The product is classified and labeled acco • Hazard pictograms	ording to the Globally Harmonized System (GHS)
GHS02 GHS06 GHS08	
· Signal word Danger	
Hazard-determining components of labeling:	
Methanol (Methyl Alcohol) Iodine *DEA regulated item	

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

	(Contd. of page 1)
· Hazard statements	
Highly flammable liquid and vapor.	
Toxic if inhaled.	
Causes damage to organs.	
Causes damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
Get medical advice/attention if you feel unwell.	
Specific treatment (see on this label).	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation.	<i>s</i> .
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 3	
$\mathbf{U} \mathbf{R} eactivity = 0$	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 3 $Fire = 3$	
REACTIVITY 0 <i>Reactivity</i> = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 67-56-1 Methanol (Methyl Alcohol)	98.503%
CAS: 7553-56-2 Iodine *DEA regulated item	1.4971%

(Contd. on page 3)

US

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Wear protective	equipment. Keep unprotected persons away.	
Environmental p	recautions: Do not allow to enter sewers/ surface or ground water.	
Methods and mo	terial for containment and cleaning up:	
Absorb with liqu	d-binding material (sand, diatomite, acid binders, universal binders, saw	dust).
Dispose contami	nated material as waste according to item 13.	
Ensure adequate	ventilation.	
Reference to oth	er sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
	r disposal information.	
Protective Action	n Criteria for Chemicals	
<i>PAC-1:</i>		
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppn
CAS: 7553-56-2	Iodine *DEA regulated item	0.1 ppm
<i>PAC-2:</i>		
	Methanol (Methyl Alcohol)	2,100 ppn

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

CAS: 7553-56-2	Iodine *DEA regulated item	(Contd. of page 3) 0.5 ppm
· PAC-3:		
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 7553-56-2	Iodine *DEA regulated item	5 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Information about protection against explosions and finds.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
CAS	: 67-56-1 Methanol (Methyl Alcohol)
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm
TLV	Skin Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI
CAS	: 7553-56-2 Iodine *DEA regulated item
PEL	Ceiling limit value: 1 mg/m ³ , 0.1 ppm
REL	Ceiling limit value: 1 mg/m ³ , 0.1 ppm
TLV	Short-term value: 1 mg/m ³ , 0.1** ppm
	Long-term value: 0.1* mg/m ³ , 0.01* ppm *as inhalable fraction and vapor;**vapor
	(Contd. on page 5)

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 4)

CAS	: 67-56-1 Methanol (Methyl Alcohol)
	15 mg/L
DLI	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
Add	<i>itional information:</i> The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
-	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	thing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure a
	iratory protective device that is independent of circulating air.
	ection of hands:
Chu,	Protective gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ nical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation e <mark>rial of gloves</mark>
The vari the g	selection of the suitable gloves does not only depend on the material, but also on further marks of quality a es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance glove material can not be calculated in advance and has therefore to be checked prior to the application. etration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to
	rved.
	protection:
	Tightly sealed goggles
Bod	y protection: Protective work clothing
P Phy	psical and chemical properties
	rmation on basic physical and chemical properties

Form:	Liquid
Color:	Dark brown
· Odor:	Alcohol

(Contd. on page 6)

US

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

	(Contd. of page :
Odor threshold:	Not determined.
· pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	$-97.8 ^{\circ}C(-144 ^{\circ}F)$
Boiling point/Boiling range:	64 °C (147.2 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.80157 g/cm ³ (6.6891 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	p r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	98.5 %
VOC content:	98.50 %
	789.6 g/l / 6.59 lb/gl
Solids content:	1.5 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)

⁻ US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

• Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

 \cdot LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Dermal
 LD50
 73,475 mg/kg

 Inhalative
 LC50/4 h
 3.03 mg/l

CAS: 67-56-1 Methanol (Methyl Alcohol)

OralLD505,628 mg/kg (rat)DermalLD5015,800 mg/kg (rabbit)InhalativeLC50/4 h3 mg/l (ATE)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

US

Printing date 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 7)

Reviewed on 10/30/2017

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG, IATA	Flammable liquids, n.o.s. (Methanol) FLAMMABLE LIQUID, N.O.S. (METHANOL)
Transport hazard class(es) DOT	
Class Label	3 Flammable liquids 3
· IMDG, IATA	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	Warning: Flammable liquids 336 F-E, <u>S-E</u> B
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.

US

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

Transport/Additional information:	(Contd. of page
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUIDS, N.O.S. (METHANOL), 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 \cdot Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

• TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)

Iodine *DEA regulated item

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 7553-56-2 Iodine *DEA regulated item

A4

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

Printing date 10/30/2017

Reviewed on 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

(Contd. of page 9) · Hazard pictograms GHS02 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol (Methyl Alcohol) Iodine *DEA regulated item · Hazard statements Highly flammable liquid and vapor. Toxic if inhaled. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. Specific treatment (see on this label). In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- · Contact:
- Date of preparation / last revision

 10-30-2017: review SDS for accuracy. STN
 Creation date for SDS 02-03-2015. STN
 10/30/2017 /

 Abbreviations and acronyms:

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 11)

⁻ US

Printing date 10/30/2017

Trade name: Iodine 0.1 N in MEOH for Propenyl Test in Ucon

Reviewed on 10/30/2017

(Contd. of page 10)

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1