Printing date 06/13/2024

Reviewed on 06/13/2024

1 Identification

- · Product identifier
- Trade name: GC Calibration Standard Level 2 10.0 ppm ea IPA:TAA:VA:TBA
- · Article number: HON181
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



- · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements
- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0 Health = 00 Fire = 0**REACTIVITY** O Reactivity = 0

· Other hazards

FIRE

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: GC Calibration Standard Level 2 10.0 ppm ea IPA:TAA:VA:TBA

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: Not Applicable

· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	99.996%
CAS: 67-63-0	Isopropanol	0.001%
CAS: 75-65-0	tert-Butyl Alcohol	0.001%
CAS: 75-85-4	2-methyl-2-butanol	0.001%
CAS: 108-05-4	Vinyl Acetate, Reagent Grade	0.001%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- $\cdot \textit{Environmental precautions: Dilute with plenty of water.}$
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

CAS: 67-63-0 Isopropanol

400 ppm

(Contd. on page 3)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: GC Calibration Standard Level 2 10.0 ppm ea IPA:TAA:VA:TBA

		(Contd. of page 2
CAS: 75-65-0	tert-Butyl Alcohol	150 ppm
CAS: 108-05-4	Vinyl Acetate, Reagent Grade	6.7 ppm
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 75-65-0	tert-Butyl Alcohol	1,300 ppm
CAS: 108-05-4	Vinyl Acetate, Reagent Grade	36 ppm
· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 75-65-0	tert-Butyl Alcohol	8000* ppm
CAS: 108-05-4	Vinyl Acetate, Reagent Grade	180 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot \textit{Specific end use}(s) \textit{ No further relevant information available}.$

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: GC Calibration Standard Level 2 10.0 ppm ea IPA:TAA:VA:TBA

(Contd. of page 3)

· Material of gloves

*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.99993 g/cm ³ (8.34442 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: GC Calibration Standard Level 2 10.0 ppm ea IPA:TAA:VA:TBA

		(Contd. of page 4)
Water: VOC content:	100.0 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 67-63-0	Isopropanol	3
CAS: 108-05-4	Vinyl Acetate, Reagent Grade	2B
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ing	redients is listed.	

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: GC Calibration Standard Level 2 10.0 ppm ea IPA:TAA:VA:TBA

(Contd. of page 5)

- · Additional ecological information:
- General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, IATA	Not regulated	
· IMDG	Not Regulated	
	Not regulated	
· Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex 1	I of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances):
- CAS: 108-05-4 Vinyl Acetate, Reagent Grade
- · Section 313 (Specific toxic chemical listings):
- CAS: 67-63-0 Isopropanol

(Contd. on page 7)

⁻ US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: GC Calibration Standard Level 2 10.0 ppm ea IPA:TAA:VA:TBA

		(Contd. of page 6)
CAS: 75-65-0	tert-Butyl Alcohol	
CAS: 108-05-4	Vinyl Acetate, Reagent Grade	
· TSCA (Toxic Si	ibstances Control Act):	
Water		ACTIVE
Isopropanol		ACTIVE
tert-Butyl Alcoh	ol	ACTIVE
2-methyl-2-buta	nol	ACTIVE
Vinyl Acetate, R	eagent Grade	ACTIVE
· Hazardous Air	Pollutants	
CAS: 108-05-4	Vinyl Acetate, Reagent Grade	
· Proposition 65		
· Chemicals know	vn to cause cancer:	
None of the ingr	edients is listed.	
· Chemicals knov	vn to cause reproductive toxicity for females:	
None of the ingr	edients is listed.	
· Chemicals know	vn to cause reproductive toxicity for males:	
None of the ingr	edients is listed.	
· Chemicals know	vn to cause developmental toxicity:	
None of the ingr	edients is listed.	
· Carcinogenic co	itegories	
· EPA (Environn	nental Protection Agency)	
CAS: 75-65-0 t	ert-Butyl Alcohol	SC
· TLV (Threshold	l Limit Value)	
CAS: 67-63-0	Isopropanol	A4
CAS: 75-65-0	tert-Butyl Alcohol	A4
CAS: 108-05-4	Vinyl Acetate, Reagent Grade	A3
· NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)	
None of the ingr	edients is listed.	
 Hazard pictogra Signal word No Hazard stateme Precautionary s If swallowed: Co If on skin: Wash 	nts Not Applicable tatements all a poison center/doctor if you feel unwell. with plenty of water. e cautiously with water for several minutes. Remove contact lenses, ij 3.	f present and easy to do

(Contd. on page 8)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: GC Calibration Standard Level 2 10.0 ppm ea IPA:TAA:VA:TBA

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/13/2024: Reviewed SDS for accuracy. MH/STN 06/13/2024 / 1.1 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit \cdot * Data compared to the previous version altered.

-US-