Printing date 06/13/2024

Reviewed on 06/13/2024

1 Identification

- · Product identifier
- Trade name: <u>Persulfate Solution</u> for EZ2001 Total Chromium
- · Article number: HAC523
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Sensitization - Skin 1

H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Sodium Persulfate
 Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
 Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.
- [In case of inadequate ventilation] wear respiratory protection. If on skin: Wash with plenty of water.


(Contd. on page 2)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Persulfate Solution for EZ2001 Total Chromium



4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Persulfate Solution

for EZ2001 Total Chromium

(Contd. of page 2)

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 7775-27-1	Sodium Persulfate

 $0.3 mg/m^{3}$

 $49 mg/m^3$

· PAC-2:

 $8.2 mg/m^{3}$

· PAC-3:

CAS: 7775-27-1 Sodium Persulfate

CAS: 7775-27-1 Sodium Persulfate

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Persulfate Solution

for EZ2001 Total Chromium

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7775-27-1 Sodium Persulfate

TLV Long-term value: 0.1 mg/m³ as persulfate

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

Information on basic physical and a General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Persulfate Solution for EZ2001 Total Chromium

		(Contd. of page 4)
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.02768 g/cm³ (8.57599 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	98.0 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	2.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Persulfate Solution

for EZ2001 Total Chromium

 $(Contd. \ of \ page \ 5)$

Information on toxicologi	cal effects
Acute toxicity:	55
LD/LC50 values that are r	elevant for classification:
ATE (Acute Toxicity Estim	nate)
Oral LD50 46,538 mg/kg	(rat)
Primary irritant effect:	
on the skin: No irritant eff	ect.
on the eye: No irritating ef	fect.
Sensitization:	
Sensitization possible through	igh inhalation.
Sensitization possible through	igh skin contact.
Additional toxicological in	oformation:
The product shows the follo	owing dangers according to internally approved calculation methods for preparation.
Harmful	
Irritant	
Carcinogenic categories	
IARC (International Agen	cy for Research on Cancer)
None of the ingredients is l	isted.
NTP (National Toxicology	Program)
None of the ingredients is l	isted.
OSHA-Ca (Occupational)	Safety & Health Administration)
None of the ingredients is l	isted.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

[·] Toxicity

US

Printing date 06/13/2024

Trade name: Persulfate Solution for EZ2001 Total Chromium

(Contd. of page 6)

Reviewed on 06/13/2024

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
· Class	Not regulated	
Packing group		
· DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	Not regulated	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): None of the ingredients is listed. · TSCA (Toxic Substances Control Act): Water ACTIVE Sodium Persulfate ACTIVE · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. (Contd. on page 8) US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Persulfate Solution

for EZ2001 Total Chromium

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- · Hazard-determining components of labeling:
- Sodium Persulfate
- · Hazard statements
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.
- · Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves.

[In case of inadequate ventilation] wear respiratory protection.

- If on skin: Wash with plenty of water.
- If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision

Revision 0.1, 06/13/2024: Reviewed SDS for accuracy. MH/STN

(Contd. on page 9)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Persulfate Solution for EZ2001 Total Chromium

	(Contd. of page 8)
06/13/2024 / 1.0	
• Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Sensitization - Respiratory 1: Respiratory sensitisation – Category 1	
Sensitization - Skin 1: Skin sensitisation – Category 1	
$\cdot *$ Data compared to the previous version altered.	