US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Product identifier	
• Trade name: <u>Eriochrome Black T 0.5% w/v</u> in 2-Methoxyethanol	
Article number: SPX477	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA
Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
P Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
GHISOZ I Rume	
Flam. Liq. 3 H226 Flammable liquid and vapor.	
Flam. Liq. 3 H226 Flammable liquid and vapor.	
Flam. Liq. 3 H226 Flammable liquid and vapor.	ld.
Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn chin	ld.
Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn chin GHS07	Id.
Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn chin GHS07 Acute Tox. 4 H312 Harmful in contact with skin.	
Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn chin GHS07 Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled and	
Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn chin GHS07 Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled and	
Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn chin GHS07 Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled ac Hazard pictograms GHS02 GHS07 GHS08	
Flam. Liq. 3 H226 Flammable liquid and vapor. GHS08 Health hazard Repr. 1B H360 May damage fertility or the unborn chin GHS07 Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Label elements GHS label elements The product is classified and labeled ac Hazard pictograms	

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

• **Table of Nonhazardous Ingredients** CAS: 1787-61-7 Eriochrome Black T

	(Contd. of page 1
Harmful in contact with skin or if inhaled.	
May damage fertility or the unborn child.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	r.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	n 6
Classification system:	us.
· NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 2	
1 0 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 1 Health = $*1$	
FIRE 2 $Fire = 2$	
REACTIVITY $\begin{bmatrix} 0 \\ 0 \end{bmatrix}$ Reactivity = 0	
REACTIVITIE Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
11	
Composition buformation on ingradiants	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
· ·	00 4010
Ethylene Glycol Monomethyl Ether	99.481%

0.519%

(Contd. on page 3)

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• <i>Personal precautions, protective equipment and emergency procedures</i> <i>Wear protective equipment. Keep unprotected persons away.</i>	
Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
Ethylene Glycol Monomethyl Ether	0.3 pp
PAC-2:	
Ethylene Glycol Monomethyl Ether	14 pp
(Cor	itd. on pag

Printing date 03/31/2021

Reviewed on 03/31/2021

(Contd. of page 3)

2000* ppm

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

• PAC-3:

Ethylene Glycol Monomethyl Ether

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

Ethylene Glycol Monomethyl Ether

- PELLong-term value: 80 mg/m³, 25 ppmSkinRELLong-term value: 0.3 mg/m³, 0.1 ppm
- Skin TLV Long-term value: 0.3 mg/m³, 0.1 ppm Skin: BEI
- WEEL Skin; B

· Ingredients with biological limit values:

Ethylene Glycol Monomethyl Ether

BEI 1 mg/g creatinine LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: 2-Methoxyacetic acid

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 5)

⁻ US

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

(Contd. of page 4)

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties		
· General Information			
Appearance:	I i mui d		
Form: Color:	Liquid Dark blue to black		
Odor:	Dark blue to black Ether-like		
Odor: Odor threshold:	Einer-uke Not determined.		
Ouor inresnoia:	Noi ueierminea.		
pH-value at 20 °C (68 °F):	4-7		
Change in condition			
Melting point/Melting range:	-85 °C (-121 °F)		
Boiling point/Boiling range:	124-125 °C (255.2-257 °F)		
Flash point:	38 °C (100.4 °F)		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	310 °C (590 °F)		
Decomposition temperature:	Not determined.		

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

	(Contd. of page 5
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	2.4 Vol %
Upper:	20.6 Vol %
· Vapor pressure at 20 °C (68 °F):	10 hPa (7.5 mm Hg)
· Density at 20 °C (68 °F):	0.96414 g/cm ³ (8.04575 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	
· Viscosity:	
Dynamic at 20 °C (68 °F):	1.7 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	99.5 %
VOC content:	99.48 %
	959.1 g/l / 8.00 lb/gal
Solids content:	0.5 %
• Other information	No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50	values tha	t are relevant for classification:
ATE (Acu	te Toxicity	e Estimate)
Oral	LD50	2,382 mg/kg (rat)
Dermal	LD50	1,287 mg/kg (rabbit)
Inhalative	LC50/4h	11.1 mg/l
		(Contd. on page 7

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

(Contd. of page 6)

Ethylene Glycol Monomethy			nomethyl Ether
Oral LD50		LD50	500 mg/kg (ATE)
	Dermal	LD50	1,100 mg/kg (ATE)
	Inhalative	LC50/4h	11 mg/l (ATE)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

 $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

US -

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

Printing date 03/31/2021

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG, IATA	Flammable liquids, n.o.s. (Ethylene glycol monomethyl ether) FLAMMABLE LIQUID, N.O.S. (ETHYLENE GLYCO MONOMETHYL ETHER)
Transport hazard class(es)	
DOT	
P.AMARE LCDD	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids 30 F-E,S-D A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

(Contd. of page 8)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHYLENE GLYCOL MONOMETHYL ETHER), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
Ethylene Glycol Monomethyl Ether	
• TSCA (Toxic Substances Control Act):	
Ethylene Glycol Monomethyl Ether	ACTIVE
Eriochrome Black T	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
Ethylene Glycol Monomethyl Ether	
· Chemicals known to cause developmental toxicity:	
Ethylene Glycol Monomethyl Ether	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

(Contd. on page 10)

US

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

	(Conta. of page 9)
Hazard-determining components of labeling:	
Ethylene Glycol Monomethyl Ether	
Hazard statements	
Flammable liquid and vapor.	
Harmful in contact with skin or if inhaled.	
May damage fertility or the unborn child.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
f on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	
F INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ıs.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision 03/31/2021 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

(Contd. on page 11)

US

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: Eriochrome Black T 0.5% w/v in 2-Methoxyethanol

(Contd. of page 10)

US

REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Repr. IB: Reproductive toxicity – Category IB