Printing date 06/13/2024

Reviewed on 06/13/2024

1 Identification


- · Product identifier
- Trade name: <u>Iron Standard 250 ppm</u> <u>N.I.S.T. Traceable Solution</u>
- · Article number: 4846
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc.

6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- · Hazard-determining components of labeling:
- Nitric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.
- Wash thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.


(Contd. on page 2)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Iron Standard 250 ppm N.I.S.T. Traceable Solution

(Contd. of page 1)



· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7697-37-2	Nitric Acid	5.304%	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	94.671%	
CAS: 7439-89-6	Iron Metal	0.025%	

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Iron Standard 250 ppm N.I.S.T. Traceable Solution

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions: Dilute with plenty of water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7697-37-2 Nitric Acid	0.16 mm
	0.16 ppm
CAS: 7439-89-6 Iron Metal	$3.2 mg/m^{3}$
· PAC-2:	
CAS: 7697-37-2 Nitric Acid	24 ppm
CAS: 7439-89-6 Iron Metal	35 mg/m ³
• PAC-3:	
CAS: 7697-37-2 Nitric Acid	92 ppm
CAS: 7439-89-6 Iron Metal	150 mg/m ³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

⁻ US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Iron Standard 250 ppm N.I.S.T. Traceable Solution

(Contd. of page 3)

	ponents with limit values that require monitoring at the workplace: : 7697-37-2 Nitric Acid
	Long-term value: 5 mg/m ³ , 2 ppm
	Short-term value: 10 mg/m ³ , 4 ppm
REE	Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: (4) NIC-0.025 ppm
	Long-term value: (2) ppm
	NIC-A4
Addi	tional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	e ral protective and hygienic measures: a way from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	d contact with the eyes.
	d contact with the eyes and skin.
	thing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	ratory protective device that is independent of circulating air. e ction of hands:
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th nical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality an
	es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of love material can not be calculated in advance and has therefore to be checked prior to the application.
	stration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
obse	rved.
Eye	protection:
	Tightly sealed goggles
Body	protection: Protective work clothing

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Iron Standard 250 ppm N.I.S.T. Traceable Solution

(Contd. of page 4)

	ies	
Information on basic physical and cl	hemical properties	
General Information		
· Appearance:	Y · · · 1	
Form:	Liquid	
Color:	Colorless	
• Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.00612 g/cm ³ (8.39607 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	94.7 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

US

⁽Contd. on page 6)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Iron Standard 250 ppm

N.I.S.T. Traceable Solution

(Contd. of page 5)

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 56.6 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Not hazardous for water.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

US

Printing date 06/13/2024

Trade name: Iron Standard 250 ppm N.I.S.T. Traceable Solution

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN3264
, ,	01/3204
· UN proper shipping name	
	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Na Acid)
· Transport hazard class(es)	
·DOT	
-	
J. J.	
CORROSIVE	
8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
N SI	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kem)	ler code): 80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1a) Strong acids
· Stowage Category	D
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

Reviewed on 06/13/2024

(Contd. of page 6)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Iron Standard 250 ppm N.I.S.T. Traceable Solution

	(Contd. of page 7
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L
Quantity unitations	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID), 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

*

· Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Nitric Acid	ACTIVE
Iron Metal	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
	(Contd. on page 9

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Iron Standard 250 ppm N.I.S.T. Traceable Solution

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision Revision 1.2, 06/13/2024: Reviewed SDS for accuracy. MH/STN 06/13/2024 / 1.0 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- *PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative*

(Contd. on page 10)

Printing date 06/13/2024

Trade name: Iron Standard 250 ppm N.I.S.T. Traceable Solution Reviewed on 06/13/2024

(Contd. of page 9)

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 • * Data compared to the previous version altered.