Printing date 02/10/2021 Reviewed on 02/10/2021

### 1 Identification

· Product identifier

· Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

· Article number: TOT015

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

*3-methoxypropylamine* 

· Hazard statements

May cause an allergic skin reaction.

Suspected of causing cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 02/10/2021 Reviewed on 02/10/2021

Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

(Contd. of page 1)

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous comp                    | onents:  |         |
|-------------------------------------|--|---------|
| CAS: 111-42-2                       | Diethanolamine                                   | 0.1%    |
| CAS: 5332-73-0                      | 3-methoxypropylamine                             | 0.1%    |
| · Table of Nonhazardous Ingredients |  |         |
| CAS: 7732-18-5                      | Water  | 99.304% |
| CAS: 12125-02-9                     | Ammonium Chloride, Reagent ACS Grade             | 0.297%  |
| CAS: 105-59-9                       | N-Methyldiethanolamine, 99%                      | 0.1%    |
| CAS: 141-43-5                       | 2-Aminoethanol (Monoethanolamine), Reagent Grade | 0.1%    |

## 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 02/10/2021 Reviewed on 02/10/2021

Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1:        |  |                      |
|-----------------|--|----------------------|
| CAS: 12125-02-9 | Ammonium Chloride, Reagent ACS Grade             | $20 \text{ mg/m}^3$  |
| CAS: 111-42-2   | Diethanolamine                                   | $3 \text{ mg/m}^3$   |
| CAS: 141-43-5   | 2-Aminoethanol (Monoethanolamine), Reagent Grade | 6 ppm                |
| CAS: 5332-73-0  | 3-methoxypropylamine                             | 15 ppm               |
| · PAC-2:        |  |                      |
| CAS: 12125-02-9 | Ammonium Chloride, Reagent ACS Grade             | 54 mg/m <sup>3</sup> |
| CAS: 111-42-2   | Diethanolamine                                   | 28 mg/m³             |
| CAS: 141-43-5   | 2-Aminoethanol (Monoethanolamine), Reagent Grade | 170 ppm              |
| CAS: 5332-73-0  | 3-methoxypropylamine                             | 94 ppm               |
| · PAC-3:        |  | ·                    |
| CAS: 12125-02-9 | Ammonium Chloride, Reagent ACS Grade             | $330 \text{ mg/m}^3$ |
| CAS: 111-42-2   | Diethanolamine                                   | $130 \text{ mg/m}^3$ |
| CAS: 141-43-5   | 2-Aminoethanol (Monoethanolamine), Reagent Grade | 1,000 ppm            |
| CAS: 5332-73-0  | 3-methoxypropylamine                             | 560 ppm              |
|                 | I .  |                      |

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

(Contd. on page 4)

Printing date 02/10/2021 Reviewed on 02/10/2021

Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

(Contd. of page 3)

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

| · Components with | limit values       | that require       | monitoring        | at the workplace:  |
|-------------------|--------------------|--------------------|-------------------|--------------------|
| Components with   | triitte / terteres | militar i equili e | into ittio i ting | at the morniplace. |

| CAS: 111-42 | 2 Diethanolamine |
|-------------|------------------|
|-------------|------------------|

| REL | Long-term value: 15 mg/m³, 3 ppm    |
|-----|-------------------------------------|
|     | Long-term value: 1* mg/m³, 0.2* ppm |
|     | Skin; *inhalable fraction and vapor |

### CAS: 5332-73-0 3-methoxypropylamine

WEEL Short-term value: 15 ppm Long-term value: 5 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 02/10/2021 Reviewed on 02/10/2021

Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

(Contd. of page 4)

Eye protection: Goggles recommended during refilling.
Body protection: Protective work clothing

| Physical and chemical propertion                             |  |   |
|--|--|---|
| · Information on basic physical and ch                       | emical properties                                  |   |
| · General Information  |  |   |
| · Appearance:  | 7  |   |
| Form:  | Liquid   |   |
| Color: · Odor:   | Colorless<br>Odorless                              |   |
| · Odor:<br>· Odor threshold:                                 | Not determined.                                    |   |
| · pH-value:  | Not determined.                                    |   |
| •  |  |   |
| · Change in condition  | 0 °C (32 °F)                                       |   |
| Melting point/Melting range:<br>Boiling point/Boiling range: | 100 °C (212 °F)                                    |   |
|  |  |   |
| · Flash point:   | Not applicable.                                    |   |
| · Flammability (solid, gaseous):                             | Not applicable.                                    |   |
| · Decomposition temperature:                                 | Not determined.                                    |   |
| · Auto igniting:   | Product is not selfigniting.                       |   |
| · Danger of explosion:                                       | Product does not present an explosion hazard.      |   |
| · Explosion limits:  |  |   |
| Lower:   | Not determined.                                    |   |
| Upper:   | Not determined.                                    |   |
| · Vapor pressure at 20 °C (68 °F):                           | 23 hPa (17.3 mm Hg)                                |   |
| · Density at 20 °C (68 °F):                                  | $1.00158 \text{ g/cm}^3 (8.35819 \text{ lbs/gal})$ |   |
| · Relative density   | Not determined.                                    |   |
| · Vapor density  | Not determined.                                    |   |
| · Evaporation rate   | Not determined.                                    |   |
| · Solubility in / Miscibility with                           |  |   |
| Water:   | Fully miscible.                                    |   |
| · Partition coefficient (n-octanol/water)                    | ): Not determined.                                 |   |
| · Viscosity:   |  |   |
| Dynamic:   | Not determined.                                    |   |
| Kinematic:   | Not determined.                                    |   |
| · Solvent content:   |  |   |
| Organic solvents:  | 0.2 %  |   |
| Water:   | 99.3 %   |   |
| VOC content:   | 0.20 %   |   |
|  | 2.0 g/l / 0.02 lb/gal                              |   |
| Solids content:  | 0.4 %  | _ |

(Contd. on page 6)

Printing date 02/10/2021 Reviewed on 02/10/2021

Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 111-42-2 Diethanolamine

2*B* 

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

Printing date 02/10/2021 Reviewed on 02/10/2021

Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

(Contd. of page 6)

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| 4 Transport information  |                          |
|--|--------------------------|
| · UN-Number<br>· DOT, IMDG, IATA                                       | Not regulated            |
| · UN proper shipping name<br>· DOT, IMDG, IATA                         | Not regulated            |
| · Transport hazard class(es)   |                          |
| · DOT, ADN, IMDG, IATA<br>· Class                                      | Not regulated            |
| · Packing group<br>· DOT, IMDG, IATA                                   | Not regulated            |
| · Environmental hazards:   | Not applicable.          |
| · Special precautions for user   | Not applicable.          |
| · Transport in bulk according to Annex<br>MARPOL73/78 and the IBC Code | II of<br>Not applicable. |
| · UN ''Model Regulation'':   | Not regulated            |

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

| · Section 355 (extremely hazardous substances):   |                    |
|---|--------------------|
| None of the ingredients is listed.                |                    |
| · Section 313 (Specific toxic chemical listings): |                    |
| CAS: 111-42-2 Diethanolamine                      |                    |
| · TSCA (Toxic Substances Control Act):            |                    |
| Water   | ACTIVE             |
| Ammonium Chloride, Reagent ACS Grade              | ACTIVE             |
| N-Methyldiethanolamine, 99%                       | ACTIVE             |
| Diethanolamine                                    | ACTIVE             |
|   | (Contd. on page 8) |

on page o

Printing date 02/10/2021 Reviewed on 02/10/2021

Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

|   | (Contd. of page 7) |
|---|--------------------|
| 2-Aminoethanol (Monoethanolamine), Reagent Grade              | ACTIVE             |
| 3-methoxypropylamine  | ACTIVE             |
| · Hazardous Air Pollutants                                    |                    |
| CAS: 111-42-2 Diethanolamine                                  |                    |
| · Proposition 65  |                    |
| · Chemicals known to cause cancer:                            |                    |
| CAS: 111-42-2 Diethanolamine                                  |                    |
| · Chemicals known to cause reproductive toxicity for females: |                    |
| None of the ingredients is listed.                            |                    |
| · Chemicals known to cause reproductive toxicity for males:   |                    |
| None of the ingredients is listed.                            |                    |
| · Chemicals known to cause developmental toxicity:            |                    |
| None of the ingredients is listed.                            |                    |
| · Carcinogenic categories                                     |                    |
| · EPA (Environmental Protection Agency)                       |                    |
| None of the ingredients is listed.                            |                    |
| · TLV (Threshold Limit Value established by ACGIH)            |                    |
| CAS: 111-42-2 Diethanolamine                                  | A3                 |
|   |                    |

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





None of the ingredients is listed.

GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

3-methoxypropylamine

· Hazard statements

May cause an allergic skin reaction.

Suspected of causing cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

 $Dispose\ of\ contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$ 

(Contd. on page 9)

Printing date 02/10/2021 Reviewed on 02/10/2021

Trade name: 1,000 ppm w/v 5 Component Stock (DEA, MPA, NH4, MEA, MDEA)

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 0.0, 02-10-2021: Creation date for SDS. STN 02/10/2021 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity - Category 2