
Printing date 04/21/2021 Reviewed on 04/21/2021

1 Identification

- · Product identifier
- · Trade name: Chloride Indicator for Zinc Plating Analysis
- · Article number: SPX854
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586



Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 1B H360 May damage fertility or the unborn child.

STOT RE 1 H372 Causes damage to the respiratory system through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 1)

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms











GHS03

GHS05

GHS06 GI

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Potassium Dichromate

· Hazard statements

May intensify fire; oxidizer.

Toxic if inhaled.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

May cause respiratory irritation.

Causes damage to the respiratory system through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Fire = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

CAS: 7778-50-9 Potassium Dichromate

5.0%

· Table of Nonhazardous Ingredients

CAS: 144-55-8 Sodium Bicarbonate

95.0%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 4)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 3)

- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 144-55-8	Sodium Bicarbonate	13 mg/m³
CAS: 7778-50-9	Potassium Dichromate	0.42 mg/m^3
· PAC-2:		
CAS: 144-55-8	Sodium Bicarbonate	140 mg/m³
CAS: 7778-50-9	Potassium Dichromate	7.4 mg/m ³
· PAC-3:		
CAS: 144-55-8	Sodium Bicarbonate	840 mg/m³
CAS: 7778-50-9	Potassium Dichromate	44 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 4)

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7778-50-9 Potassium Dichromate

PEL Long-term value: 0.005* mg/m³

Ceiling limit value: 0.1** mg/m³

*as Cr(VI) **as CrO3; see 29 CFR 1910.1026

REL Long-term value: 0.0002 mg/m³

as Cr; See Pocket Guide Apps. A and C

TLV Short-term value: 0.0005 mg/m³ Long-term value: 0.0002 mg/m³

as Cr(VI); inhalable, Skin; BEI, DSEN, RSEN

· Ingredients with biological limit values:

CAS: 7778-50-9 Potassium Dichromate

BEI | 25 μg/L

LD50 Intraperitoneal: urine

Time: end of shift at end of workweek

LD50: Total chromium (fume)

10 μg/L

LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 5)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical proper	nes	
Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	C	
rorm: Color:	Crystalline powder	
Cotor: Odor:	Orange-Red Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition	200.00 (552.05)	
Melting point/Melting range:	300 °C (572 °F)	
Boiling point/Boiling range:	>500 °C (>932 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	2.1858 g/cm³ (18.2405 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water at 20 °C (68 °F):	50 g/l	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	

(Contd. on page 7)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 6)

Solids content:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are	relevant f	for classi	fication:
---------------------------	------------	------------	-----------

Oral	LD50	3,800 mg/kg
Dermal	LD50	22,000 mg/kg
Inhalative	LC50/4h	1 mg/l

CAS: 7778-50-9 Potassium Dichromate

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	1,100 mg/kg (ATE)
Inhalative	LC50/4h	0.05 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7778-50-9 Potassium Dichromate

(Contd. on page 8)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 7)

· NTP (National Toxicology Program)

CAS: 7778-50-9 Potassium Dichromate

K

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN2811
· UN proper shipping name	
DOT	Toxic solids, organic, n.o.s. (Potassium Dichromate)
· IMDG	TOXIC SOLID, ORGANIC, N.O.S. (Potassium Dichromate
	MARINE POLLUTANT
· IATA	TOXIC SOLID, ORGANIC, N.O.S. (Potassium Dichromate)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 8) · Transport hazard class(es) $\cdot DOT$ · Class 6.1 Toxic substances · Label 6.1 · IMDG · Class 6.1 Toxic substances · Label 6.1 \cdot IATA 6.1 Toxic substances · Class · Label 6.1 · Packing group · DOT, IMDG, IATA IIIProduct contains environmentally hazardous substances: · Environmental hazards: Potassium Dichromate · Marine pollutant: Symbol (fish and tree) · Special precautions for user Warning: Toxic substances · Hazard identification number (Kemler code): 60 · EMS Number: F-A,S-A· Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot DOT$ On passenger aircraft/rail: 100 kg · Quantity limitations On cargo aircraft only: 200 kg · IMDG · Limited quantities (LQ) 5 kg· Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g (Contd. on page 10)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 9)

· UN "Model Regulation":

UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (POTASSIUM DICHROMATE), 6.1, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 7778-50-9 Potassium Dichromate

· TSCA (Toxic Substances Control Act):

Sodium Bicarbonate ACTIVE

Potassium Dichromate ACTIVE

· Hazardous Air Pollutants

CAS: 7778-50-9 Potassium Dichromate

- · Proposition 65
- · Chemicals known to cause cancer:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause reproductive toxicity for females:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause reproductive toxicity for males:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause developmental toxicity:

CAS: 7778-50-9 Potassium Dichromate

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

CAS: 7778-50-9 Potassium Dichromate A(inh), D(oral), K/L(inh), CBD(oral)

· TLV (Threshold Limit Value)

CAS: 7778-50-9 Potassium Dichromate

A1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7778-50-9 Potassium Dichromate

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS06



GHS07



GHS03 GHS05

· Signal word Danger

· Hazard-determining components of labeling:

Potassium Dichromate

(Contd. on page 11)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 10)

· Hazard statements

May intensify fire; oxidizer.

Toxic if inhaled.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

May cause respiratory irritation.

Causes damage to the respiratory system through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

 $Wash\ contaminated\ clothing\ before\ reuse.$

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

(Contd. on page 12)

Printing date 04/21/2021 Reviewed on 04/21/2021

Trade name: Chloride Indicator for Zinc Plating Analysis

(Contd. of page 11)

· Date of preparation / last revision 04/21/2021 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity – Category 1B

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

- US