Printing date 06/13/2024

Reviewed on 06/13/2024

· Product identifier	
• Trade name: Boron Buffer Solution (EZ1004)	
• Article number: HAC491	
• Details of the supplier of the safety data sheet	
• Manufacturer/Supplier: Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
• Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canulec. 015-990-0000	
2 Hazard(s) identification	
• Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 3 H226 Flammable liquid and vapor.	
· · · · · · · · · · · · · · · · · · ·	
GHS07	
Skin Irritation 2 H315 Causes skin irritation.	
<i>Eye Irritation 2A</i> H319 Causes serious eye irritation.	
Sensitization - Skin 1 H317 May cause an allergic skin reaction.	
· Label elements	
• GHS label elements The product is classified and labeled accordin • Hazard pictograms	ng to the Globally Harmonized System (GHS
GHS02 GHS07	
· Signal word Warning	
· Hazard-determining components of labeling:	
Acetic Acid, Glacial	
· Hazard statements	
Flammable liquid and vapor. Causes skin irritation.	
Causes skin irritation. Causes serious eye irritation.	
May cause an allergic skin reaction.	
	(Contd. on pa

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Boron Buffer Solution (EZ1004)

	Contd. of page 1)
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present an	d easy to do.
Continue rinsing.	,
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
Specific treatment (see on this label).	
If eye irritation persists: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 2\\ Fire = 2\\ Reactivity = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH2Health = 2FIRE2Fire = 2REACTIVITY $\mathbf{R}$	
· Other hazards	
• Results of PBT and vPvB assessment • PBT: Not applicable.	
• <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 64-19-7 Acetic Acid, Glacial	20.417%
CAS: 60-00-4 EDTA (Ethylenedinitrilo-tetraacetic Acid)	1.086%

• *Table of Nonhazardous Ingredients* CAS: 7732-18-5 Water

39.719% (Contd. on page 3)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Boron Buffer Solution (EZ1004)

CAS: 631-61-8 Ammonium Acetate

(Contd. of page 2) 38.779%

#### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
  Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- $\cdot$  Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 631-61-8	Ammonium Acetate	3.8 mg/m <sup>3</sup>
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
CAS: 60-00-4	EDTA (Ethylenedinitrilo-tetraacetic Acid)	4.1 mg/m <sup>3</sup>
	(Co	ntd. on page 4)

*Printing date 06/13/2024* 

Reviewed on 06/13/2024

Trade name: Boron Buffer Solution (EZ1004)

	(Contd. of page 3)
· PAC-2:	
CAS: 631-61-8 Ammonium Acetate	42 mg/m <sup>3</sup>
CAS: 64-19-7 Acetic Acid, Glacial	35 ppm
CAS: 60-00-4 EDTA (Ethylenedinitrilo-tetraacetic Acid)	45 mg/m <sup>3</sup>
· PAC-3:	
CAS: 631-61-8 Ammonium Acetate	250 mg/m <sup>3</sup>
CAS: 64-19-7 Acetic Acid, Glacial	250 ppm
CAS: 60-00-4 EDTA (Ethylenedinitrilo-tetraacetic Acid)	200 mg/m <sup>3</sup>

#### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 64-19-7 Acetic Acid, Glacial PEL Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

- REL Short-term value: 25 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- TLV Short-term value: 15 ppm

Long-term value: 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

(Contd. on page 5)

US

*Printing date 06/13/2024* 

Reviewed on 06/13/2024

Trade name: Boron Buffer Solution (EZ1004)

(Contd. of page 4)

Avoid contact with the eyes and skin.

#### · Breathing equipment:

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

## 9 Physical and chemical properties

<ul> <li>Information</li> </ul>	on basic physical and	chemical properties

• General	Information
-----------	-------------

· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Slight ammonnia
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
· Flash point:	40 °C (104 °F)
· Flammability (solid, gaseous):	Flammable.
· Auto igniting:	485 °C (905 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
	(Contd. on page 6)

- US

*Printing date 06/13/2024* 

Reviewed on 06/13/2024

Trade name: Boron Buffer Solution (EZ1004)

	(Contd. of page
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	17 Vol %
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.03449 g/cm <sup>3</sup> (8.63282 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	20.4 %
Water:	39.7 %
VOC content:	20.42 %
	211.2 g/l / 1.76 lb/gal
Solids content:	39.9 %
Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 5,192 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

(Contd. on page 7)

<sup>—</sup> US

*Printing date 06/13/2024* 

Reviewed on 06/13/2024

# Trade name: Boron Buffer Solution

(EZ1004)

(Contd. of page 6)

- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN2790	
UN proper shipping name		
DOT	Acetic acid solution	
IMDG, IATA	ACETIC ACID SOLUTION	

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade	name:	Boron	Buffer	Solution
		(EZ10	<i>04)</i>	

	(Contd. of page
· Transport hazard class(es)	
·DOT	
0	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
ALL BALL	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	111
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
• Hazard identification number (Kemler code).	
• EMS Number:	F-A,S-B (SGG1) Acids
· Segregation groups · Stowage Category	A (SOG1) Actas
	Λ
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2790 ACETIC ACID SOLUTION, 8, III

## \*

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

## · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

US

*Printing date 06/13/2024* 

Reviewed on 06/13/2024

Trade name: Boron Buffer Solution (EZ1004)

Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Ammonium Acetate	ACTIV
Acetic Acid, Glacial	ACTIV
EDTA (Ethylenedinitrilo-tetraacetic Acid)	ACTIV
Hazardous Air Pollutants	<u> </u>
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
None of the ingredients is listed. Chemicals known to cause developmental toxicity:	

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 631-61-8 Ammonium Acetate

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

Hazard-determining components of labeling: Acetic Acid, Glacial
Hazard statements Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 10)

D

*Printing date 06/13/2024* 

Reviewed on 06/13/2024

Trade name: Boron Buffer Solution (EZ1004)

(Contd. of page 9)

Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/13/2024: Reviewed SDS for accuracy. MH/STN 06/13/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flammable Liquids 3: Flammable liquids - Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Skin 1: Skin sensitisation - Category 1  $\cdot$  \* Data compared to the previous version altered.

US -