Printing date 05/23/2023

Reviewed on 05/23/2023

## **1** Identification

- · Product identifier
- · Trade name: Hydrochloric Acid 1.0 Normal **BCG/MR-Sodium Carbonate Certified**
- Article number: 4352
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225
- DEER PARK, TX 77536 USA 800-256-2586
- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

## **2** Hazard(s) identification

· Classification of the substance or mixture



Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling: Hydrochloric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (Contd. on page 2)



Printing date 05/23/2023

Reviewed on 05/23/2023

#### Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

(Contd. of page 1)

Immediately call a poison center/doctor.	(contai of page 1)
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	5.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \textbf{Health} = 3\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH $3$ Health = $*3$ FIRE0Fire = 0REACTIVITY0Reactivity = 0	
<ul> <li>Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	

### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7647-01-0 Hydrochloric Acid

 $\cdot$  Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

**4** First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

9.428%

90.572%

<sup>–</sup> ÚS

Printing date 05/23/2023

Reviewed on 05/23/2023

#### Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

(Contd. of page 2)

- $\cdot$  Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures											
Mount respiratory protective device.											
Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13.											
					Ensure adequate ventilation.						
					· Reference to other sections						
					See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. <b>Protective Action Criteria for Chemicals</b>						
										· PAC-1:	
										CAS: 7647-01-0 Hydrochloric Acid	1.8 ppm
· PAC-2:											
CAS: 7647-01-0 Hydrochloric Acid	22 ppm										
· PAC-3:											
CAS: 7647-01-0 Hydrochloric Acid	100 ppm										

### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

ÚS —

Printing date 05/23/2023

Reviewed on 05/23/2023

#### Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

	(Contd. of page 3)				
· Control parameters					
· Components with limit values that require monitoring at the workplace:					
CAS: 7647-01-0 Hydrochloric Acid					
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>				
PEL	Ceiling limit value: 7 mg/m³, 5 ppm				
REL	Ceiling limit value: 7 mg/m³, 5 ppm				
TLV	Ceiling limit value: 2 ppm				
	A4				

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

#### • Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

(Contd. of page 4)

Color:Clip• Odor:Od• Odor threshold:No• PH-value at 20 °C (68 °F):<2• Change in condition Melting point/Melting range:Un Boiling point/Boiling range:• Flash point:No	iquid lear dorless ot determined.
Form:LiqColor:CliOdor:Odo• Odor threshold:No• PH-value at 20 °C (68 °F):<2• Change in conditionMelting point/Melting range:Melting point/Melting range:10• Flash point:No	lear dorless ot determined. 2 Indetermined. 20 °C (212 °F) ot applicable.
Color:       Change         • Odor:       Odo         • Odor threshold:       No         • pH-value at 20 °C (68 °F):       <2         • Change in condition       Melting point/Melting range:         • Boiling point/Boiling range:       10         • Flash point:       No	lear dorless ot determined. 2 Indetermined. 20 °C (212 °F) ot applicable.
• Odor:       Od         • Odor threshold:       No         • Odor threshold:       No         • pH-value at 20 °C (68 °F):       <2         • Change in condition       Melting point/Melting range:         Melting point/Melting range:       Un         Boiling point/Boiling range:       10         • Flash point:       No	dorless ot determined. 2 Indetermined. 00 °C (212 °F) ot applicable.
• Odor threshold:       No         • pH-value at 20 °C (68 °F):       <2         • Change in condition          • Melting point/Melting range:       Un         Boiling point/Boiling range:       10         • Flash point:       No	ot determined. 2 Indetermined. 00 °C (212 °F) ot applicable.
• pH-value at 20 °C (68 °F):       <2         • Change in condition          • Melting point/Melting range:       Un         Boiling point/Boiling range:       10         • Flash point:       No	2 Indetermined. 00 °C (212 °F) Tot applicable.
<ul> <li>Change in condition Melting point/Melting range: Ur Boiling point/Boiling range: 10</li> <li>Flash point: No</li> </ul>	'ndetermined. 00 °C (212 °F) ot applicable.
Melting point/Melting range:UnBoiling point/Boiling range:10Flash point:No	00 °C (212 °F) fot applicable.
Melting point/Melting range:UnBoiling point/Boiling range:10Flash point:No	00 °C (212 °F) fot applicable.
Boiling point/Boiling range:10Flash point:No	ot applicable.
•	••
Flammahility (solid, gaseous). No	ot applicable.
1 mining (50m, Suscous). 10	
• Decomposition temperature: No	ot determined.
Ignition temperature: Pr	roduct is not selfigniting.
• Danger of explosion: Pr	roduct does not present an explosion hazard.
• Explosion limits:	
•	ot determined.
	ot determined.
**	3 hPa (17.3 mm Hg)
• Density at 20 °C (68 °F): 1.0	01471 g/cm <sup>3</sup> (8.46775 lbs/gal)
	ot determined.
110000000000000000000000000000000000000	ot determined.
1	ot determined.
1	
· Solubility in / Miscibility with	
Water: No	ot miscible or difficult to mix.
• Partition coefficient (n-octanol/water): No	ot determined.
· Viscosity:	
Dynamic: No	ot determined.
Kinematic: No	ot determined.
· Solvent content:	
	0.6 %
	00 %
	0 g/l / 0.00 lb/gal
	0%
• Other information No	o further relevant information available.

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.

(Contd. on page 6) US

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

(Contd. of page 5)

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

• General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• vPvB: Not applicable.

(Contd. on page 7)

IIS

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

(Contd. of page 6)

• Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

UN-Number	
DOT, IMDG, IATA	UN1789
UN proper shipping name	
	Hydrochloric acid solution
IMDG, IATA	HYDROCHLORIC ACID solution
Transport hazard class(es)	
DOT	
CORROSIVE	
V	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
	e Companies substances
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	III
DOT, IMDG, IATA Environmental hazards:	
DOT, IMDG, IATA	III No
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user	No Warning: Corrosive substances
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler cod	No Warning: Corrosive substances <b>le):</b> 80
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler cod EMS Number:	No Warning: Corrosive substances <b>le):</b> 80 F-A,S-B
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler cod EMS Number: Segregation groups	No Warning: Corrosive substances <b>le):</b> 80 F-A,S-B (SGG1) Acids
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user	No Warning: Corrosive substances <b>le):</b> 80 F-A,S-B
DOT, IMDG, IATA Environmental hazards: Marine pollutant: Special precautions for user Hazard identification number (Kemler cod EMS Number: Segregation groups	No Warning: Corrosive substances <b>de):</b> 80 F-A,S-B (SGG1) Acids E

ACTIVE

ACTIVE

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/23/2023

Reviewed on 05/23/2023

### Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

	(Contd. of page 2
• Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
- IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1789 HYDROCHLORIC ACID, 8, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water

Hydrochloric Acid

· Hazardous Air Pollutants

CAS: 7647-01-0 Hydrochloric Acid

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing date 05/23/2023

Reviewed on 05/23/2023

#### Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

(Contd. of page 8) · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: Hydrochloric Acid · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- $\cdot$  Date of preparation / last revision

Revision 1.0 5/23/2023 Reviewed SDS for accuracy. STN Revision 0.1 06-29-2017: revised UN from 3290 to 3288, and DOT PG from II to III, and removed skin allergy caution based on manufacturers SDS. DL Revision 1.0, 04-05-2019: Updated DOT Information. STN 05/23/2023

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous GoodsDOT: US Department of TransportationIATA: International Air Transport AssociationEINECS: European Inventory of Existing Commercial Chemical SubstancesELINCS: European List of Notified Chemical SubstancesCAS: Chemical Abstracts Service (division of the American Chemical Society)NFPA: National Fire Protection Association (USA)HMIS: Hazardous Materials Identification System (USA)VOC: Volatile Organic Compounds (USA, EU)PBT: Persistent, Bioaccumulative and ToxicvPvB: very Persistent and very BioaccumulativeNIOSH: National Institute for Occupational SafetyOSHA: Occupational Safety & HealthTLV: Threshold Limit Value

(Contd. on page 10)

Printing date 05/23/2023

Reviewed on 05/23/2023

#### Trade name: Hydrochloric Acid 1.0 Normal BCG/MR-Sodium Carbonate Certified

(Contd. of page 9)

US

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 • \* Data compared to the previous version altered.