Printing date 07/22/2024

\*

Reviewed on 07/22/2024

Identification	
Product identifier	
Trade name: <u>Tetrabutylammonium</u> Hydroxide 0.1 N in Methanol	
Article number: DC700	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. 1 H370 Causes damage to the central nervous system and
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. 1 H370 Causes damage to the central nervous system and

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

- US -

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Tetrabutylammonium Hydroxide 0.1 N in Methanol

(Contd. of page 1) · Hazard pictograms GHS02 GHS06 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0

(Contd. on page 3)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name:	Tetrabutylammonium	
	Hydroxide 0.1 N in Methanol	

(Contd. of page 2)

97.405% 2.595%

```
· HMIS-ratings (scale 0 - 4)
```

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

CAS: 2052-49-5	Tetrabutylammonium	Hvdroxide	30-Hvdrate

### 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

*Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.* 

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Do not induce vomiting; immediately call for medical help.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

# **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 07/22/2024

Reviewed on 07/22/2024

### Trade name: Tetrabutylammonium Hydroxide 0.1 N in Methanol

(Contd. of page 3)

6 Accidental release measures	
· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
see section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 8 for information on personal protection equipment.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • <b>Protective Action Criteria for Chemicals</b>	530 ppm
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1:	530 ppm 1.2 mg/m
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 67-56-1 Methanol	
See Section 8 for information on personal protection equipment.         See Section 13 for disposal information.         • Protective Action Criteria for Chemicals         • PAC-1:         CAS: 67-56-1       Methanol         CAS: 2052-49-5       Tetrabutylammonium Hydroxide 30-Hydrate	
See Section 8 for information on personal protection equipment.         See Section 13 for disposal information.         • Protective Action Criteria for Chemicals         • PAC-1:         CAS: 67-56-1       Methanol         CAS: 2052-49-5       Tetrabutylammonium Hydroxide 30-Hydrate         • PAC-2:	1.2 mg/m
See Section 8 for information on personal protection equipment.         See Section 13 for disposal information.         Protective Action Criteria for Chemicals         • PAC-1:         CAS: 67-56-1       Methanol         CAS: 2052-49-5       Tetrabutylammonium Hydroxide 30-Hydrate         • PAC-2:       CAS: 67-56-1         Methanol       Methanol	1.2 mg/m 2,100 ppn
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals• PAC-1:CAS: 67-56-1MethanolCAS: 2052-49-5Tetrabutylammonium Hydroxide 30-Hydrate• PAC-2:CAS: 67-56-1MethanolCAS: 2052-49-5Tetrabutylammonium Hydroxide 30-Hydrate	1.2 mg/m 2,100 ppn

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- $\cdot$  Specific end use(s) No further relevant information available.

Printing date 07/22/2024

\*

Reviewed on 07/22/2024

Trade name: Tetrabutylammonium Hydroxide 0.1 N in Methanol

(Contd. of page 4)

Addi	tional information about design of technical systems: No further data; see section 7.
• <b>Comp</b> The f expos	<b>rol parameters</b> <b>ponents with limit values that require monitoring at the workplace:</b> following constituent is the only constituent of the product which has a PEL, TLV or other recommende sure limit. Is time, the remaining constituent has no known exposure limits.
CAS:	67-56-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc
	dients with biological limit values:
CAS:	67-56-1 Methanol
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
Perso Gene Keep Imme Wash Store Avoid Brea In ca respi	sure controls onal protective equipment: ral protective and hygienic measures: away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. I contact with the eyes and skin. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u ratory protective device that is independent of circulating air.
	Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 07/22/2024

#### Reviewed on 07/22/2024

### Trade name: Tetrabutylammonium Hydroxide 0.1 N in Methanol

(Contd. of page 5)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



\*

Tightly sealed goggles

· Body protection: Protective work clothing

Image: Second	Information on basic physical and c	hemical properties
Form:Liquid ClearOdor:ClearOdor:de l'alcoolINot determined.PH-value:Not determined.• PH-value:Not determined.• Change in condition Melting point/Boiling range:-97.8 °C (-144 °F) Boiling point/Boiling range:• 64 °C (147.2 °F)• Flash point:11 °C (51.8 °F)• Flash point:11 °C (51.8 °F)• Flammability (solid, gaseous):Highly flammable.• Auto igniting:455 °C (851 °F)• Decomposition temperature:Not determined.• Ignition temperature:Product is not selfigniting.• Danger of explosion:Product is not selfosive. However, formation of explosive air/vap mixtures are possible.• Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %• Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)• Density at 20 °C (68 °F):0.79678 g/cm³ (6.64913 lbs/gal)• Relative density Vapor densityNot determined.• Solubility in / Miscibility withNot determined.		
Color:Clear de l'alcoolOdor:IOdor threshold:Not determined.pH-value:Not determined.Change in condition Metting point/Melting range:-97.8 °C (-144 °F) Boiling point/Boiling range:64 °C (147.2 °F)Flash point:11 °C (51.8 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Highly flammable.Auto igniting:455 °C (851 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79678 g/cm³ (6.64913 lbs/gal)Relative density Vapor densityNot determined.Solubility in / Miscibility withVatermined.		Liquid
• Odor:       de l'alcool         I       Not determined.         • pH-value:       Not determined.         • Change in condition       Metting point/Metting range:         • Metting point/Boiling range:       -97.8 °C (-144 °F)         Boiling point/Boiling range:       64 °C (147.2 °F)         • Flash point:       11 °C (51.8 °F)         • Flash point:       11 °C (51.8 °F)         • Flammability (solid, gaseous):       Highly flammable.         • Auto igniting:       455 °C (851 °F)         • Decomposition temperature:       Not determined.         • Ignition temperature:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vap mixtures are possible.         • Explosion limits:       Lower:         Lower:       5.5 Vol %         Upper:       44 Vol %         • Vapor pressure at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         • Relative density       Not determined.         • Vapor anisty       Not determined.         • Vapor anisty       Not determined.         • Solubility in / Miscibility with       Vot determined.		
pH-value:       Not determined.         • Change in condition Melting point/Melting range:       -97.8 °C (-144 °F) Boiling point/Boiling range:         64 °C (147.2 °F)         • Flash point:       11 °C (51.8 °F)         • Flash point:       11 °C (51.8 °F)         • Flammability (solid, gaseous):       Highly flammable.         • Auto igniting:       455 °C (851 °F)         • Decomposition temperature:       Not determined.         • Ignition temperature:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vap mixtures are possible.         • Explosion limits:       5.5 Vol %         Lower:       5.5 Vol %         Upper:       44 Vol %         • Vapor pressure at 20 °C (68 °F):       128 hPa (96 mm Hg)         • Density at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Solubility in / Miscibility with		
pH-value:       Not determined.         • Change in condition Melting point/Melting range:       -97.8 °C (-144 °F) Boiling point/Boiling range:         64 °C (147.2 °F)         • Flash point:       11 °C (51.8 °F)         • Flash point:       11 °C (51.8 °F)         • Flammability (solid, gaseous):       Highly flammable.         • Auto igniting:       455 °C (851 °F)         • Decomposition temperature:       Not determined.         • Ignition temperature:       Product is not selfigniting.         • Danger of explosion:       Product is not explosive. However, formation of explosive air/vap mixtures are possible.         • Explosion limits:       5.5 Vol %         Lower:       5.5 Vol %         Upper:       44 Vol %         • Vapor pressure at 20 °C (68 °F):       128 hPa (96 mm Hg)         • Density at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Solubility in / Miscibility with		
pH-value:       Not determined.         Change in condition       -97.8 °C (-144 °F)         Boiling point/Boiling range:       64 °C (147.2 °F)         Flash point:       11 °C (51.8 °F)         Flammability (solid, gaseous):       Highly flammable.         Auto igniting:       455 °C (851 °F)         Decomposition temperature:       Not determined.         Ignition temperature:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vap mixtures are possible.         Explosion limits:       5.5 Vol %         Lower:       5.5 Vol %         Upper:       44 Vol %         Vapor pressure at 20 °C (68 °F):       128 hPa (96 mm Hg)         Density at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Vetermined.	O lon donoch al la	l Not dotomnin od
Change in condition       -97.8 °C (-144 °F)         Boiling point/Melting range:       64 °C (147.2 °F)         Flash point:       11 °C (51.8 °F)         Flash point:       11 °C (51.8 °F)         Flammability (solid, gaseous):       Highly flammable.         Auto igniting:       455 °C (851 °F)         Decomposition temperature:       Not determined.         Ignition temperature:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vap mixtures are possible.         Explosion limits:       Lower:         Lower:       5.5 Vol %         Upper:       44 Vol %         Vapor pressure at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Vatermined.		
Meting point/Melting range: Boiling point/Boiling range:-97.8 °C (-144 °F) 64 °C (147.2 °F)Flash point:11 °C (51.8 °F)Flammability (solid, gaseous):Highly flammable.Auto igniting:455 °C (851 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air/vap mixtures are possible.Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79678 g/cm³ (6.64913 lbs/gal)Relative density Vapor densityNot determined.Vapor density Vapor densityNot determined.Solubility in / Miscibility withHighly flammed.	pH-value:	Not determined.
Boiling point/Boiling range: $64  ^{\circ}C (147.2  ^{\circ}F)$ Flash point: $11  ^{\circ}C (51.8  ^{\circ}F)$ Flammability (solid, gaseous):Highly flammable.Auto igniting: $455  ^{\circ}C (851  ^{\circ}F)$ Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air/vap mixtures are possible.Explosion limits:128 hPa (96 mm Hg)Upper:44 Vol %Vapor pressure at 20 °C (68 °F):0.79678 g/cm³ (6.64913 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with		
Flash point:       11 °C (51.8 °F)         Flammability (solid, gaseous):       Highly flammable.         Auto igniting:       455 °C (851 °F)         Decomposition temperature:       Not determined.         Ignition temperature:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vap mixtures are possible.         Explosion limits:       5.5 Vol %         Lower:       5.5 Vol %         Upper:       44 Vol %         Vapor pressure at 20 °C (68 °F):       128 hPa (96 mm Hg)         Density at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.		
Flammability (solid, gaseous):       Highly flammable.         Auto igniting:       455 °C (851 °F)         Decomposition temperature:       Not determined.         Ignition temperature:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vap mixtures are possible.         Explosion limits:       Lower:         Lower:       5.5 Vol %         Upper:       44 Vol %         Vapor pressure at 20 °C (68 °F):       128 hPa (96 mm Hg)         Density at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.	<b>Boiling point/Boiling range:</b>	64 °C (147.2 °F)
Auto igniting:455 °C (851 °F)Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air/vap mixtures are possible.Explosion limits: Lower: Upper:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79678 g/cm³ (6.64913 lbs/gal) Not determined.Relative density Vapor densityNot determined. Not determined.Solubility in / Miscibility with	Flash point:	11 °C (51.8 °F)
Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air/vap mixtures are possible.Explosion limits:SolutierLower:5.5 Vol % 44 Vol %Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)Density at 20 °C (68 °F):0.79678 g/cm³ (6.64913 lbs/gal) Not determined.Relative densityNot determined. Not determined.Vapor attackNot determined. Not determined.Solubility in / Miscibility with	Flammability (solid, gaseous):	Highly flammable.
Image:	Auto igniting:	455 °C (851 °F)
Danger of explosion:       Product is not explosive. However, formation of explosive air/vap mixtures are possible.         Explosion limits:	Decomposition temperature:	Not determined.
mixtures are possible.         Explosion limits:         Lower:       5.5 Vol %         Upper:       44 Vol %         Vapor pressure at 20 °C (68 °F):       128 hPa (96 mm Hg)         Density at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.	Ignition temperature:	Product is not selfigniting.
Lower:5.5 Vol %Upper:44 Vol %• Vapor pressure at 20 °C (68 °F):128 hPa (96 mm Hg)• Density at 20 °C (68 °F):0.79678 g/cm³ (6.64913 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with	Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Upper:       44 Vol %         • Vapor pressure at 20 °C (68 °F):       128 hPa (96 mm Hg)         • Density at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor anation rate       Not determined.         • Solubility in / Miscibility with       Vol (2000)	Explosion limits:	
• Vapor pressure at 20 °C (68 °F):       128 hPa (96 mm Hg)         • Density at 20 °C (68 °F):       0.79678 g/cm³ (6.64913 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Vapor ation rate       Not determined.         • Solubility in / Miscibility with       Vapor density		
Density at 20 °C (68 °F):0.79678 g/cm³ (6.64913 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility withNot determined.	Upper:	44 Vol %
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with	Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Vapor density     Not determined.       Evaporation rate     Not determined.       Solubility in / Miscibility with     Not determined.		
Evaporation rate     Not determined.       Solubility in / Miscibility with     Image: Solubility with	Relative density	Not determined.
Solubility in / Miscibility with		
	Evaporation rate	Not determined.
		Fully miscible.

Printing date 07/22/2024

Reviewed on 07/22/2024

#### Trade name: Tetrabutylammonium Hydroxide 0.1 N in Methanol

	(Con	td. of page
• Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	97.4 %	
VOC content:	97.41 %	
	776.1 g/l / 6.48 lb/gal	
Solids content:	2.6 %	
• Other information	No further relevant information available.	

### **10** Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		
Oral	LD50	103 mg/kg
Dermal	LD50	103 mg/kg 308 mg/kg
Inhalative	LC50/4h	3.08 mg/l

#### • Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Tetrabutylammonium

Hydroxide 0.1 N in Methanol

(Contd. of page 7)

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### **14 Transport information**

· UN-Number · DOT, IMDG, IATA	UN1993	
· UN proper shipping name · DOT · IMDG, IATA	Flammable liquids, n.o.s. (Methanol) FLAMMABLE LIQUID, N.O.S. (Methanol)	
• Transport hazard class(es)		
·DOT		
PLAMABLE LOUD		
Class	3 Flammable liquids	
		(Contd. on page

Printing date 07/22/2024

Reviewed on 07/22/2024

#### Trade name: Tetrabutylammonium Hydroxide 0.1 N in Methanol

	(Contd. of pag
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

# **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- CAS: 67-56-1 Methanol
- · TSCA (Toxic Substances Control Act):
- Methanol
- Tetrabutylammonium Hydroxide 30-Hydrate
- · Hazardous Air Pollutants
- CAS: 67-56-1 Methanol

(Contd. on page 10)

ACTIVE

ACTIVE

US

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Tetrabutylammonium

Hydroxide 0.1 N in Methanol

(Contd. of page 9)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 11)

Printing date 07/22/2024

Reviewed on 07/22/2024

### Trade name: Tetrabutylammonium Hydroxide 0.1 N in Methanol

(Contd. of page 10)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/physician.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Environment protection department.
Contact: Date of Preparation / Last Revision:
Date of preparation / last revision Revision 1.2 07/22/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-05-2016: Creation date for SDS. STN 07/22/2024 / 1.1

· Abbreviations and acronvms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 • \* Data compared to the previous version altered.