Printing date 05/07/2021

Reviewed on 05/07/2021

1 Identification

- · Product identifier
- Trade name: <u>Sodium AA STD 1,000 mg/L</u> <u>NIST Traceable (in 0.5 mol/L HNO₃)</u>
- · Article number: 8750
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- · Hazard-determining components of labeling:
- Nitric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).


(Contd. on page 2)

US

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)



· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 7697-37-2 Nitric Acid 5.159%				
· Table of Nonhazardous Ingredients				
CAS: 7732-18-5	Water	94.478%		
CAS: 7631-99-4	Sodium Nitrate	0.363%		

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)

· Advice for firefighters

• Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

	tions, protective equipment and emergency procedures	
-	y protective device.	
	equipment. Keep unprotected persons away.	
 Environmental p 		
Dilute with plent	y of water.	
Do not allow to e	nter sewers/ surface or ground water.	
• Methods and ma	terial for containment and cleaning up:	
Absorb with liqu	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing	agent.	
Dispose contami	nated material as waste according to item 13.	
Ensure adequate	ventilation.	
· Reference to oth	er sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 13 fo	r disposal information.	
· Protective Action	n Criteria for Chemicals	
• PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7631-99-4	Sodium Nitrate	$4.1 \ mg/m^3$
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7631-99-4	Sodium Nitrate	45 mg/m ³
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7631-99-4	Sodium Nitrate	270 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm
- Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)

(Contd. of page 4)

Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Clear Odor! Odorless Odor threshold: Not determined. · pH-value at 20 °C (68 °F): <4 Change in condition Metting point/Boiling range: Und etermined. Metting point/Boiling range: 100 °C (212 °F) · Flash point! Not applicable. · Flash point! Not applicable. · Decomposition temperature: Not determined. · Danger of explosion: Product is not selfigniting. · Danger of explosion: Not determined. · Upper: Not determined. · Upper: Not determined. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) · Density at 20 °C (68 °F): 1.01967 g/cm² (8.09015 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Vapor density Not determined.	9 Physical and chemical propertie	25
 Appearance: Form: Liquid Color: Oddor: Oddor: Oddrless Oddor: Not determined. pH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Undetermined. Change in condition Melting point/Melting range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Danger of explosion: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Not determined.		emical properties
Form:LiquidColor:ClearOdor threshold:Not determined.• pH-value at 20 °C (68 °F):<4• Change in condition Melting point/Melting range:Indetermined.Boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not determined.• Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.01967 g/cm³ (8.50915 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not determined.• Viscosity: Dynamic: Mot determined.• Solvent content: Water:94.5 % 0.00 % 0.0 g/1 / 0.00 lb/gal• Solids content:0.04 %		
Color:ClearOdor:OdorlessOdor threshold:Not determined.pH-value at 20 °C (68 °F):<4Change in condition	· Appearance:	
· Odor:Odorless· Odor threshold:Not determined.· pH-value at 20 °C (68 °F):< 4· Change in condition Melting point/Boiling range:Undetermined. 100 °C (212 °F)· Flash point:Not applicable.· Flammability (solid, gaseous):Not applicable.· Pecomposition temperature:Not determined.· Auto igniting:Product is not selfigniting.· Danger of explosion:Product does not present an explosion hazard.· Explosion limits: Lower:Not determined.· Upper:Not determined.· Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Density at 20 °C (68 °F):1.01967 g/cm² (8.50915 lbs/gal)· Relative density · Vapor densityNot determined.· Vapor gensure at 20 °C (68 °F):1.01967 g/cm² (8.50915 lbs/gal)· Relative density · Vapor densityNot determined.· Vapor gensity in / Miscibility with Water:Fully miscible.· Partition coefficient (n-octanol/water): Not determined.· Viscosity:Not determined.· Viscosity:On g/1 / 0.00 lb/gal· Solids content:0.0 % <th>Form:</th> <th>Liquid</th>	Form:	Liquid
• OdorNot determined.• pH-value at 20 °C (68 °F):<4• Change in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits:Implemented.Lower:Not determined.Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Relative densityNot determined.• Vapor densityNot determined.• Viscosity:Fully miscible.• Partition coefficient (n-octanol/water): Not determined.• Viscosity:Not determined.• Viscosity:Not determined.• Viscosity:Not determined.• Viscosity:Not determined.• Oo % VOC content:00 % 	Color:	Clear
· pH-value at 20 °C (68 °F): <4 · Change in condition Melting point/Boiling range: Undetermined. 100 °C (212 °F) · Flash point: Not applicable. · Flash point: Not applicable. · Playmability (solid, gaseous): Not applicable. · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Lower: Not determined. · Upper: Not determined. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) · Density at 20 °C (68 °F): 1.01967 g/cm³ (8.50915 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Viscosity: Not determined. · Solubility in / Miscibility with Not determined.	· Odor:	Odorless
Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) • Flash point: Not applicable. • Flammability (solid, gaseous): Not applicable. • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Vaper pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.01967 g/cm² (8.50915 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Viscosity: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined. • Solvent content: Not determined. • VoC content: 0.00 % • Ool % 0.00 % • Ool %<	· Odor threshold:	Not determined.
Melting point/Melting range:Undetermined. 100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits:Not determined.Lower:Not determined.• Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.01967 g/cm³ (8.50915 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Not determined.• Viscosity: Dynamic: Kinematic:Not determined.• Solvent content:0.00 % 0.0 g// 0.00 lb/gal• Solids content:0.4 %	· pH-value at 20 °C (68 °F):	<4
Melting point/Melting range:Undetermined. 100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits:Not determined.Lower:Not determined.• Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.01967 g/cm³ (8.50915 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Not determined.• Viscosity: Dynamic: Kinematic:Not determined.• Solvent content:0.00 % 0.0 g// 0.00 lb/gal• Solids content:0.4 %	· Change in condition	
Boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.01967 g/cm³ (8.50915 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not determined.• Viscosity: Dynamic: Not determined.Not determined.• Solvent content: Wuter:94.5 % 0.00 % 0.0 g/1/0.00 lb/gal• Solids content:0.4 %		Undetermined.
• Flash point: Not applicable. • Flammability (solid, gaseous): Not applicable. • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Interview of the explosion hazard. • Lower: Not determined. • Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.01967 g/cm³ (8.50915 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: • Vascosity: Not determined. • Viscosity: Not determined. • Volder: Not determined. • Volder: Not determined. • Volder: Not		
• Flammability (solid, gaseous): Not applicable. • Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.01967 g/cm³ (8.50915 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Viscosity: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined. • Solvent content: Y4.5 % • VOC content: 0.00 % • 0.00 % 0.0 g/l / 0.00 lb/gal • Solids content: 0.4 %	0.00	
• Decomposition temperature: Not determined. • Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Image: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.01967 g/cm ³ (8.50915 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Wot determined. • Viscosity: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. Not determined. • Viscosity: Not determined. Dynamic: Not determined. • Viscosity: Not determined. • Solvent content: Not determined. • VoC content: 0.00 % • 0.00 % 0.0 g/1 / 0.00 lb/gal Solids content: 0.4 %	· Flash point:	Not applicable.
• Auto igniting: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.01967 g/cm³ (8.50915 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Not determined. • Solubility in / Miscibility with Fully miscible. • Partition coefficient (n-octanol/water): Not determined. Not determined. • Viscosity: Not determined. • Viscosity: Not determined. • Viscosity: Not determined. • Solvent content: Not determined. • Solvent content: 94.5 % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal Solids content: 0.4 %	· Flammability (solid, gaseous):	Not applicable.
• Danger of explosion:Product does not present an explosion hazard.• Explosion limits:Not determined.Lower:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.01967 g/cm³ (8.50915 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water):Not determined.• Viscosity: Dynamic: Kinematic:Not determined.• Solvent content: Water:94.5 % 0.00 % 0.0 g1/0.00 lb/gal• Solids content:0.4 %	· Decomposition temperature:	Not determined.
• Explosion limits: Lower: Not determined. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.01967 g/cm³ (8.50915 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Vapor density Not determined. • Evaporation rate Not determined. • Solubility in / Miscibility with Water: Fully miscible. • Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. • Viscosity: Not determined. • Solvent content: 94.5 % Water: 94.5 % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.4 %	· Auto igniting:	Product is not selfigniting.
Lower:Not determined.Upper:Not determined. \cdot Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg) \cdot Density at 20 °C (68 °F):1.01967 g/cm³ (8.50915 lbs/gal) \cdot Relative densityNot determined. \cdot Vapor densityNot determined. \cdot Vapor densityNot determined. \cdot Solubility in / Miscibility with Water:Fully miscible. \cdot Solubility in / Miscibility with Water:Fully miscible. \cdot Solubility in / Miscibility with Water:Not determined. \cdot Solubility in / Miscibility with Water:Not determined. \cdot Viscosity: Dynamic: Kinematic:Not determined. \cdot Voc content:94.5 % 0.00 % 0.0 g/1/0.00 lb/galSolids content:94.5 % 0.4 %	• Danger of explosion:	Product does not present an explosion hazard.
Upper:Not determined.· Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Density at 20 °C (68 °F):1.01967 g/cm³ (8.50915 lbs/gal)· Relative densityNot determined.· Vapor densityNot determined.· Vapor densityNot determined.· Evaporation rateNot determined.· Solubility in / Miscibility with Water:Fully miscible.· Partition coefficient (n-octanol/water):Not determined.· Viscosity: Dynamic: Kinematic:Not determined.· Viscosity: VOC content:Not determined.· VoC content: 0.00 % 0.00 g/l / 0.00 lb/gal0.0 g/l / 0.00 lb/galSolids content:0.4 %	· Explosion limits:	
· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) · Density at 20 °C (68 °F): 1.01967 g/cm³ (8.50915 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Vapor density Not determined. · Vapor density Not determined. · Solubility in / Miscibility with Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Dynamic: Not determined. · Volc content: 94.5 % · VOC content: 0.00 % · O.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal		Not determined.
· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) · Density at 20 °C (68 °F): 1.01967 g/cm³ (8.50915 lbs/gal) · Relative density Not determined. · Vapor density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined. · Viscosity: Dynamic: Not determined. · Voc content: 94.5 % · VOC content: 0.00 % · Ol g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal	Upper:	Not determined.
· Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. · Voc content: 94.5 % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Relative density Not determined. · Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. · Voc content: 94.5 % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal	· Density at 20 °C (68 °F):	1.01967 g/cm ³ (8.50915 lbs/gal)
· Vapor densityNot determined.· Evaporation rateNot determined.· Solubility in / Miscibility with Water:Fully miscible.· Partition coefficient (n-octanol/water):Not determined.· Viscosity: Dynamic: Kinematic:Not determined.· Viscosity: Dynamic: Kinematic:Not determined.· Solvent content: Water: VOC content:94.5 % 0.00 % 0.0 g/l / 0.00 lb/galSolids content:0.4 %		
· Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. · Solvent content: 94.5 % VOC content: 0.00 % 0.00 % 0.00 lb/gal Solids content: 0.4 %		
· Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. · Solvent content: 94.5 % VOC content: 0.00 % 0.00 g/l / 0.00 lb/gal Solids content: 0.4 %		
Water:Fully miscible.• Partition coefficient (n-octanol/water): Not determined.• Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.• Solvent content:94.5 %• Water:94.5 %• VOC content:0.00 %0.00 g/l / 0.00 lb/galSolids content:0.4 %		noi aciermanea.
• Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic: Not determined. Kinematic: Not determined. • Solvent content: 94.5 % • VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal		
· Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. · Solvent content: 94.5 % Water: 94.5 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.4 %	Water:	Fully miscible.
Dynamic: Kinematic:Not determined.Solvent content: Water:94.5 %VOC content:0.00 %0.00 g/l / 0.00 lb/galSolids content:0.4 %	\cdot Partition coefficient (n-octanol/water)	: Not determined.
Dynamic: Kinematic:Not determined.Solvent content: Water:94.5 %VOC content:0.00 %0.00 g/l / 0.00 lb/galSolids content:0.4 %	· Viscosity:	
Kinematic:Not determined.Solvent content:94.5 %Water:94.5 %VOC content:0.00 %0.00 g/l / 0.00 lb/galSolids content:0.4 %		Not determined.
Water: 94.5 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal Solids content: 0.4 %	•	Not determined.
Water: 94.5 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal Solids content: 0.4 %	· Solvent content:	
0.0 g/l / 0.00 lb/gal Solids content: 0.4 %	Water:	94.5 %
0.0 g/l / 0.00 lb/gal Solids content: 0.4 %	VOC content:	0.00 %
Solids content: 0.4 %		
	Solids content:	
No turther relevant information available	• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.

US

⁽Contd. on page 6)

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)

(Contd. of page 5)

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	1112264
DOT, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITR. ACID)
Transport hazard class(es)	
DOT	
8	
Class	8 Corrosive substances
Label	8
WF THE	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	
EMS Number:	<i>F-A,S-B</i>
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)

Transport/Additional information:	(Contd. of page
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
· · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
• TSCA (Toxic Substances Control Act):	
Water	ACTIVI
Nitric Acid	ACTIVI
Sodium Nitrate	ACTIVI
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
	(Contd. on page

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)

(Contd. of page 8)

\cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Nitric Acid · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 0.0,02-24-2021 Creation date for SDS. STN Revision 0.2, updated pH Information. STN 05/07/2021 / -
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

US

Printing date 05/07/2021

Reviewed on 05/07/2021

Trade name: Sodium AA STD 1,000 mg/L NIST Traceable (in 0.5 mol/L HNO₃)

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 (Contd. of page 9)