Printing date 07/21/2021

Reviewed on 07/21/2021

I Identification • Product identifier • Trade name: Ferric Chloride Stack Solution • Article number: OXY037 • Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. • 0913 Highway 225 DERF RARK, TX 77536 USA 800-256.5286 • Information department: Technical Coordinator Sherman Netson sherman Weaquasolutions.org • Emergency telephone number: Chemiter: Robor 342-0300 Chemiter: Robor 340-3000 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture ✓ ✓ ✓ ✓ ✓ ✓ GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. ✓ ✓ ✓ ✓ ✓ ✓ GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. ✓ ✓ ✓ GHS05 GHS07 Acaute Tox. 4 H302 Harnful if swallowed. Skin Itrit. 2 H315 Causes skin irritation. • Inbel elements GHS1 Subel elements The product is classified and labeled according to the Globally Harmonized System (GHS) • Hazard picograms • Gigail wor	Printing date 07/21/2021	Reviewed on 07/21/20
 Trade name: Ferric Chloride <u>Stock Solution</u> Article number: OXY057 Details of the supplier of the safety data sheet Manufacturer/Supplier: Ayama Solutions, Inc. 6913 Highway 225 DEER PARK, TX 7756 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canute: 613-996-6666 2 Hazard(s) identification Classification of the substance or mixture 600 GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. 6 GHS05 Genrosion Eye Dam. 1 H318 Causes serious eye damage. 6 GHS05 Genrosion Label elements 1 Hazard Stubel elements The product is classified and labeled according to the Globally Harmonized System (GHS) Hazard pictore and the substance of labeling: Ferric Chiotie Hexalystate Margin Victorie Hexalystate Harard statements Signal word Danger Hazard statements Haraful if swallowed. Causes skin trritation. Ingrade information of labeling: Ferric Chiotie Hexalystate Harard statements Hazard statements Haraful if swallowed. Causes skin trritation. Marard statements Haraful if swallowed. Causes skin trritation. Precautionary statements Harard statement	1 Identification	
 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canadian environment of the substance or mixture Image: Construction of the substance or mixture <l< td=""><td> Trade name: <u>Ferric Chloride</u> <u>Stock Solution</u> Article number: OXY057 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 </td><td>AQUA</td></l<>	 Trade name: <u>Ferric Chloride</u> <u>Stock Solution</u> Article number: OXY057 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 	AQUA
 Classification of the substance or mixture GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms) GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Ferric Chloride Hexahydrate Hydrochloric Acid Hazard statements Harmful if swallowed. Causes skin irritation. Ferric Chloride Hexahydrate Hydrochloric Series Hazard statements Harmful if swallowed. Causes skin irritation. Karhful if swallowed. Causes skin irritation. Cause	 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 	
 Classification of the substance or mixture GHS05 Corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms) GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Ferric Chloride Hexahydrate Hydrochloric Acid Hazard statements Harmful if swallowed. Causes skin irritation. Ferric Chloride Hexahydrate Hydrochloric Series Hazard statements Harmful if swallowed. Causes skin irritation. Karhful if swallowed. Causes skin irritation. Cause		
$\overrightarrow{event} GHS05 \ Corrosion$ Eye Dam. 1 H318 Causes serious eye damage. $\overrightarrow{even} GHS07$ Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. $\overrightarrow{label elements}$ GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS) $\overrightarrow{even} GHS05$ GHS05 GHS07 \overrightarrow{cuses} $\overrightarrow{even} GHS05$ $\overrightarrow{rerric Chloride Hexahydrate}$ Hydrochloric Acid $\overrightarrow{Harard statements}$ Harmful if swallowed. Causes skin irritation. $\overrightarrow{racauses serious eye damage.}$ $\overrightarrow{recoutionary statements}$ Wash thoroughly difer handling.		
 Skin Irrit. 2 H315 Causes skin irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms Function of the Global system (GHS GHS05 GHS05 GHS05 GHS05 GHS05 GHS07 GHS05 GHS07 G	Eye Dam. 1 H318 Causes serious eye damage.	
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms Function 1 Function 1 Function 2 Func	· ·	
 Signal word Danger Hazard-determining components of labeling: Ferric Chloride Hexahydrate Hydrochloric Acid Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Precautionary statements Wash thoroughly after handling. 	 Label elements GHS label elements The product is classified and labeled acco Hazard pictograms 	rding to the Globally Harmonized System (GHS
 Hazard-determining components of labeling: Ferric Chloride Hexahydrate Hydrochloric Acid Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Precautionary statements Wash thoroughly after handling. 		
Wash thoroughly after handling.	 Hazard-determining components of labeling: Ferric Chloride Hexahydrate Hydrochloric Acid Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye damage. 	
(Contd. on page		

Printing date 07/21/2021

Trade name: Ferric Chloride Stock Solution Reviewed on 07/21/2021

(Contd. of page 1)

(Conta.	of page 1)
Do not eat, drink or smoke when using this product.	
<i>Wear protective gloves / eye protection / face protection.</i>	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and eas	y to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
\cdot NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH *3 $H_{aalth} = *3$	
FIRE 0 $Fire = 0$	
REACTIVITY O Reactivity = 0	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT : Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
-	

•	Dangerous	components:
---	-----------	-------------

CAS: 10025-77-1	Ferric Chloride Hexahydrate	80.645%	
CAS: 7647-01-0	Hydrochloric Acid	1.075%	
· Table of Nonhazardous Ingredients			
• Table of Nonhaza	urdous Ingredients		

4 First-aid measures

 \cdot Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.

(Contd. on page 3)

US

Printing date 07/21/2021

Trade name: Ferric Chloride Stock Solution Reviewed on 07/21/2021

(Contd. of page 2)

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures* Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- · Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:			
CAS: 10025-77-1	Ferric Chloride Hexahydrate	15 mg/m ³	
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm	
· PAC-2:	· PAC-2:		
CAS: 10025-77-1	Ferric Chloride Hexahydrate	$39 mg/m^3$	
CAS: 7647-01-0	Hydrochloric Acid	22 ppm	
· PAC-3:			
CAS: 10025-77-1	Ferric Chloride Hexahydrate	240 mg/m ³	
CAS: 7647-01-0	Hydrochloric Acid	100 ppm	

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

US

Printing date 07/21/2021

Trade name: Ferric Chloride Stock Solution

Stock Solution

(Contd. of page 3)

Reviewed on 07/21/2021

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7647-01-0 Hydrochloric Acid	
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm
REL	Ceiling limit value: 7 mg/m³, 5 ppm
TLV	Ceiling limit value: 2.98 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- *General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.*
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

US -

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Ferric Chloride Stock Solution

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information	nemicui properites	
Appearance:		
Form:	Liquid	
Color:	Yellow	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.66323 g/cm ³ (13.87965 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	pr): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	18.3 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	80.6 %	
Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Ferric Chloride Stock Solution

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,116 mg/kg (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- \cdot on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 7)

(Contd. of page 6)

Reviewed on 07/21/2021

Safety Data Sheet acc. to OSHA HCS

Printing date 07/21/2021

Trade name: Ferric Chloride Stock Solution

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number	
DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Ferric Chloride Hexahydrate)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Ferric Chloride Hexahydrate)
Transport hazard class(es)	
DOT	
8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
No contraction of the second s	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	· 80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG35 Stow "separated from" SGG1-acids

US -

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Ferric Chloride Stock Solution

	(Contd. of page 7)
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
~ ·	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities $(\widetilde{E}Q)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1760 CORROSIVE LIQUID, N.O.S. (FERRIC CHLORIDE
	HEXAHYDRATE), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVE
· Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
	(Contd. on page 9)
	US

Printing date 07/21/2021

Trade name: Ferric Chloride Stock Solution Reviewed on 07/21/2021

(Contd. of page 8)

\cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Ferric Chloride Hexahydrate Hydrochloric Acid · Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye damage. · Precautionary statements Wash thoroughly after handling. Do not eat, drink or smoke when using this product. *Wear protective gloves / eye protection / face protection.* If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 0.0, 07-21-2021 Creation date for SDS. STN 07/21/2021 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 10)

US

Printing date 07/21/2021

Trade name: Ferric Chloride Stock Solution Reviewed on 07/21/2021

(Contd. of page 9)

US

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1