Printing date 07/19/2024

Reviewed on 07/19/2024

nting date 07/19/2024	
Identification	
· Product identifier	
Trade name: <u>Reagent 2 Buffer</u> for Galvanic Accuseries	
Article number: HAC615	
Details of the supplier of the safety dat Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	ta sheet
• Information department: Technical Coordinator Sherman Nelson shermann@aquasoluti • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	ions.org
Hazard(s) identification	
Hazara(s) achigication	
Classification of the substance or mixt	
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07	H314 Causes severe skin burns and eye damage.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Label elements	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Label elements GHS label elements The product is class	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. e Exposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 Specific Target Organ Toxicity - Single Label elements GHS label elements The product is clas Hazard pictograms	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. e Exposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Label elements GHS label elements The product is class Hazard pictograms GHS05 GHS05 GHS07 Signal word Danger Hazard-determining components of lat Ammonium Hydroxide Hazard statements Causes severe skin burns and eye dama May cause respiratory irritation.	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. e Exposure 3 H335 May cause respiratory irritation. essified and labeled according to the Globally Harmonized System (Gl
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Label elements GHS label elements The product is class Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of lat Ammonium Hydroxide Hazard statements Causes severe skin burns and eye dama	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. e Exposure 3 H335 May cause respiratory irritation. essified and labeled according to the Globally Harmonized System (Gl
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 Specific Target Organ Toxicity - Single Label elements GHS label elements The product is class Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of law Ammonium Hydroxide Hazard statements Causes severe skin burns and eye dama May cause respiratory irritation. Precautionary statements	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. Exposure 3 H335 May cause respiratory irritation. essified and labeled according to the Globally Harmonized System (Gl

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer for Galvanic Accuseries

		(Contd. of page 1)
	Wear protective gloves/protective clothing/eye protection/face protection.	(contai of page 1)
	If swallowed: Rinse mouth. Do NOT induce vomiting.	
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present of	and easy to do.
	Continue rinsing.	
	Immediately call a poison center/doctor. Specific treatment (see on this label).	
	Wash contaminated clothing before reuse.	
	Store in a well-ventilated place. Keep container tightly closed.	
	Store locked up.	
	Dispose of contents/container in accordance with local/regional/national/international regulations	
	· Classification system:	
	·NFPA ratings (scale 0 - 4)	
	$\begin{array}{c} \textbf{Health} = 3\\ Fire = 0\\ Reactivity = 0 \end{array}$	
	HMIS-ratings (scale 0 - 4)	
	HEALTH ^{*3} Health = $*3$	
	FIRE 0 $Fire = 0$	
	REACTIVITY Reactivity = 0	
	· Other hazards	
	· Results of PBT and vPvB assessment	
	• PBT: Not applicable.	
	· vPvB: Not applicable.	
	3 Composition/information on ingredients	
_	· Chemical characterization: Mixtures	
	· Description: Mixture of the substances listed below with nonhazardous additions.	
	· Dangerous components:	
	CAS: 1336-21-6 Ammonium Hydroxide	15.672%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

CAS: 631-61-8 Ammonium Acetate

4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

64.204%

20.124%

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer for Galvanic Accuseries

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters

*

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

	utions, protective equipment and emergency procedures ry protective device.				
	equipment. Keep unprotected persons away.				
Environmental					
	oduct to reach sewage system or any water course.				
	e authorities in case of seepage into water course or sewage system.				
Dilute with plen					
	Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up:				
	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
•	inated material as waste according to section 13.				
Ensure adequate					
Reference to oth					
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.					
	or disposal information.				
	n Criteria for Chemicals				
PAC-1:					
	Ammonium Acetate	3.8 mg/m			
CAS: 1336-21-6	Ammonium Hydroxide	61 ppm			
PAC-2:	·	•			
CAS: 631-61-8	Ammonium Acetate	42 mg/m			
CAS: 1336-21-6	Ammonium Hydroxide	160 ppm			
PAC-3:		·			
CAS: 631-61-8	Ammonium Acetate	250 mg/m			
CAS: 1336-21-6		1100 ppm			

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. of page 2)

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer for Galvanic Accuseries

(Contd. of page 3)

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• **Requirements to be met by storerooms and receptacles:** No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer for Galvanic Accuseries

· Body protection: Protective work clothing

Information on basic physical and chemical properties			
General Information			
Appearance:	Liquid		
Form: Color:	Liquid Clear		
Odor:	Ammonia		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	100 °C (212 °F)		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature:	Not determined.		
Ignition temperature:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)		
Density at 20 °C (68 °F):	0.99685 g/cm³ (8.31871 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Fully miscible.		
Partition coefficient (n-octanol/wate	er): Not determined.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Solvent content:			
Water:	64.2 %		
VOC content:	0.00 %		
	0.0 g/l / 0.00 lb/gal		
Solids content:	20.1 %		
Other information	No further relevant information available.		

(Contd. on page 6)

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer

for Galvanic Accuseries

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 3,190 mg/kg

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer for Galvanic Accuseries

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1760
· UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Ammonium Hydroxide
)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Ammonium Hydroxide
)
· Transport hazard class(es)	
·DOT	
CORROSIVE 8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
	(Contd. on page

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer for Galvanic Accuseries

	(Contd. of page
Hazard identification number (Kemler code)	: 80
EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
	SW5 If under deck, stow in a mechanically ventilated space.
Segregation Code	SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (AMMONIU
č	HYDROXIDE
), <i>8</i> , <i>III</i>

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): CAS: 1336-21-6 Ammonium Hydroxide · TSCA (Toxic Substances Control Act): ACTIVE Water ACTIVE Ammonium Acetate Ammonium Hydroxide ACTIVE · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

(Contd. on page 9)

⁻ US

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer

for Galvanic Accuseries

(Contd. of page 8)

D

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 631-61-8 Ammonium Acetate

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Ammonium Hydroxide
Hazard statements Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

(Contd. on page 10)

US -

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Reagent 2 Buffer for Galvanic Accuseries

	(Contd. of page 9)
· Date of preparation / last revision	
Revision 1.2 07/18/2024: Reviewed SDS for accuracy. MH/STN	
07/19/2024 / 1.0	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
\cdot * Data compared to the previous version altered.	
	US