

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

1 Identification

- **Product identifier**
- **Trade name:** LUGOL'S IODINE (SPECIAL)
- **Article number:** CHA036
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson shermann@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.
Skin Irritation 2 H315 Causes skin irritation.
Eye Irritation 2A H319 Causes serious eye irritation.
Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Acetonitrile, Reagent ACS Grade
Acetic Acid, Glacial
Iodine *DEA regulated item
- **Hazard statements**
Highly flammable liquid and vapor.
Harmful if swallowed.
Causes skin irritation.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: LUGOL'S IODINE (SPECIAL)

(Contd. of page 1)

*Causes serious eye irritation.**May cause an allergic skin reaction.***· Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Keep container tightly closed.**Ground/bond container and receiving equipment.**Use explosion-proof electrical/ventilating/lighting/equipment.**Use only non-sparking tools.**Take precautionary measures against static discharge.**Avoid breathing dust/fume/gas/mist/vapors/spray**Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Contaminated work clothing must not be allowed out of the workplace.**Wear protective gloves/protective clothing/eye protection/face protection.**If swallowed: Call a poison center/doctor if you feel unwell.**Rinse mouth.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Take off contaminated clothing and wash it before reuse.**If skin irritation or rash occurs: Get medical advice/attention.**Specific treatment (see on this label).**If eye irritation persists: Get medical advice/attention.**Wash contaminated clothing before reuse.**In case of fire: Use CO2, powder or water spray to extinguish.**Store in a well-ventilated place. Keep cool.**Dispose of contents/container in accordance with local/regional/national/international regulations.***· Classification system:****· NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 4

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

Health = 2

Fire = 4

Reactivity = 0

· Other hazards**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures**· Description:** Mixture of the substances listed below with nonhazardous additions.**· Dangerous components:**

CAS: 75-05-8	Acetonitrile, Reagent ACS Grade	24.611%
CAS: 64-19-7	Acetic Acid, Glacial	11.648%
CAS: 7553-56-2	Iodine *DEA regulated item	0.98%

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: LUGOL'S IODINE (SPECIAL)

(Contd. of page 2)

Table of Nonhazardous Ingredients

CAS: 7732-18-5	Water	62.12%
CAS: 7681-11-0	Potassium Iodide	0.641%

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: LUGOL'S IODINE (SPECIAL)

(Contd. of page 3)

· Protective Action Criteria for Chemicals

· PAC-1:

CAS: 75-05-8	Acetonitrile, Reagent ACS Grade	13 ppm
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
CAS: 7553-56-2	Iodine *DEA regulated item	0.1 ppm
CAS: 7681-11-0	Potassium Iodide	1.3 mg/m ³

· PAC-2:

CAS: 75-05-8	Acetonitrile, Reagent ACS Grade	50 ppm
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm
CAS: 7553-56-2	Iodine *DEA regulated item	0.5 ppm
CAS: 7681-11-0	Potassium Iodide	100 mg/m ³

· PAC-3:

CAS: 75-05-8	Acetonitrile, Reagent ACS Grade	150 ppm
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm
CAS: 7553-56-2	Iodine *DEA regulated item	5 ppm
CAS: 7681-11-0	Potassium Iodide	620 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

· Conditions for safe storage, including any incompatibilities

· Storage:

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· Further information about storage conditions:

Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 75-05-8 Acetonitrile, Reagent ACS Grade

PEL Long-term value: 70 mg/m³, 40 ppm

REL Long-term value: 34 mg/m³, 20 ppm

TLV Long-term value: 20 ppm

Skin, A4

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: LUGOL'S IODINE (SPECIAL)

(Contd. of page 4)

CAS: 64-19-7 Acetic Acid, Glacial

PEL Long-term value: 25 mg/m³, 10 ppm

REL Short-term value: 37 mg/m³, 15 ppm
Long-term value: 25 mg/m³, 10 ppm

TLV Short-term value: 15 ppm
Long-term value: 10 ppm

CAS: 7553-56-2 Iodine *DEA regulated item

PEL Ceiling limit value: 1 mg/m³, 0.1 ppm

REL Ceiling limit value: 1 mg/m³, 0.1 ppm

TLV Long-term value: 0.01** mg/m³, 0.001* ppm
Skin, A4,*inh. fraction/vapor; **Inhalable

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: LUGOL'S IODINE (SPECIAL)

(Contd. of page 5)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: Brown

· Odor: Organic

· Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 36 °C (96.8 °F)

· Flash point: 5 °C (41 °F)

· Flammability (solid, gaseous): Highly flammable.

· Auto igniting: 485 °C (905 °F)

· Decomposition temperature: Not determined.

· Ignition temperature: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· Explosion limits:

Lower: 4 Vol %

Upper: 17 Vol %

· Vapor pressure at 20 °C (68 °F): 97 hPa (72.8 mm Hg)

· Vapor pressure at 50 °C (122 °F): 330 hPa (247.5 mm Hg)

· Density at 20 °C (68 °F): 1.00475 g/cm³ (8.38464 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

· Solvent content:

Organic solvents: 11.6 %

Water: 62.1 %

VOC content: 11.65 %

117.0 g/l / 0.98 lb/gal

Solids content: 1.6 %

· Other information: No further relevant information available.

 US
 (Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: LUGOL'S IODINE (SPECIAL)

(Contd. of page 6)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1,694 mg/kg
Dermal	LD50	2,997 mg/kg
Inhalative	LC50/4h	44.7 mg/l

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: LUGOL'S IODINE (SPECIAL)




(Contd. of page 7)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** UN2924
- **UN proper shipping name**
- **DOT** Flammable liquids, corrosive, n.o.s. (acetonitrile, Acetic Acid, Glacial)
- **IMDG, IATA** FLAMMABLE LIQUID, CORROSIVE, N.O.S. (acetonitrile, Acetic Acid, Glacial)
- **Transport hazard class(es)**
- **DOT**
- 
- **Class** 3/8
- **Label** 3, 8
- **IMDG**
- 
- **Class** 3/8
- **Label** 3/8
- **IATA**
- 
- **Class** 3/8

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: LUGOL'S IODINE (SPECIAL)

(Contd. of page 8)

· Label	3 (8)
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ACETONITRILE, ACETIC ACID, GLACIAL), 3 (8), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

CAS: 75-05-8 | Acetonitrile, Reagent ACS Grade

· **TSCA (Toxic Substances Control Act):**

Water	ACTIVE
Acetonitrile, Reagent ACS Grade	ACTIVE
Acetic Acid, Glacial	ACTIVE
Iodine *DEA regulated item	ACTIVE
Potassium Iodide	ACTIVE

· **Hazardous Air Pollutants**

CAS: 75-05-8 | Acetonitrile, Reagent ACS Grade

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 75-05-8 | Acetonitrile, Reagent ACS Grade | CBD, D

· **TLV (Threshold Limit Value)**

CAS: 75-05-8 | Acetonitrile, Reagent ACS Grade | A4

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: **LUGOL'S IODINE (SPECIAL)**

(Contd. of page 9)

CAS: 7553-56-2 Iodine *DEA regulated item

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02 GHS07

· **Signal word** Danger· **Hazard-determining components of labeling:**

Acetonitrile, Reagent ACS Grade

Acetic Acid, Glacial

Iodine *DEA regulated item

· **Hazard statements**

Highly flammable liquid and vapor.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO₂, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

US

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: **LUGOL'S IODINE (SPECIAL)**

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

Date of Preparation / Last Revision:

· **Date of preparation / last revision**

*Revision 1.2 07/18/2024: Reviewed SDS for accuracy. MH/STN
07/19/2024 / 1.1*

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Acute Toxicity - Oral 4: Acute toxicity – Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1

· *** Data compared to the previous version altered.**

US