Printing date 06/27/2024

Reviewed on 06/27/2024

1 Identification

- · Product identifier
- · Trade name: Vanadate-Molybdate Reagent
- Article number: SPX534
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.



Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

· Label elements

Eye Damage 1

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Nitric Acid Ammonium Metavanadate · Hazard statements Harmful if inhaled. Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

	(Contd. of page 1)
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	<i>S</i> .
· Additional information:	
2.2 % of the mixture consists of component(s) of unknown toxicity.	
Classification system:	
·NFPA ratings (scale 0 - 4)	
Health = 3 Fire = 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 Health = 3FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0	
• Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7697-37-2 Nitric Acid	28.148%
CAS: 12054-85-2 Ammonium Molybdate Tetrahydrate ACS Grade	2.23%
CAS: 7803-55-6 Ammonium Metavanadate	0.112%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

*

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

69.511%

US

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

(Contd. of page 2)

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

	ons, protective equipment and emergency procedures	
Mount respiratory		
	uipment. Keep unprotected persons away.	
· Environmental pro		
Dilute with plenty		
	ter sewers/ surface or ground water.	
	rial for containment and cleaning up:	
1	-binding material (sand, diatomite, acid binders, universal binders, sawdus	<i>t)</i> .
Use neutralizing a		
1	tted material as waste according to section 13.	
Ensure adequate v		
· Reference to other		
	nformation on safe handling.	
	iformation on personal protection equipment.	
	disposal information.	
· Protective Action	Criteria for Chemicals	
• PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 12054-85-2	Ammonium Molybdate Tetrahydrate ACS Grade	$2.8 mg/m^{3}$
CAS: 7803-55-6	Ammonium Metavanadate	0.01 mg/m ³
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
	Ammonium Molybdate Tetrahydrate ACS Grade	30 mg/m ³
CAS: 7803-55-6	Ammonium Metavanadate	$0.11 mg/m^3$
· PAC-3:		
1110 51		
	Nitric Acid	92 ppm
CAS: 7697-37-2	Nitric Acid Ammonium Molybdate Tetrahydrate ACS Grade	92 ppm 180 mg/m ³

(Contd. on page 4)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

(Contd. of page 3)

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7697-37-2 Nitr	ic Acid
PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4
CAS: 12054-85-2 An	imonium Molybdate Tetrahydrate ACS Grade
ACGIH	Short-term value: 0.5 mg/m ³ Long-term value: 5.0 mg/m ³
NIOSH	Short-term value: 1000 mg/m ³
OSHA-FINAL PEL'S	Short-term value: 5 mg/m³ Long-term value: 5 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

· Personal protective equipment:

- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

Printing date 06/27/2024

· Protection of hands:

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

(Contd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c General Information	hemical properties	
Appearance:	7 7	
Form:	Liquid	
Color: Odor:	Yellow Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
Change in condition Melting point/Melting range:	Undetermined	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.14746 g/cm ³ (9.57555 lbs/gal)	

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

		(Contd. of page
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	ı	
Water:	Fully miscible.	
· Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	69.5 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	2.3 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 52,108 mg/kg (rat)

Inhalative LC50/4h 10.6 mg/l

- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

[•] Primary irritant effect:

US

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• *NTP* (*National Toxicology Program*) None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nit
·	λ Acid)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

	(Contd. of page
Transport hazard class(es)	
DOT	
\wedge	
CORROSIVE	
Class Label	8 Corrosive substances 8
	0
IMDG, IATA	
PS	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code).	
EMS Number:	F-A,S-B
Segregation groups Stowage Category	(SGG1) Acids B
Stowage Calegory Stowage Code	SW2 Clear of living quarters.
•	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Ougnities limitations	On passenger aircraft/rail: 1 L
Quantity limitations	On passenger aircraft only: 30 L
IMPC	
IMDG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
(2 <u>2</u>)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(NITRIC ACID), 8, II

15

*

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

(Contd. on page 9)

US

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

	(Contd. of page
Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
CAS: 7803-55-6 Ammonium Metavanadate	
· TSCA (Toxic Substances Control Act):	
Water	ACTIV
Nitric Acid	ACTIV
Ammonium Metavanadate	ACTIV
· Hazardous Air Pollutants	· · · · · ·
None of the ingredients is listed.	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
\mathbf{r}	

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Nitric Acid Ammonium Metavanadate
Hazard statements Harmful if inhaled.
Causes severe skin burns and eye damage.
Precautionary statements Do not breathe dusts or mists.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 10)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Vanadate-Molybdate Reagent

(Contd. of page 9)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

- Date of preparation / last revision Revision 1.2, 06/27/2024: Reviewed SDS for accuracy. MH/STN 06/27/2024 / 1.0
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Toxicity - Inhalation 4: Acute toxicity – Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 • * Data compared to the previous version altered.

·US