



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536

Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

Packaged Product: 7260			
POTASSIUM HYDROXIDE 0.5 NORMAL IN METHANOL			
Test	Target/UOM	Range	Result
Actual Normality	0.5000 EQ/L	0.4995 - 0.5005	0.5001
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
QCSP7: STANDARDIZATION OF AQUEOUS BASES	YES METHOD		YES
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
N.I.S.T. Traceable to SRM 919	Yes YES		YES
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
PREPARED TO FORMULATION ON FILE	YES YES		YES
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
SAMPLE COLLECTION & HANDLING PER LAB040	YES YES		YES
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
DATE OF SAMPLING FOR TEST PURPOSES	MM/DD/YYYY MM/DD/YYYY		10/12/21
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
AMBIENT TEMPERATURE DURING SAMPLING DEGC	25.0 DEG C	10.0 - 35.0	24.1
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
DATE OF TESTING OF SAMPLE	MM/DD/YYYY MM/DD/YYYY		10/12/21
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		



Aqua Solutions, Inc.
 Ph: 281-479-2569
 Fax: 281-479-2790
 P.O. Box 70
 Deer Park, TX 77536
 Website: www.aquasolutions.org

Aqua Solutions, Inc.
6913 Highway 225
Deer Park, TX, 77536
281/479-2569
Certificate of Analysis / QC Results
Customer PO # :

AMBIENT TEST TEMPERATURE	20.0	15.0 - 30.0	24.1
DEG C	DEG C		
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
APPEARANCE AND COLOR	CLEAR WATER WHITE		PASS
	LIQUID		
	APPEARANCE		
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
INSTRUMENTS USED DURING PREPARATION	INSTRUMENT		M103,T-190,M55,M81
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
EXPIRATION DATE	MM/DD/YY		10/30/22
	MM/DD/YYYY		
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
Actual Density	0.83392	0.83277 - 0.83506	0.83369
	GM/ML		
Sample ID			
Tested	10/12/21		
Tester	HSID		
Recorded	10/12/21		
Lot #	1100739		
Made	10/12/21		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

Quality Manager