Printing date 07/23/2024

Reviewed on 07/23/2024


1 Identification

- · Product identifier
- Trade name: <u>Silica Reagent #1</u>
- Article number: LAR002
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification





· Signal word Danger

- Hazard-determining components of labeling: Sodium Bisulfate Monohydrate Sulfuric Acid 96 - 98% • Hazard statements
- Causes severe skin burns and eye damage.

(Contd. on page 2)

US

Printing date 07/23/2024

·

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

		(Contd. of page 1)
May cause cancer		
May cause respira		
• Precautionary sta	tements tructions before use.	
1	il all safety precautions have been read and understood.	
Do not breathe du		
Wash thoroughly a		
	or in a well-ventilated area.	
	ov in a weil-ventitated area. oves/protective clothing/eye protection/face protection.	
	e mouth. Do NOT induce vomiting.	
	: Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	nove person to fresh air and keep comfortable for breathing.	
	cautiously with water for several minutes. Remove contact lenses, if present a	nd easy to do
Continue rinsing.		
	poison center/doctor.	
	cerned: Get medical advice/attention.	
	(see on this label).	
	d clothing before reuse.	
	itilated place. Keep container tightly closed.	
Store locked up.		
	ts/container in accordance with local/regional/national/international regulations.	
· Classification syst	fem:	
·NFPA ratings (sc	ale 0 - 4)	
Fire	$\begin{aligned} hth &= 3\\ e &= 0\\ ctivity &= 0 \end{aligned}$	
· HMIS-ratings (sc	ale 0 - 4)	
HEALTH *3 He	alth = *3	
FIRE 0 Fin	e = 0	
REACTIVITY 0 Re	activity = 0	
• Other hazards		
	d vPvB assessment	
• PBT: Not applicat		
• vPvB: Not applica	ule.	
3 Composition/in	formation on ingredients	
• Chemical charact • Description: Mixtu	erization: Mixtures are of the substances listed below with nonhazardous additions.	
· Dangerous compo	•	
0 1	Sodium Bisulfate Monohydrate	24.476%
	Solution Disturbute Mononlyanate Sulfuric Acid 96 - 98%	14.121%
CAS. /004-93-9	<i>Бијинс Асш 90 - 9070</i>	14.12170

	Molybdic Acid, 85%	7.268%
• Table of Nonhaza	rdous Ingredients	
CAS: 7732-18-5	Water	54.136%

(Contd. on page 3)

US

Printing date 07/23/2024

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals

• PAC-1:		
CAS: 10034-88-5	Sodium Bisulfate Monohydrate	$0.63 \ mg/m^3$
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.20 mg/m ³
CAS: 7782-91-4	Molybdic Acid, 85%	$2.5 mg/m^3$
· PAC-2:		
CAS: 10034-88-5	Sodium Bisulfate Monohydrate	$7 mg/m^3$
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m ³
CAS: 7782-91-4	Molybdic Acid, 85%	28 mg/m ³
		(Contd. on page 4)

Printing date 07/23/2024

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

		(Contd. of page 3)
· PAC-3:		
CAS: 10034-88-5	Sodium Bisulfate Monohydrate	$42 mg/m^3$
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m ³
CAS: 7782-91-4	Molybdic Acid, 85%	170 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• **Requirements to be met by storerooms and receptacles:** No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³

REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³ *as thoracic fraction, A2

CAS: 7782-91-4 Molybdic Acid, 85%

PEL Long-term value: 5 mg/m³ as Mo TLV Long-term value: 0.5 mg/m³

as Mo; A3; respirable fraction

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

(Contd. on page 5)

US

Printing date 07/23/2024

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

(Contd. of page 4)

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Pale blue	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	

Printing date 07/23/2024

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

	(Contd.	of page 5
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.27123 g/cm³ (10.60841 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	54.1 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	31.7 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 20.6 mg/l

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

(Contd. on page 7)

US

1

Κ

Safety Data Sheet acc. to OSHA HCS

Printing date 07/23/2024

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

(Contd. of page 6) Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN3264
· UN proper shipping name	
· DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfu
,	Acid) \sim

Printing date 07/23/2024

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

	(Contd. of page
Transport hazard class(es)	
DOT	
8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Le ge	
V	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code).	
EMS Number:	F-A,S-B (SCC1a) Strong goids
Segregation groups Stowage Category	(SGG1a) Strong acids B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(SULFURIC ACID), 8, II

15 Regulatory information

*

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

(Contd. on page 9)

US -

Printing date 07/23/2024

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

	(Contd. of page 8)
· Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Sulfuric Acid 96 - 98%	ACTIVE
Molybdic Acid, 85%	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 7782-91-4 Molybdic Acid, 85%

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Sodium Bisulfate Monohydrate Sulfuric Acid 96 - 98%
Hazard statements Causes severe skin burns and eye damage. May cause cancer. May cause cancer.
Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists.
Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

(Contd. on page 10)

A2

AЗ

Printing date 07/23/2024

Reviewed on 07/23/2024

Trade name: Silica Reagent #1

	(Contd. of page 9) Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.
	· National regulations:
	 Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
1	6 Other information
	This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
	 Department issuing SDS: Environment protection department. Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 1.2, 07-23-2024: Reviewed SDS for accuracy. STN/GW 07/23/2024 / 1.1 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chamical Abstracts Service (division of the American Chamical Society)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Corrosion 1B: Skin corrosion/irritation Category 1B
- Eye Damage 1: Serious eye damage/eye irritation Category 1
- Carcinogenicity 1A: Carcinogenicity Category 1A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3
- * * Data compared to the previous version altered.