Printing date 07/24/2024

*

Reviewed on 07/24/2024

Trade name: <u>Tetrabutylammium Hydroxide</u> 0.2 Normal in IPA/Meoh 80/20	
Article number: 9198	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single Exposure 1	H370 Causes damage to the central nervous system and the visual organs.
GHS05 Corrosion	
Skin Corrosion 1B Eye Damage 1 GHS07	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
	H302 Harmful if swallowed.

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol Isopropanol Tetrabutylammonium Hydroxide 30-Hydrate · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. Causes damage to the central nervous system and the visual organs. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0

 $(Contd. \ on \ page \ 3)$

US

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH*3
$$Health = *3$$
FIRE3 $Fire = 3$ REACTIVITY0 $Reactivity = 0$

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0	Isopropanol	80.0%
CAS: 67-56-1	Methanol	13.848%
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	6.152%

4 First-aid measures

- Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- *Immediately call a doctor.*

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

(Contd. of page 3)

· Personal precau	· Personal precautions, protective equipment and emergency procedures			
Mount respiratory protective device.				
Wear protective equipment. Keep unprotected persons away.				
· Environmental precautions:				
Dilute with plent				
	enter sewers/ surface or ground water.			
	nterial for containment and cleaning up:			
Use neutralizing	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).			
	inated material as waste according to section 13.			
Ensure adequate				
· Reference to oth				
See Section 7 for information on safe handling.				
See Section 8 for information on personal protection equipment.				
	or disposal information.			
	n Criteria for Chemicals			
• PAC-1:	1			
CAS: 67-63-0	Isopropanol	400 ppm		
CAS: 67-56-1	Methanol			
		530 ppm		
	Tetrabutylammonium Hydroxide 30-Hydrate	11		
		11		
CAS: 2052-49-5		1.2 mg/m		
CAS: 2052-49-5 • PAC-2:	Tetrabutylammonium Hydroxide 30-Hydrate	1.2 mg/m 2000* ppm		
CAS: 2052-49-5 • PAC-2: CAS: 67-63-0 CAS: 67-56-1	Tetrabutylammonium Hydroxide 30-Hydrate Isopropanol	1.2 mg/m 2000* ppm		
CAS: 2052-49-5 • PAC-2: CAS: 67-63-0 CAS: 67-56-1	Tetrabutylammonium Hydroxide 30-Hydrate Isopropanol Methanol	1.2 mg/m 2000* ppm 2,100 ppm		
CAS: 2052-49-5 • PAC-2: CAS: 67-63-0 CAS: 67-56-1 CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate Isopropanol Methanol Tetrabutylammonium Hydroxide 30-Hydrate	1.2 mg/m 2000* ppn 2,100 ppm 13 mg/m³		
CAS: 2052-49-5 • PAC-2: CAS: 67-63-0 CAS: 67-56-1 CAS: 2052-49-5 • PAC-3:	Tetrabutylammonium Hydroxide 30-Hydrate Isopropanol Methanol Tetrabutylammonium Hydroxide 30-Hydrate Isopropanol	1.2 mg/m 2000* ppn 2,100 ppm		

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.*

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

(Contd. of page 4)

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At th	tis time, the remaining constituent has no known exposure limits.			
CAS	S: 67-63-0 Isopropanol			
PEL	Long-term value: 980 mg/m ³ , 400 ppm			
REL	Short-term value: 1225 mg/m ³ , 500 ppm			
	Long-term value: 980 mg/m ³ , 400 ppm			
TLV	Short-term value: 400 ppm			
	Long-term value: 200 ppm			
	BEI, A4			
CAS	S: 67-56-1 Methanol			
PEL	Long-term value: 260 mg/m ³ , 200 ppm			
REL	Short-term value: 325 mg/m ³ , 250 ppm			
	Long-term value: 260 mg/m ³ , 200 ppm			
	Skin			
TLV	Short-term value: 250 ppm			
	Long-term value: 200 ppm			
	Skin; BEIc			
· Ingr	edients with biological limit values:			
CAS	S: 67-63-0 Isopropanol			
BEI	40 mg/L			
	LD50 Intraperitoneal: urine			
	Time: end of shift at end of workweek			
	LD50: Acetone (background, nonspecific)			
CAS	: 67-56-1 Methanol			
BEI	15 mg/L			
	LD50 Intraperitoneal: urine			
	Time: end of shift			
	LD50: Methanol (background, nonspecific)			
· Addi	itional information: The lists that were valid during the creation were used as basis.			
·Exp	osure controls			
· Pers	onal protective equipment:			
	eral protective and hygienic measures:			
	p away from foodstuffs, beverages and feed.			
	ediately remove all soiled and contaminated clothing.			
	Wash hands before breaks and at the end of work.			
	id contact with the eyes. id contact with the eyes and skin.			
	ithing equipment:			
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use			
	iratory protective device that is independent of circulating air.			
Γ	(Contd. on page 6)			
	- US			

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

(Contd. of page 5)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties		
General Information		
· Appearance:	1::1	
Form: Color:	Liquid Close to glightly turkid	
· Odor:	Clear to slightly turbid Alcohol	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 64.4 °C (147.9 °F)	
· Flash point:	11 °C (51.8 °F)	
· Flammability (solid, gaseous):	Highly flammable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	2 Vol %	
Upper:	44 Vol %	
	(Contd. on page 7)	

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

	(0	Contd. of page 6
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.79671 g/cm³ (6.64854 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	93.8 %	
VOC content:	93.85 %	
	747.7 g/l / 6.24 lb/gal	
Solids content:	6.2 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
	LD50	722 mg/kg	
	LD50	2,166 mg/kg	
Inhalative	LC50/4h	21.7 mg/l	

• Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)

US

Printing date 07/24/2024

Reviewed on 07/24/2024

(Contd. of page 7)

3

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

• Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA

UN2924

(Contd. on page 9)

US

Printing date 07/24/2024

Reviewed on 07/24/2024

	(Contd. of pag
UN proper shipping name DOT	Flammable liquids, corrosive, n.o.s. (Isopropanol , Methanol, Tetrabutylammonium Hydroxide 30-Hydrate)
IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol, Methanol, Tetrabutylammonium Hydroxide 30-Hydrate)
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3, 8
IMDG	
Class	3 Flammable liquids
Label	3/8
Class	3 Flammable liquids
Label	3 (8)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number: Segregation groups	F-E,S-C (SGG18) Alkalis
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 5 L

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 Isopropanol	
CAS: 67-56-1 Methanol	
• TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIVE
Methanol	ACTIVE
Tetrabutylammonium Hydroxide 30-Hydrate	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
CAS: 67-63-0 Isopropanol	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 11) US

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

(Contd. of page 10) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol Isopropanol Tetrabutylammonium Hydroxide 30-Hydrate · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes severe skin burns and eye damage. Causes damage to the central nervous system and the visual organs. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 12)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Tetrabutylammium Hydroxide 0.2 Normal in IPA/Meoh 80/20

	Contd. of page 11)
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2, 07-24-2024: Reviewed SDS for accuracy. STN/GW	
07/24/2024 / 1 1	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 4: Acute toxicity - Category 4	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
* Data compared to the previous version altered.	
	US