Printing date 05/31/2024

*

Reviewed on 05/31/2024

· Product identifier		
• Trade name: <u>Potassium F</u>		
<u>pH 9.60 Solu</u>	<u>ution</u>	
• Article number: SPX421		
• Details of the supplier of t • Manufacturer/Supplier:	the safety data sheet	
Aqua Solutions, Inc.		I AQUA I SOLUTIONS
6913 Highway 225 DEER PARK, TX 77536		SCECTIONS
USA 800-256-2586		
• <i>Information department:</i>		
Technical Coordinator		
Sherman Nelson shermann • Emergency telephone num		
Chemtrec: 800-424-9300	noer.	
Canutec: 613-996-6666		
2 Hazard(s) identificati	on	
· Classification of the subst	ance or mixture	
GHS06 Skull an	nd crossbones	
Acute Toxicity - Inhalation	1 3 H331 Toxic if inhaled	
Acute Toxicity - Inhalation	a 3 H331 Toxic if inhaled.	
Acute Toxicity - Inhalation		
GHS05 Corrosid Eye Damage 1	on	
GHS05 Corrosi	on	
GHS05 Corrosid Eye Damage 1 GHS07	on H318 Causes serious eye damage.	
GHS05 Corrosi Eye Damage 1 GHS07 Acute Toxicity - Oral 4	on H318 Causes serious eye damage. H302 Harmful if swallowed.	
GHS05 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4	on H318 Causes serious eye damage. H302 Harmful if swallowed.	
GHS05 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 • Label elements • GHS label elements The p	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin.	ing to the Globally Harmonized System (GHS).
GHS05 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Label elements	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin.	ing to the Globally Harmonized System (GHS).
GHS05 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 • Label elements • GHS label elements The p	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin.	ing to the Globally Harmonized System (GHS).
GHS05 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 • Label elements • GHS label elements The p	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin.	ing to the Globally Harmonized System (GHS).
GHS05 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 • Label elements • GHS label elements The p	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin.	ing to the Globally Harmonized System (GHS).
GHS05 Corrosid Eye Damage 1 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 • Label elements • GHS label elements The p • Hazard pictograms	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin.	ing to the Globally Harmonized System (GHS).
GHS05 Corrosid Eye Damage 1 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 • Label elements • GHS label elements The p • Hazard pictograms GHS05 GHS06 • Signal word Danger	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin. product is classified and labeled accordi	ing to the Globally Harmonized System (GHS).
GHS05 Corrosid Eye Damage 1 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 Label elements GHS label elements The p Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining comp Potassium Fluoride Anhya	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin. product is classified and labeled accordi	ing to the Globally Harmonized System (GHS).
GHS05 Corrosid Eye Damage 1 Corrosid Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4 • Label elements • GHS label elements The p • Hazard pictograms GHS05 GHS06 • Signal word Danger • Hazard-determining comp	on H318 Causes serious eye damage. H302 Harmful if swallowed. H312 Harmful in contact with skin. broduct is classified and labeled accordi	ing to the Globally Harmonized System (GHS).

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Potassium Fluoride 50% w/v pH 9.60 Solution

(Contd	. of page 1)
Toxic if inhaled.	
Causes serious eye damage.	
· Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea	usy to do
Continue rinsing.	<i>by 10 do</i> .
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
Take off contaminated clothing and wash it before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} 2 \\ 2 \\ 0 \\ 0 \end{array} \begin{array}{c} Health = 2 \\ Fire = 0 \\ Reactivity = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & 2 \\ \hline \end{array} \\ Health = 2 \\ \hline \end{array}$	
FIRE 0 $Fire = 0$	
REACTIVITY \bigcirc Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
2 Comments the former time of the second	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7789-23-3 Potassium Fluoride Anhydrous 2	26.078%
· Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water 7	

(Contd. on page 3)

US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Potassium Fluoride 50% w/v pH 9.60 Solution

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7789-23-3 Potassium Fluoride Anhydrous	23 mg/m ³
· PAC-2:	

CAS: 7789-23-3 Potassium Fluoride Anhydrous

250 mg/m³ (Contd. on page 4)

US-

Printing date 05/31/2024

Reviewed on 05/31/2024

(Contd. of page 3)

 $1,500 \text{ mg/m}^3$

Trade name: Potassium Fluoride 50% w/v pH 9.60 Solution

· PAC-3:

CAS: 7789-23-3 Potassium Fluoride Anhydrous

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. Proacting acciment:
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

page 3)

US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Potassium Fluoride 50% w/v pH 9.60 Solution

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	6.9	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.1849 g/cm ³ (9.88799 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	

US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name:	Potassium	Fluoride	50% w/v
	pH 9.60 Sc	olution	

		(Contd. of page 5
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	73.9 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	26.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)OralLD50383 mg/kgDermalLD501,150 mg/kg

Inhalative LC50/4h 1.92 mg/l

Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.

 \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7789-23-3 Potassium Fluoride Anhydrous

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

3

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Potassium Fluoride 50% w/v pH 9.60 Solution

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information • UN-Number UN3422 • DOT, IMDG, IATA UN3422 • UN proper shipping name Potassium fluoride solution • DOT PotassiUM FLUORIDE SOLUTION • Transport hazard class(es) DOT • DOT Class • Class 6.1 Toxic substances

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Potassium Fluoride 50% w/v pH 9.60 Solution

	(Contd. of page
· Label	6.1
· IMDG, IATA	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Toxic substances
· Hazard identification number (Kemler code)): 61
· EMS Number:	F- A , S - B
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 3422 POTASSIUM FLUORIDE SOLUTION, 6.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 \cdot Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): Water

Potassium Fluoride Anhydrous

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

ACTIVE ACTIVE

⁻ US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Potassium Fluoride 50% w/v pH 9.60 Solution

(Contd. of page 8)

A4

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7789-23-3 Potassium Fluoride Anhydrous

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



01303 01300

· Signal word Danger

· Hazard-determining components of labeling: Potassium Fluoride Anhydrous · Hazard statements Harmful if swallowed or in contact with skin. Toxic if inhaled. Causes serious eye damage. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. Take off contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 10)

US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Potassium Fluoride 50% w/v pH 9.60 Solution

	(Contd. of page 9)
Contact:	
Date of Preparation / Last Revision:	
Date of preparation / last revision	
Revision 1.2, 05/31/2024: Reviewed SDS for accuracy. MH/STN	
05/31/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	
A A	1