Printing date 07/26/2024

Reviewed on 07/26/2024

Identification	
· · · · · ·	
· Product identifier	
• Trade name: <u>Hydrogen Peroxide</u> 12% w/w Certified Solution	
Article number: SKY001	
\cdot Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canulet. 015-990-0000	
Hazard(s) identification	
· Classification of the substance or mixture	
\sim	
GHS05 Corrosion	
GHS05 Corrosion	
\sim	
<i>Eye Damage 1</i> H318 Causes serious eye damage.	
Eye Damage 1 H318 Causes serious eye damage.	
Eye Damage 1 H318 Causes serious eye damage.	
Eye Damage 1 H318 Causes serious eye damage.	
Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed.	
Eye Damage 1 H318 Causes serious eye damage. Image 2 H318 Causes serious eye damage. Image 2 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation.	
Eye Damage 1 H318 Causes serious eye damage. Image 2 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Label elements H315 Causes skin irritation.	a to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 2 H315 Causes serious eye damage. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 3 H315 Causes skin irritation.	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 2 H315 Causes serious eye damage. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 3 H315 Causes skin irritation.	g to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 2 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Label elements H315 Causes skin irritation.	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 2 H315 Causes serious eye damage. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 3 H315 Causes skin irritation.	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Image 1 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 3 H315 Causes skin irritation. Image 4 Harmful if swallowed. Image 5 H315 Causes skin irritation. Image 6 Harmful if swallowed. Image 7 H315 Causes skin irritation. Image 7 H315 Causes skin irritation. Image 7 Harmful if swallowed. Image 7 H315 Causes skin irritation. Image 8 Harmful if swallowed. Image 8 Harmful if swallowed. Image 9 Harmful if swallowed.	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 2 H315 Causes serious eye damage. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 3 H315 Causes skin irritation.	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 Skin Irritation 2 H315 Causes skin irritation. Label elements Happenduct is classified and labeled accordine Hazard pictograms Image 1 Image 1 Image 2 Image 2 Image 2 Image 3 Image 2 Image 4 Image 2 Image 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Label elements Image 2 Image 4 Image 2 Image 5 Image 2 Image 5 Image 2 Image 6 Image 2 Image 7 Imag	g to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Image 1 H315 Causes skin irritation. Label elements He product is classified and labeled accordine. Hazard pictograms Image 1 Image 2 Image 2 Signal word Danger Image 2	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 3 H315 Causes skin irritation. Image 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Image 5 HS label elements GHS label elements The product is classified and labeled accordine. Hazard pictograms Image 5 GHS05 GHS07 Signal word Danger Hazard-determining components of labeling:	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Skin Irritation 2 H315 Causes skin irritation. Label elements Horduct is classified and labeled accordine. Hazard pictograms Image for the product is classified and labeled accordine. Image 1 Image for the product is classified and labeled accordine. Hazard pictograms Image for the product is classified and labeled accordine. Image 2 Image for the product is classified and labeled accordine. Hazard pictograms Image for the pictograms. Image 3 Image for the pictogram. Image 4 Hazard pictogram. Image 5 Image 6 Image 7 Hazard-determining components of labeling: Hydrogen Peroxide Solution	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Image 1 H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Image 3 Hazard pictograms Image 3 Image 3 Image 4 H302 Harmful if swallowed. Image 5 Image 3	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Image 3 Hait of the product is classified and labeled accordine. Hazard pictograms Image 3 Image 3 Image 4 Image 4 Hazard pictograms Image 5 GHS05 Image 7 Hazard-determining components of labeling:	g to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Skin Irritation 2 H315 Causes skin irritation. Label elements H315 Causes skin irritation. Image 2 H315 Causes skin irritation. Label elements Happen product is classified and labeled according. Hazard pictograms Image 2 Image 3 Image 3 Image 4 Image 4 Image 4 Image 4 Image 5 Image 5 Image 5 Image 5 Image 6 Image 5 Image 6 Image 6 Image 7 Image 6 Image 7 Image 7 Image 7 Image 7 Image 7 Image 7 Image 8 Image 7 Image 8 Image 7 Image 8 Image 8 Image 8 Image 8 Image 8 Image 8 Image 8 Image 8 <	g to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Image 1 H318 Causes serious eye damage. Image 1 GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Image 1 H315 Causes skin irritation. Image 2 Image 2 Image 2 Image 2 <td>g to the Globally Harmonized System (GHS)</td>	g to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Eye Damage 1 H318 Causes serious eye damage. Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Label elements H315 Causes skin irritation. GHS label elements The product is classified and labeled accordine. Hazard pictograms H302 Harmful if swallowed. GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Hydrogen Peroxide Solution Hazard statements Harmful if swallowed. Causes skin irritation. Causes skin irritation. Causes serious eye damage.	ng to the Globally Harmonized System (GHS)
Eye Damage 1 H318 Causes serious eye damage. Eye Damage 1 H318 Causes serious eye damage. Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Label elements H315 Causes skin irritation. GHS label elements The product is classified and labeled accordin Hazard pictograms GHS05 GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Hydrogen Peroxide Solution Hazard statements Harmful if swallowed. Causes skin irritation. Causes skin irritation. Causes skin irritation. Causes serious eye damage. Precautionary statements	g to the Globally Harmonized System (GHS) (Contd. on page

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Hydrogen Peroxide 12% w/w Certified Solution

(Contd. of page 1)
Wear protective gloves / eye protection / face protection.
If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water.
If on skin, wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Rinse mouth.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
$3 \qquad Health = 3$
3 0 Fire = 3
Reactivity = 0
The substance possesses oxidizing properties.
· HMIS-ratings (scale 0 - 4)
HEALTH T3 Health = $*3$
FIRE 3 Fire = 3
$\frac{1}{\text{REACTIVITY}[0]} Reactivity = 0$
The activity = 0
· Other hazards
· Results of PBT and vPvB assessment
• PBT : Not applicable.
• vPvB: Not applicable.
3 Composition/information on ingredients
· Chemical characterization: Mixtures
• Description: Mixture of the substances listed below with nonhazardous additions.
· Dangerous components:
· Dangerous components.

CAS: 7722-84-1 Hydrogen Peroxide Solution

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.

(Contd. on page 3)

39.67%

60.33%

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Hydrogen Peroxide

12% w/w Certified Solution

(Contd. of page 2)

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
 - No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
• Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· Protective Action Criteria for Chemicals
· PAC-1:
CAS: 7722-84-1 Hydrogen Peroxide Solution 10 ppm
· PAC-2:
CAS: 7722-84-1 Hydrogen Peroxide Solution 50 ppm
· PAC-3:
CAS: 7722-84-1 Hydrogen Peroxide Solution 100 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

(Contd. of page 3)

Trade name: Hydrogen Peroxide

12% w/w Certified Solution

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7722-84-1 Hydrogen Peroxide Solution

PEL Long-term value: 1.4 mg/m³, 1 ppm

REL Long-term value: 1.4 mg/m³, 1 ppm

TLV Long-term value: 1 ppm

A3

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Hydrogen Peroxide

12% w/w Certified Solution

(Contd. of page 4)

Form:Liquid Color:Clear OdorOdor:OdorlessOdor threshold:Not determined.pH-value:Not determined.pH-value:Undetermined.Boiling point/Melting range:Undetermined.Boiling point/Melting range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Planmability (solid, gaseous):Not determined.Obarge of explosion:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor coefficient (n-octanol/water): Not determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Solvent content:0.0 %Water:6.0.3 %Vac content:0.0 %Solvent content:0.0 %	Physical and chemical proper	ties	
General InformationAppearance:LiquidForm:LiquidColor:ClearOdor:OdorlessOdor threshold:Not determined.pH-value:Not determined.change in conditionUndetermined.Melting point/Boiling range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm² (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vap	· Information on basic physical and c	chemical properties	
Appearance:LiquidColor:ClearOdor:OdorlessOdor threshold:Not determined.pH-value:Not determined.change in conditionUndetermined.Melting point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Plecomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withWader:Water:Fully miscible.Paramine:Not determined.Solubert content:Not determined.Vapor densityNot determined.Solvent content:Not determined.Water:Fully miscible.Paramine:Not determined.Solvent content:Not determined.Water:60.3 %VOC content:0.00 %0.00 %0.0 %/Solvent content:0.00 %Not determined.Solvent cont			
Color:ClearOdorOdorlessOdorNot determined.pH-value:Not determined.change in conditionUndetermined.Melting point/Melting range:Undetermined.Boling point/Boling range:100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Obarge of explosion:Product does not present an explosion hazard.Explosion limits:Image: Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Oensity at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor ansityNot determined.Vapor densityNot determined.Solubility in / Miscibility withNot determined.Water:Not determined.Voc content:Not determined.Voc content:Not determined.Solub dictica (n-octanol/water): Not determined.Solub dictica (n-octanol/water): Not determined.Solub dictica (n-octanol/water): Not deter	· Appearance:		
Odor:OdorlessOdor threshold:Not determined.pH-value:Not determined.pH-value:Not determined.Change in conditionIndetermined.Melting point/Belting range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Intermined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.71852 g/cm ³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Solubility in / Miscibility with Water:Not determined.Solubility in /		Liquid	
Odor threshold:Not determined.pH-value:Not determined.PH-value:Not determined.Change in condition Melting point/Melting range:Undetermined.Boiling point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Paramability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product does not present an explosion hazard.Explosion limits:	Color:		
pH-value: Not determined. Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Permaphy Not determined. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) Relative density Not determined. Vapor prostion rate Not determined. Vapor prostion rate Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Vost content: Not det	· Odor:	Odorless	
Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) Relative density Not determined. Vapor pressure at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) Relative density Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Solvent content: Not determined. VOC content: 0.00 % 0.00 % 0.0 g/1/0.00 lb/gal<	· Odor threshold:	Not determined.	
Meting point/Meting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Peramability (solid, gaseous):Not determined.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor appressure at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor opensity at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:60.3 % 0.0 g/1 / 0.00 lb/galSolids content:0.0 % 0.0 g/1 / 0.00 lb/gal	· pH-value:	Not determined.	
Meting point/Meting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Peramability (solid, gaseous):Not determined.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor appressure at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor opensity at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:60.3 % 0.0 g/1 / 0.00 lb/galSolids content:0.0 % 0.0 g/1 / 0.00 lb/gal	· Change in condition		
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Oensity at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:0.0 %Water:60.3 % 0.0 g/l / 0.00 lb/galSolids content:0.0 %		Undetermined.	
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Vapor pressure at 20 °C (68 °F): Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Voiscosity: Not determined. Voiscosity: Not determined. Voiscosity: Not determined. VOc content: 0.00 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal			
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Viscosity: Not determined. Dynamic: Not determined. Viscosity: Not determined. Dynamic: Not determined. Voc content: 0.00 % 0.00 % 0.0 g/l 0.00 lb/gal Solids content: 0.0 %			
Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:ValueLower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:60.3 % 0.00 % 0.0 g/l / 0.00 lb/galSolids content:0.0 %	-		
Ignition temperature: Product is not selfigniting. Ignition temperature: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) Relative density Not determined. Vapor section (n-octanol/water): Not determined. Viscosity: Dynamic: Dynamic: Not determined. Voc content: 0.00 % VOC content: 0.00 % 0.00 % 0.0 g/ / 0.00 lb/ga	· Flammability (solid, gaseous):	Not applicable.	
Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vasor and the end of the end	• Decomposition temperature:	Not determined.	
Explosion limits: Not determined. Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not determined. Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Solvent content: Not determined. Water: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %	· Ignition temperature:	Product is not selfigniting.	
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:60.3 % 0.0 g/l / 0.00 lb/galSolids content:0.0 %	• Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.17852 g/cm³ (9.83475 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Water:60.3 % 0.0 g/l / 0.00 lb/galSolids content:0.0 %	· Explosion limits:		
• Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.17852 g/cm³ (9.83475 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Viscosity: Dynamic: Dynamic: Not determined. • Volk content: Not determined. • Volk content: 0.00 % • VOC content: 0.00 % • 0.0 g/l / 0.00 lb/gal 0.0 %	*	Not determined.	
• Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.17852 g/cm ³ (9.83475 lbs/gal) • Relative density Not determined. • Vapor density Not determined. • Solubility in / Miscibility with Water: • Viscosity: Fully miscible. • Dynamic: Not determined. • Viscosity: Not determined. • Viscosity: Not determined. • Volution: Not determined. • Volution: Not determined. • Volution: Not determined. • Viscosity: Not determined. • Volution: Not determined. • Solvent content: Not determined. • VOC content: 0.00 % • 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal	Upper:	Not determined.	
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Vater: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Not determined. Water: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Vater: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: Not determined. Water: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %	· Density at 20 °C (68 °F):	1.17852 g/cm ³ (9.83475 lbs/gal)	
Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:60.3 % 0.00 % 0.0 g/l / 0.00 lb/galSolids content:0.0 %			
Evaporation rate Not determined. Solubility in / Miscibility with Fully miscible. Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %	•		
Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %			
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:60.3 %VOC content:0.00 %0.0 g/l / 0.00 lb/galSolids content:0.0 %	-		
Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %			
Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %	water:	Fully miscible.	
Dynamic:Not determined.Kinematic:Not determined.Solvent content:60.3 %Water:60.00 %O.00 g/l / 0.00 lb/galSolids content:0.0 %	· Partition coefficient (n-octanol/wate	er): Not determined.	
Kinematic:Not determined.Solvent content:60.3 %Water:60.00 %O.00 g/l / 0.00 lb/galSolids content:0.0 %	· Viscosity:		
Kinematic:Not determined.Solvent content:60.3 %Water:60.00 %O.00 g/l / 0.00 lb/galSolids content:0.0 %		Not determined.	
Water: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal	Kinematic:	Not determined.	
Water: 60.3 % VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 g/l / 0.00 lb/gal	· Solvent content:		
VOC content: 0.00 % 0.0 g/l / 0.00 lb/gal Solids content: 0.0 %		60.3 %	
0.0 g/l / 0.00 lb/gal Solids content: 0.0 %			
Solids content: 0.0 %			
Other information No further relevant information available	Solids content:		
\cdot Under mormation (NO mining relevant intormation available)	• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.

(Contd. on page 6) US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Hydrogen Peroxide

12% w/w Certified Solution

(Contd. of page 5)

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 1,260 mg/kg

 Inhalative
 LC50/4h
 27.7 mg/l

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7722-84-1 Hydrogen Peroxide Solution

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

3

⁻ US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Hydrogen Peroxide

12% w/w Certified Solution

(Contd. of page 6)

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN2984
· UN proper shipping name · DOT · IMDG, IATA	Hydrogen peroxide, aqueous solutions HYDROGEN PEROXIDE, AQUEOUS SOLUTION
• Transport hazard class(es)	~~~
·DOT	
DIDIZER 51	
· Class · Label	5.1 Oxidizing substances 5.1
· IMDG, IATA	
· IMDG, IATA	5.1 Oxidizing substances 5.1
· Class · Label	
· Class	
· Class · Label · Packing group	5.1
• Class • Label • Packing group • DOT, IMDG, IATA	5.1 III
 Class Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler complexity) 	5.1 III Not applicable. Warning: Oxidizing substances ode): 80
 Class Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler construction in the second secon	5.1 III Not applicable. Warning: Oxidizing substances ode): 80 F-A,S-B
 Class Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler construction in the second secon	5.1 III Not applicable. Warning: Oxidizing substances ode): 80 F-A,S-B (SGG16) Peroxides
 Class Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler construction in the second secon	5.1 III Not applicable. Warning: Oxidizing substances ode): 80 F-A,S-B (SGG16) Peroxides A
 Class Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler construction in the second secon	5.1 III Not applicable. Warning: Oxidizing substances ode): 80 F-A,S-B (SGG16) Peroxides A SW2 Clear of living quarters.

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Hydrogen Peroxide

12% w/w Certified Solution

	(Contd. of page
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2984 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1
-	III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):	
CAS: 7722-84-1 Hydrogen Peroxide Solution	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Hydrogen Peroxide Solution	ACTIV
Hazardous Air Pollutants	·
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
CAS: 7722-84-1 Hydrogen Peroxide Solution	<i>A</i> .
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
	(Contd. on page

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Hydrogen Peroxide 12% w/w Certified Solution

GHS label	(Contd. of page) elements The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pie	ctograms
^	
P	
GHS05	GHS07
Signal wor	r d Danger
Hazard-de	termining components of labeling:
	Peroxide Solution
Hazard sta	tements
Harmful if	swallowed.
Causes ski	n irritation.
Causes ser	ious eye damage.
Precaution	nary statements
Wash thore	bughly after handling.
Do not eat,	drink or smoke when using this product.
Wear prote	ective gloves / eye protection / face protection.
If swallowe	ed: Call a poison center/doctor if you feel unwell.
If on skin:	Wash with plenty of water.
If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to a
Continue r	insing.
Immediate	ly call a poison center/doctor.
Specific tre	eatment (see on this label).
Rinse mou	th.
Take off co	ntaminated clothing and wash it before reuse.
If skin irrit	ation occurs: Get medical advice/attention.
Dispose of	contents/container in accordance with local/regional/national/international regulations.
Chemical s	safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2 07/25/2024: Reviewed SDS for accuracy. MH/STN 07/26/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

Printing date 07/26/2024

Trade name: Hydrogen Peroxide 12% w/w Certified Solution

Reviewed on 07/26/2024

(Contd. of page 9)

US

vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity – Category 4
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Damage 1: Serious eye damage/eye irritation – Category 1
\cdot * Data compared to the previous version altered.