Printing date 01/28/2022

Reviewed on 01/28/2022

1 Identification

*

*

- · Product identifier
- Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable
- Article number: DOW738
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number: Chemtrec: 800-424-9300
- Canutec: 613-996-6666

Class	ation of the substance or mixture	
X	GHS02 Flame	
Flam	q. 2 H225 Highly flammable liquid and vapor.	
S.	GHS06 Skull and crossbones	
Acute	x. 3 H301 Toxic if swallowed.	
Acute	x. 3 H311 Toxic in contact with skin.	
Acute	x. 3 H331 Toxic if inhaled.	
	GHS08 Health hazard	
STO	1 H370 Causes damage to the central nervous system and the visual organs.	
	GHS07	
Skin	. 2 H315 Causes skin irritation.	
Eye I	2A H319 Causes serious eye irritation.	
	ements el elements The product is classified and labeled according to the Globally Harmonized S	System (GHS). (Contd. on page 2



Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable



– ÚS

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

(Contd. of page 2)

98.217%

1.783%

· HMIS-ratings (scale 0 - 4)

HEALTH*2Health =
$$*2$$
FIRE3Fire = 3REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

CAS: 1310-58-3 Potassium Hydroxide

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Do not induce vomiting; immediately call for medical help.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

(Contd. of page 3)

6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawd	ust).
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 67-56-1 Methanol	530 ppm
	0.18 mg/m ²
CAS: 1310-58-3 Potassium Hydroxide	
CAS: 1310-58-3 Potassium Hydroxide • PAC-2:	
-	2,100 ppm
• PAC-2:	2,100 ppm 2 mg/m ³
• PAC-2: CAS: 67-56-1 Methanol	
PAC-2:CAS: 67-56-1MethanolCAS: 1310-58-3Potassium Hydroxide	•••

7 Handling and storage

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- \cdot Specific end use(s) No further relevant information available.

US

[·] Handling:

Printing date 01/28/2022

*

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

(Contd. of page 4)

· Addi	ional information about design of technical systems: No further data; see item 7.	
Control parameters		
-	ponents with limit values that require monitoring at the workplace:	
CAS:	67-56-1 Methanol	
PEL	Long-term value: 260 mg/m³, 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm	
	Long-term value: 260 mg/m ³ , 200 ppm	
	Skin	
TLV	Short-term value: 250 ppm	
	Long-term value: 200 ppm	
	Skin; BEI	
	1310-58-3 Potassium Hydroxide	
REL	Ceiling limit value: 2 mg/m ³	
TLV	Ceiling limit value: 2 mg/m ³	
Ingre	dients with biological limit values:	
CAS:	67-56-1 Methanol	
BEI	15 mg/L	
	LD50 Intraperitoneal: urine	
	Time: end of shift	
	LD50: Methanol (background, nonspecific)	
Addi	ional information: The lists that were valid during the creation were used as basis.	
Frno	sure controls	
	onal protective equipment:	
	ral protective equipment. ral protective and hygienic measures:	
	away from foodstuffs, beverages and feed.	
	diately remove all soiled and contaminated clothing.	
Wash	hands before breaks and at the end of work.	
Store	protective clothing separately.	
	l contact with the eyes and skin.	
	hing equipment:	
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u	
	ratory protective device that is independent of circulating air.	
· Prote	ction of hands:	
	Protective gloves	
The	-	
	love material has to be impermeable and resistant to the product/ the substance/ the preparation. To missing tests no recommendation to the glove material can be given for the product/ the preparation/ the	
	ical mixture.	
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation	
Sciel	tion of the store material on consideration of the penetration times, rates of alfusion and the degradation	

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

(Contd. of page 5)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Methanol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-97.8 °C (-144 °F)
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 $\bullet C$ (68 $\bullet F$):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.80023 g/cm ³ (6.67792 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	98.2 %	
VOC content:	98.22 %	
	786.0 g/l / 6.56 lb/gal	
Solids content:	1.8 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
Oral	LD50	101 mg/kg	
Dermal	LD50	101 mg/kg 305 mg/kg 3.05 mg/l	
Inhalative	LC50/4h	3.05 mg/l	

CAS: 67-56-1 Methanol

Oral	LD50	100 mg/kg (ATE)
	LD50	300 mg/kg (ATE)
Inhalative	LC50/4h	3 mg/l (ATE)

CAS: 1310-58-3 Potassium Hydroxide

Oral LD50 500 mg/kg (ATE)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

(Contd. of page 7)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- $\cdot \textit{Recommendation: Disposal must be made according to official regulations.}$
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
$\cdot DOT$	Flammable liquids, n.o.s. (Methanol)	
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)	
• Transport hazard class(es) • DOT		
· Class	3 Flammable liquids	

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

	(Contd. of pag
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-E, <u>S-E</u>
Segregation groups	Alkalis
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 5 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely hazardous substances):

- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- CAS: 67-56-1 Methanol
- · TSCA (Toxic Substances Control Act):

Methanol

Potassium Hydroxide

- Hazardous Air Pollutants
- CAS: 67-56-1 Methanol

(Contd. on page 10)

ACTIVE

ACTIVE

·US·

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

(Contd. of page 9)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol Potassium Hydroxide · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth.

(Contd. on page 11)

Printing date 01/28/2022

Reviewed on 01/28/2022

Trade name: Potassium Hydroxide 0.25 Normal in Methanol (Filtered) NIST Traceable

(Contd. of page 10)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision Revision 0.0 01-28-2022: Creation date for SDS. STN/JH 01/28/2022 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 • * Data compared to the previous version altered.

US ·