Printing date 02/11/2022

Reviewed on 02/11/2022

1 Identification

- · Product identifier
- Trade name: <u>Catalyst Reagent</u> <u>Prepared to ASTM D3228-19</u>
- · Article number: 7710
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chamber: 000.424.0200
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 *Hazard*(*s*) *identification*

· Classification of the substance or mixture



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: Mercuric Oxide (Red)
Hazard statements Harmful if swallowed or if inhaled. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

(Contd. on page 2)

US

Printing date 02/11/2022

Reviewed on 02/11/2022

Trade name: Catalyst Reagent Prepared to ASTM D3228-19

((Use only outdoors or in a well-ventilated area. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system: • NFPA ratings (scale 0 - 4)	Contd. of page 1)
$\begin{array}{c} \textbf{Health} = 3\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 FIRE 0 REACTIVITY 0 PREACTIVITY 0 Pother hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 21908-53-2 Mercuric Oxide (Red)	3.946%
· Table of Nonhazardous Ingredients	
CAS: 7778-80-5 Potassium Sulfate,	95.284%

CAS: 7758-98-7 Copper Sulfate Anhydrous

4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Generally the product does not irritate the skin.

· After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: Immediately call a doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

0.77%

Printing date 02/11/2022

Reviewed on 02/11/2022

Trade name: Catalyst Reagent Prepared to ASTM D3228-19

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

1.0000000000000000000000000000000000000		
· PAC-1:		
CAS: 7778-80-5	Potassium Sulfate,	20 mg/m ³
CAS: 21908-53-2	Mercuric Oxide (Red)	1.5 mg/m ³
CAS: 7758-98-7	Copper Sulfate Anhydrous	7.5 mg/m ³
· PAC-2:		
CAS: 7778-80-5	Potassium Sulfate,	220 mg/m ³
CAS: 21908-53-2	Mercuric Oxide (Red)	16 mg/m ³
CAS: 7758-98-7	Copper Sulfate Anhydrous	9.9 mg/m ³
· PAC-3:		
CAS: 7778-80-5	Potassium Sulfate,	1,300 mg/m ³
CAS: 21908-53-2	Mercuric Oxide (Red)	30 mg/m ³
CAS: 7758-98-7	Copper Sulfate Anhydrous	59 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

(Contd. of page 2)

⁻ US

Printing date 02/11/2022

Reviewed on 02/11/2022

Trade name: Catalyst Reagent

Prepared to ASTM D3228-19

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

- CAS: 21908-53-2 Mercuric Oxide (Red)
- PEL Long-term value: 0.1 mg/m³
 - as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05* mg/m³ Ceiling limit value: 0.1 mg/m³ as Hg; *Vapor; Skin

TLV Long-term value: 0.025 mg/m³ as Hg; A4; Skin; BEI

· Ingredients with biological limit values:

CAS: 21908-53-2 Mercuric Oxide (Red)

BEI 20 µg/g creatinine LD50 Intraperitoneal: urine Time: prior to shift LD50: Mercury

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/11/2022

Reviewed on 02/11/2022

Trade name: Catalyst Reagent Prepared to ASTM D3228-19

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:	D	
Form: Color:	Powder White	
Odor:	<i>Odorless</i>	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	1,069 °C (33.969 °F)	
Boiling point/Boiling range:	1,689 °C (3589 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	3.0038 g/cm³ (25.06671 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with Water at 20 °C (68 °F):	111 g/l	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
VOC content:	0.00 %	
Solids content:	100.0 %	

Printing date 02/11/2022

Reviewed on 02/11/2022

(Contd. of page 5)

Trade name: Catalyst Reagent

Prepared to ASTM D3228-19

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)OralLD50456 mg/kg (rat)DermalLD507,983 mg/kg (rat)InhalativeLC50/4h1.27 mg/l

CAS: 21908-53-2 Mercuric Oxide (Red)

OralLD505 mg/kg (ATE)DermalLD505 mg/kg (ATE)InhalativeLC50/4h0.05 mg/l (ATE)

CAS: 7758-98-7 Copper Sulfate Anhydrous

Oral LD50 500 mg/kg (ATE)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 21908-53-2 Mercuric Oxide (Red)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

3

Printing date 02/11/2022

Reviewed on 02/11/2022

Trade name: Catalyst Reagent

Prepared to ASTM D3228-19

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN3288
· UN proper shipping name	
$\cdot DOT$	Toxic solid, inorganic, n.o.s. (Mercuric Oxide (Red))
·IMDG	TOXIC SOLID, INORGANIC, N.O.S. (Mercuric Oxide (Red Copper Sulfate Anhydrous), MARINE POLLUTANT
·IATA	TOXIC SOLID, INORGANIC, N.O.S. (Mercuric Oxide (Red))
• Transport hazard class(es)	
·DOT	
TOXIC 6	
· Class	6.1 Toxic substances

Printing date 02/11/2022

Reviewed on 02/11/2022

Trade name: Catalyst Reagent
Prepared to ASTM D3228-19

	(Contd. of page '
Label	6.1
·IMDG	
· Class	6.1 Toxic substances
· Label	9
·IATA	
· Class · Label	6.1 Toxic substances 9
· Packing group · DOT, IMDG, IATA	11
· Environmental hazards: · Marine pollutant:	Symbol (fish and tree)
· Special precautions for user	Warning: Toxic substances
\cdot Hazard identification number (Kemler co	
• EMS Number:	F-A,S-F
· Segregation groups	Heavy metals and their salts (including their organometalli compounds), mercury and mercury compounds
· Stowage Category	A
· Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and
5	7.7.3.9.
· Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·IMDG	
· Limited quantities (LQ)	5 kg
$\cdot Excepted$ quantities ($\widetilde{E}Q$)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
· UN ''Model Regulation'':	UN 3288 TOXIC SOLID, INORGANIC, N.O.S. (MERCURIC OXIDE (RED)), 9, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

 \cdot Section 355 (extremely hazardous substances):

CAS: 21908-53-2 Mercuric Oxide (Red)

(Contd. on page 9)

US

Printing date 02/11/2022

Reviewed on 02/11/2022

Trade name: Catalyst Reagent Prepared to ASTM D3228-19

	(Contd. of page 3
· Section 313 (Specific toxic chemical listings):	
CAS: 21908-53-2 Mercuric Oxide (Red)	
CAS: 7758-98-7 Copper Sulfate Anhydrous	
· TSCA (Toxic Substances Control Act):	
Potassium Sulfate,	ACTIVE
Mercuric Oxide (Red)	ACTIVE
Copper Sulfate Anhydrous	ACTIVE
· Hazardous Air Pollutants	· · · · ·
CAS: 21908-53-2 Mercuric Oxide (Red)	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
None of the ingredients is listed. • Chemicals known to cause reproductive toxicity for females:	
•	
· Chemicals known to cause reproductive toxicity for females:	
• Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.	
 Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: 	

Carcinogenic categories

· EPA (Environmental Protection Agency)		
CAS: 21908-53-2 Mercuric Oxide (Red)	D	
· TLV (Threshold Limit Value)		
CAS: 21908-53-2 Mercuric Oxide (Red)	A4	
· NIOSH-Ca (National Institute for Occupational Safety and Health)		

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: Mercuric Oxide (Red)
Hazard statements Harmful if swallowed or if inhaled. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.

Printing date 02/11/2022

Reviewed on 02/11/2022

Trade name: Catalyst Reagent Prepared to ASTM D3228-19

(Contd. of page 9)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision Revision 0.0 02-11-2022: Creation date for SDS. STN/JH 02/11/2022 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Tox. 4: Acute toxicity – Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2