US —

Safety Data Sheet acc. to OSHA HCS

Printing date 07/26/2024

Reviewed on 07/26/2024

Product identifier	
Trade name: <u>Sodium Hydroxide 1.0 Normal</u> in Methanol NIST Traceable	
Article number: UC181	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA 800-256-2586	
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification Classification of the substance or mixture	
Classification of the substance or mixture	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H370 Causes damage to the central nervous system and
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H370 Causes damage to the central nervous system and

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable



Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

(Contd. of page 2)

72.039%

4.66%

23.301%

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

CAS: 1310-73-2 Sodium Hydroxide

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

(Contd. of page 3)

Personal precaut	tions, protective equipment and emergency procedures	
-	<i>ry protective device.</i>	
1 .	equipment. Keep unprotected persons away.	
Environmental p		
Dilute with plenty		
	enter sewers/ surface or ground water.	
	tterial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust	<i>.</i>).
Use neutralizing		
	nated material as waste according to section 13.	
Ensure adequate		
Reference to othe		
	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 8 for See Section 13 fo	information on personal protection equipment. or disposal information.	
See Section 8 for See Section 13 fo Protective Action	information on personal protection equipment.	
See Section 8 for See Section 13 fo Protective Action PAC-1:	information on personal protection equipment. or disposal information. n Criteria for Chemicals	520
See Section 8 for See Section 13 fo Protective Action PAC-1: CAS: 67-56-1	information on personal protection equipment. or disposal information. n Criteria for Chemicals Methanol	
See Section 8 for See Section 13 fo Protective Action PAC-1: CAS: 67-56-1	information on personal protection equipment. or disposal information. n Criteria for Chemicals	
See Section 8 for See Section 13 fo Protective Action PAC-1: CAS: 67-56-1 CAS: 1310-73-2	information on personal protection equipment. or disposal information. n Criteria for Chemicals Methanol	
See Section 8 for See Section 13 fo Protective Action PAC-1: CAS: 67-56-1 CAS: 1310-73-2 PAC-2:	information on personal protection equipment. or disposal information. n Criteria for Chemicals Methanol	0.5 mg/i
See Section 8 for See Section 13 fo Protective Action PAC-1: CAS: 67-56-1 CAS: 1310-73-2 PAC-2: CAS: 67-56-1	information on personal protection equipment. or disposal information. n Criteria for Chemicals Methanol Sodium Hydroxide	0.5 mg/i 2,100 pp
See Section 8 for See Section 13 fo Protective Action PAC-1: CAS: 67-56-1 CAS: 1310-73-2 PAC-2: CAS: 67-56-1	information on personal protection equipment. or disposal information. In Criteria for Chemicals Methanol Sodium Hydroxide Methanol	0.5 mg/r
See Section 8 for See Section 13 fo Protective Action PAC-1: CAS: 67-56-1 CAS: 1310-73-2 PAC-2: CAS: 67-56-1 CAS: 1310-73-2 PAC-3:	information on personal protection equipment. or disposal information. In Criteria for Chemicals Methanol Sodium Hydroxide Methanol	530 ppn 0.5 mg/r 2,100 pp 5 mg/m ³ 7200* pp

7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- *Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.*

(Contd. on page 5)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

CAS: 67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm

- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc

CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

· Ingredients with biological limit values:

CAS: 67-56-1 Methanol

BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

(Contd. of page 5)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

General Information	
Appearance: Form:	Liquid
Form. Color:	Clear
Odor:	Alcohol
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	>12
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64.4 °C (147.9 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.90246 g/cm ³ (7.53103 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	er): Not determined.

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

		(Contd. of page
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	72.0 %	
Water:	23.3 %	
VOC content:	72.04 %	
	650.1 g/l / 5.43 lb/gal	
Solids content:	4.7 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

•		,
Oral	LD50	138 mg/kg
Dermal	LD50	416 mg/kg
Inhalative	LC50/4h	4.16 mg/l

· Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

(Contd. of page 7)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

·NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· DOT, IMDG, IATA

UN2924

(Contd. on page 9)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

in Methanol NIST Traceable	
	(Contd. of pag
UN proper shipping name DOT	Flammable liquids, corrosive, n.o.s. (Methanol, Sodiu Hydroxide)
IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methan Sodium Hydroxide)
Transport hazard class(es)	
DOT	
CORROSVE 3 8	
Class	3 Flammable liquids
Label IMDG	3, 8
Class	3 Flammable liquids
Class Label	3/8
Class	3 Flammable liquids
Label	3 (8)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number:	F-E,S-C
Segregation groups Stowage Category	(SGG18) Alkalis B
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
	(Contd. on page

(Contd of mage 0)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

	(Contd. of page 9)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (METHANOL, SODIUM HYDROXIDE), 3 (8), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the s No further relevant information available. • Sara	ubstance or mixture
• Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
• Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
Methanol	ACTIVE
Water	ACTIVE
Sodium Hydroxide	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
Proposition 65	
· Chemicals known to cause cancer:	

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity: CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 11)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

(Contd. of page 10) · Hazard pictograms GHS06 GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol Sodium Hydroxide · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

(Contd. on page 12)

⁻ US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Sodium Hydroxide 1.0 Normal in Methanol NIST Traceable

	(Contd. of page 11)
Date of preparation / last revision	
Revision 1.2, 07-26-2024: Reviewed SDS for accuracy. STN/GW	
07/26/2024 / 1.1	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
1	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - (Category 1
* Data compared to the previous version altered.	