Printing date 07/26/2024

*

Reviewed on 07/26/2024

Identification		
Product identifier		
Trade name: <u>IPA 90% V/V Solutio</u> 0.5% Sodium Benzoa	o <u>n</u> tte and 0.5% Diethanolamine w/v	
Article number: SPX436A		
Details of the supplier of the safety Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	⁹ data sheet	AQUA
Information department: Technical Coordinator Sherman Nelson shermann@aquase Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	olutions.org	
Hazard(s) identification		
Classification of the substance or 1	nixture	
GHS02 Flame		
Flammable Liquids 2	H225 Highly flammable	e liquid and vapor.
GHS08 Health hazard		
Carcinogenicity 2	H351 Suspected of cause	sing cancer.
GHS07		
<i>Eye Irritation 2A</i>	H319 Causes serious ey	ve irritation.
•	ngle Exposure 3 H336 May cause drows	
Label elements GHS label elements The product is Hazard pictograms GHS02 GHS07 GHS08	classified and labeled according to the	Globally Harmonized System (GHS
Signal word Danger		
Hazard-determining components of	of labeling:	
Isopropanol		
Diethanolamine		

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution 0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

	(Contd. of page 1)
Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
Suspected of causing cancer.	
May cause drowsiness or dizziness.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	ver.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press	ent and easv to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulat	ions
Classification system:	ions.
NFPA ratings (scale 0 - 4)	
(VFFA ruungs (scule 0 - 4)	
Health = 2	
Fire = 3	
$\frac{2}{Reactivity} = 0$	
HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 3 $Fire = 3$	
REACTIVITY $\begin{bmatrix} 0 \end{bmatrix}$ Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
<i>vPvB:</i> Not applicable.	
T v D. Not applicable.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

		(Contd. of page 2)	
· Dangerous components:			
CAS: 67-63-0	Isopropanol	87.376%	
CAS: 111-42-2	Diethanolamine	0.618%	
	· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	11.388%	
CAS: 532-32-1	Sodium Benzoate	0.618%	

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

• Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

CAS: 67-63-0 Isopropanol

400 ppm (Contd. on page 4)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

C 4 5 1 1 4 2 2		(Contd. of	
	Diethanolamine Sodium Benzoate	3 mg	
	Soaium Benzoaie	61 m	<u>g</u> /m ²
· PAC-2:			
	Isopropanol	2000*	
	Diethanolamine	28 mg/	
	Sodium Benzoate	140 mg	g∕m3
• PAC-3:			
	Isopropanol	12000**	
	Diethanolamine	130 mg/n	
CAS: 532-32-1	Sodium Benzoate	830 mg/n	n3

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 67-63-0 Isopropanol

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 400 ppm Long-term value: 200 ppm BEI. A4

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

CAS: 111-42-2 Diethanolamine

REL Long-term value: 15 mg/m³, 3 ppm

TLV Long-term value: $1 * mg/m^3$

Skin; *inhalable fraction and vapor, A3

Ingredients with biological limit values:

CAS: 67-63-0 Isopropanol

BEI 40 mg/L

LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 6)

Printing date 07/26/2024

*

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

(Contd. of page 5)

Physical and chemical proper	ties
Information on basic physical and c	hamical properties
General Information	nemicui properues
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.8086 g/cm³ (6.74777 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	88.0 %
Water:	11.4 %
VOC content:	87.99 %
	711.5 g/l / 5.94 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

(Contd. on page 7)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

(Contd. of page 6)

3

2B

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

CAS: 111-42-2 Diethanolamine

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

(Contd. of page 7)

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (Isopropanol
IMDG, IATA) FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Transport hazard class(es)	
DOT	
RAMMEE LOUD	
Class Label	3 Flammable liquids
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code)	
EMS Number: Stowage Category	F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

	(Contd. of page 8)
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL
-), <i>3</i> , <i>II</i>

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sari	a
--------	---

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 Isopropanol	
CAS: 111-42-2 Diethanolamine	
• TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIVE
Water	ACTIVE
Diethanolamine	ACTIVE
Sodium Benzoate	ACTIVE
· Hazardous Air Pollutants	
CAS: 111-42-2 Diethanolamine	
Proposition 65	
· Chemicals known to cause cancer:	
CAS: 111-42-2 Diethanolamine	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
	(Contd. on page 10

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

(Contd. of page 9) • TLV (Threshold Limit Value) CAS: 67-63-0 Isopropanol A4CAS: 111-42-2 Diethanolamine A3· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Isopropanol Diethanolamine Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. Suspected of causing cancer. May cause drowsiness or dizziness. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: IPA 90% V/V Solution

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

Flammable Liquids 2: Flammable liquids – Category 2

• * Data compared to the previous version altered.

Carcinogenicity 2: Carcinogenicity – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

0.5% Sodium Benzoate and 0.5% Diethanolamine w/v

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: Date of preparation / last revision Revision 1.2, 07-26-2024: Reviewed SDS for accuracy. STN/GW 07/26/2024 / -Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

US