

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

## 1 Identification

- **Product identifier**
- **Trade name:** 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid
- **Article number:** COR012
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson [shermann@aquasolutions.org](mailto:shermann@aquasolutions.org)
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 2 H330 Fatal if inhaled.



GHS05 Corrosion

Skin Corrosion 1A

H314 Causes severe skin burns and eye damage.

Eye Damage 1

H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05



GHS06

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Nitric Acid
- **Hazard statements**  
Fatal if inhaled.  
Causes severe skin burns and eye damage.
- **Precautionary statements**  
Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 1)

*Wear protective gloves/protective clothing/eye protection/face protection.*

*[In case of inadequate ventilation] wear respiratory protection.*

*If swallowed: Rinse mouth. Do NOT induce vomiting.*

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a poison center/doctor.*

*Specific treatment is urgent (see on this label).*

*Wash contaminated clothing before reuse.*

*Store in a well-ventilated place. Keep container tightly closed.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7697-37-2	Nitric Acid	5.117%
----------------	-------------	--------

· **Table of Nonhazardous Ingredients**

CAS: 7732-18-5	Water	94.775%
CAS: 1336-21-6	Ammonium Hydroxide	0.099%
CAS: 7784-27-2	Aluminum Nitrate	0.001%
CAS: 7789-02-8	Chromium Nitrate Nonahydrate	0.001%
CAS: 10043-35-3	Boric Acid	0.001%
CAS: 16919-19-0	Ammonium hexafluorosilicate	0.001%
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	0.001%
CAS: 554-13-2	Lithium Carbonate	0.001%
CAS: 10026-22-9	Cobalt Nitrate Hexahydrate	0.0005%
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	0.0004%
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	0.0004%

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 2)

CAS: 7783-28-0	Ammonium Phosphate Dibasic	0.0004%
CAS: 7631-99-4	Sodium Nitrate	0.0004%
CAS: 19004-19-4	Cupric Nitrate Hydrate	0.0004%
CAS: 7757-79-1	Potassium Nitrate	0.0003%
CAS: 10042-76-9	Strontium Nitrate	0.0002%
CAS: 10102-45-1	Thallium Nitrate	0.0002%
CAS: 10022-31-8	Barium Nitrate	0.0002%
CAS: 1314-62-1	Vanadium Pentoxide Reagent	0.0002%
CAS: 7761-88-8	Silver Nitrate	0.0002%
CAS: 10099-74-8	Lead Nitrate	0.0002%
CAS: 7446-08-4	selenium dioxide	0.0001%
CAS: 7439-89-6	Iron Metal	0.0001%
CAS: 7440-31-5	Tin Metal	0.0001%
CAS: 7440-36-0	Antimony Metal	0.0001%
CAS: 7440-41-7	beryllium	0.0001%
CAS: 12054-85-2	Ammonium Molybdate Tetrahydrate ACS Grade	0.0001%
	Ammonium Hexafluorotitanate	0.0001%

## 4 First-aid measures

### · Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact: Immediately wash with water and soap and rinse thoroughly.

#### · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

#### · Information for doctor:

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

### · Extinguishing media

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

### · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

### · Advice for firefighters

· **Protective equipment:** Mouth respiratory protective device.

US

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 3)

## 6 Accidental release measures

### · Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

### · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### · Protective Action Criteria for Chemicals

#### · PAC-I:

CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 1336-21-6	Ammonium Hydroxide	61 ppm
CAS: 7784-27-2	Aluminum Nitrate	83 mg/m <sup>3</sup>
CAS: 10043-35-3	Boric Acid	6 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium hexafluorosilicate	12 mg/m <sup>3</sup>
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	12 mg/m <sup>3</sup>
CAS: 554-13-2	Lithium Carbonate	3.1 mg/m <sup>3</sup>
CAS: 10026-22-9	Cobalt Nitrate Hexahydrate	0.3 mg/m <sup>3</sup>
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	13 mg/m <sup>3</sup>
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	27 mg/m <sup>3</sup>
CAS: 7783-28-0	Ammonium Phosphate Dibasic	20 mg/m <sup>3</sup>
CAS: 7631-99-4	Sodium Nitrate	4.1 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	42 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	9 mg/m <sup>3</sup>
CAS: 10042-76-9	Strontium Nitrate	5.7 mg/m <sup>3</sup>
CAS: 10102-45-1	Thallium Nitrate	0.078 mg/m <sup>3</sup>
CAS: 10022-31-8	Barium Nitrate	2.9 mg/m <sup>3</sup>
CAS: 1314-62-1	Vanadium Pentoxide Reagent	0.64 mg/m <sup>3</sup>
CAS: 7761-88-8	Silver Nitrate	0.047 mg/m <sup>3</sup>
CAS: 10099-74-8	Lead Nitrate	0.24 mg/m <sup>3</sup>
CAS: 7446-08-4	selenium dioxide	0.84 mg/m <sup>3</sup>
CAS: 7439-89-6	Iron Metal	3.2 mg/m <sup>3</sup>
CAS: 7439-95-4	Magnesium	18 mg/m <sup>3</sup>
CAS: 7439-97-6	Mercury	0.15 mg/m <sup>3</sup>
CAS: 7440-02-0	Nickel Metal	4.5 mg/m <sup>3</sup>
CAS: 7440-31-5	Tin Metal	6 mg/m <sup>3</sup>

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 4)

CAS: 7440-36-0	Antimony Metal	1.5 mg/m <sup>3</sup>
CAS: 7440-38-2	arsenic	1.5 mg/m <sup>3</sup>
CAS: 7440-41-7	beryllium	0.0023 mg/m <sup>3</sup>
CAS: 10022-68-1	Cadmium Nitrate	0.27 mg/m <sup>3</sup>

· **PAC-2:**

CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 1336-21-6	Ammonium Hydroxide	330 ppm
CAS: 7784-27-2	Aluminum Nitrate	920 mg/m <sup>3</sup>
CAS: 10043-35-3	Boric Acid	23 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium hexafluorosilicate	130 mg/m <sup>3</sup>
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	130 mg/m <sup>3</sup>
CAS: 554-13-2	Lithium Carbonate	34 mg/m <sup>3</sup>
CAS: 10026-22-9	Cobalt Nitrate Hexahydrate	23 mg/m <sup>3</sup>
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	22 mg/m <sup>3</sup>
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	300 mg/m <sup>3</sup>
CAS: 7783-28-0	Ammonium Phosphate Dibasic	210 mg/m <sup>3</sup>
CAS: 7631-99-4	Sodium Nitrate	45 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	150 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	100 mg/m <sup>3</sup>
CAS: 10042-76-9	Strontium Nitrate	62 mg/m <sup>3</sup>
CAS: 10102-45-1	Thallium Nitrate	4.3 mg/m <sup>3</sup>
CAS: 10022-31-8	Barium Nitrate	350 mg/m <sup>3</sup>
CAS: 1314-62-1	Vanadium Pentoxide Reagent	7 mg/m <sup>3</sup>
CAS: 7761-88-8	Silver Nitrate	0.9 mg/m <sup>3</sup>
CAS: 10099-74-8	Lead Nitrate	180 mg/m <sup>3</sup>
CAS: 7446-08-4	selenium dioxide	1.6 mg/m <sup>3</sup>
CAS: 7439-89-6	Iron Metal	35 mg/m <sup>3</sup>
CAS: 7439-95-4	Magnesium	200 mg/m <sup>3</sup>
CAS: 7439-97-6	Mercury	1.7 mg/m <sup>3</sup>
CAS: 7440-02-0	Nickel Metal	50 mg/m <sup>3</sup>
CAS: 7440-31-5	Tin Metal	67 mg/m <sup>3</sup>
CAS: 7440-36-0	Antimony Metal	13 mg/m <sup>3</sup>
CAS: 7440-38-2	arsenic	17 mg/m <sup>3</sup>
CAS: 7440-41-7	beryllium	0.025 mg/m <sup>3</sup>
CAS: 10022-68-1	Cadmium Nitrate	2.1 mg/m <sup>3</sup>

· **PAC-3:**

CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 1336-21-6	Ammonium Hydroxide	2,300 ppm
CAS: 7784-27-2	Aluminum Nitrate	5,500 mg/m <sup>3</sup>
CAS: 10043-35-3	Boric Acid	830 mg/m <sup>3</sup>
CAS: 16919-19-0	Ammonium hexafluorosilicate	780 mg/m <sup>3</sup>
CAS: 13477-34-4	Calcium Nitrate Tetrahydrate	770 mg/m <sup>3</sup>

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

		(Contd. of page 5)
CAS: 554-13-2	Lithium Carbonate	210 mg/m <sup>3</sup>
CAS: 10026-22-9	Cobalt Nitrate Hexahydrate	140 mg/m <sup>3</sup>
CAS: 6156-78-1	Manganese Acetate Tetrahydrate	740 mg/m <sup>3</sup>
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	1,800 mg/m <sup>3</sup>
CAS: 7783-28-0	Ammonium Phosphate Dibasic	1,300 mg/m <sup>3</sup>
CAS: 7631-99-4	Sodium Nitrate	270 mg/m <sup>3</sup>
CAS: 19004-19-4	Cupric Nitrate Hydrate	240 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	600 mg/m <sup>3</sup>
CAS: 10042-76-9	Strontium Nitrate	370 mg/m <sup>3</sup>
CAS: 10102-45-1	Thallium Nitrate	26 mg/m <sup>3</sup>
CAS: 10022-31-8	Barium Nitrate	2,100 mg/m <sup>3</sup>
CAS: 1314-62-1	Vanadium Pentoxide Reagent	70 mg/m <sup>3</sup>
CAS: 7761-88-8	Silver Nitrate	5.4 mg/m <sup>3</sup>
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m <sup>3</sup>
CAS: 7446-08-4	selenium dioxide	9.5 mg/m <sup>3</sup>
CAS: 7439-89-6	Iron Metal	150 mg/m <sup>3</sup>
CAS: 7439-95-4	Magnesium	1,200 mg/m <sup>3</sup>
CAS: 7439-97-6	Mercury	8.9 mg/m <sup>3</sup>
CAS: 7440-02-0	Nickel Metal	99 mg/m <sup>3</sup>
CAS: 7440-31-5	Tin Metal	400 mg/m <sup>3</sup>
CAS: 7440-36-0	Antimony Metal	80 mg/m <sup>3</sup>
CAS: 7440-38-2	arsenic	100 mg/m <sup>3</sup>
CAS: 7440-41-7	beryllium	0.1 mg/m <sup>3</sup>
CAS: 10022-68-1	Cadmium Nitrate	13 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 6)

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**CAS: 7697-37-2 Nitric Acid**

PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: 4 ppm Long-term value: 2 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

US

(Contd. on page 8)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid

(Contd. of page 7)

## 9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.02041 g/cm <sup>3</sup> (8.51532 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	94.8 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

## 10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 8)

- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

Inhalative	LC50/4h	0.98 mg/l
------------	---------	-----------

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Very toxic

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 10026-22-9	Cobalt Nitrate Hexahydrate	2B
CAS: 1314-62-1	Vanadium Pentoxide Reagent	2B
CAS: 10099-74-8	Lead Nitrate	2A
CAS: 7446-08-4	selenium dioxide	3
CAS: 7439-97-6	Mercury	3
CAS: 7440-02-0	Nickel Metal	2B
CAS: 7440-38-2	arsenic	1
CAS: 7440-41-7	beryllium	1
CAS: 10022-68-1	Cadmium Nitrate	1

- **NTP (National Toxicology Program)**

CAS: 10099-74-8	Lead Nitrate	R
CAS: 7440-02-0	Nickel Metal	R
CAS: 7440-38-2	arsenic	K
CAS: 7440-41-7	beryllium	K
CAS: 10022-68-1	Cadmium Nitrate	K

- **OSHA-Ca (Occupational Safety & Health Administration)**

CAS: 7440-38-2	arsenic
----------------	---------

(Contd. on page 10)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 9)

CAS: 10022-68-1 Cadmium Nitrate


### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- |   |   |
|---|---|
| · <b>UN-Number</b>  |   |
| · <b>DOT, IMDG, IATA</b>  | UN3264  |
| · <b>UN proper shipping name</b>  |   |
| · <b>DOT</b>  | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) |
| · <b>IMDG, IATA</b>   | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid) |
| · <b>Transport hazard class(es)</b>   |   |
| · <b>DOT</b>  |   |
|  |   |
| · <b>Class</b>  | 8 Corrosive substances                                    |

(Contd. on page 11)

# Safety Data Sheet


acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 10)

· <b>Label</b>	8
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	8 Corrosive substances
· <b>Label</b>	8
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	II
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b>	Warning: Corrosive substances
· <b>Hazard identification number (Kemler code):</b>	86
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	Strong acids
· <b>Stowage Category</b>	B
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, II

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

### · Section 355 (extremely hazardous substances):

CAS: 7697-37-2	Nitric Acid
CAS: 1314-62-1	Vanadium Pentoxide Reagent

### · Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2	Nitric Acid
CAS: 1336-21-6	Ammonium Hydroxide
CAS: 7784-27-2	Aluminum Nitrate
CAS: 7789-02-8	Chromium Nitrate Nonahydrate

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 11)

CAS: 13477-34-4	Calcium Nitrate Tetrahydrate
CAS: 554-13-2	Lithium Carbonate
CAS: 10026-22-9	Cobalt Nitrate Hexahydrate
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade
CAS: 7757-79-1	Potassium Nitrate
CAS: 10042-76-9	Strontium Nitrate
CAS: 10102-45-1	Thallium Nitrate
CAS: 10022-31-8	Barium Nitrate
CAS: 1314-62-1	Vanadium Pentoxide Reagent
CAS: 7761-88-8	Silver Nitrate
CAS: 10099-74-8	Lead Nitrate
CAS: 7446-08-4	selenium dioxide
CAS: 7439-97-6	Mercury
CAS: 7440-02-0	Nickel Metal
CAS: 7440-36-0	Antimony Metal
CAS: 7440-38-2	arsenic
CAS: 7440-41-7	beryllium
CAS: 10022-68-1	Cadmium Nitrate

**· TSCA (Toxic Substances Control Act):**

Water	ACTIVE
Nitric Acid	ACTIVE
Ammonium Hydroxide	ACTIVE
Boric Acid	ACTIVE
Ammonium hexafluorosilicate	ACTIVE
Lithium Carbonate	ACTIVE
Ammonium Phosphate Dibasic	ACTIVE
Sodium Nitrate	ACTIVE
Potassium Nitrate	ACTIVE
Strontium Nitrate	ACTIVE
Thallium Nitrate	ACTIVE
Barium Nitrate	ACTIVE
Vanadium Pentoxide Reagent	ACTIVE
Silver Nitrate	ACTIVE
Lead Nitrate	ACTIVE
selenium dioxide	ACTIVE
Iron Metal	ACTIVE
Magnesium	ACTIVE
Mercury	ACTIVE
Nickel Metal	ACTIVE
Tin Metal	ACTIVE
Antimony Metal	ACTIVE
arsenic	ACTIVE

(Contd. on page 13)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 12)

beryllium	ACTIVE
L-Tartaric Acid	ACTIVE

**· Hazardous Air Pollutants**

CAS: 10026-22-9	Cobalt Nitrate Hexahydrate
CAS: 10099-74-8	Lead Nitrate
CAS: 7446-08-4	selenium dioxide
CAS: 10022-68-1	Cadmium Nitrate

**· Proposition 65**

**· Chemicals known to cause cancer:**

CAS: 1314-62-1	Vanadium Pentoxide Reagent
CAS: 10099-74-8	Lead Nitrate
CAS: 7440-02-0	Nickel Metal
CAS: 7440-38-2	arsenic
CAS: 7440-41-7	beryllium
CAS: 10022-68-1	Cadmium Nitrate

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

CAS: 554-13-2	Lithium Carbonate
CAS: 7439-97-6	Mercury

**· Carcinogenic categories**

**· EPA (Environmental Protection Agency)**

CAS: 10043-35-3	Boric Acid	I (oral)
CAS: 10102-45-1	Thallium Nitrate	II
CAS: 10022-31-8	Barium Nitrate	D, CBD(inh), NL(oral)
CAS: 10099-74-8	Lead Nitrate	B2
CAS: 7446-08-4	selenium dioxide	D
CAS: 7439-97-6	Mercury	D
CAS: 7440-38-2	arsenic	A
CAS: 7440-41-7	beryllium	B1, K/L(inh), CBD(oral)

**· TLV (Threshold Limit Value)**

CAS: 10043-35-3	Boric Acid	A4
CAS: 10022-31-8	Barium Nitrate	A4
CAS: 1314-62-1	Vanadium Pentoxide Reagent	A3
CAS: 10099-74-8	Lead Nitrate	A3
CAS: 7439-97-6	Mercury	A4
CAS: 7440-02-0	Nickel Metal	A5
CAS: 7440-38-2	arsenic	A1
CAS: 7440-41-7	beryllium	A1

(Contd. on page 14)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 13)

· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	
CAS: 7440-02-0	Nickel Metal
CAS: 7440-38-2	arsenic
CAS: 7440-41-7	beryllium
CAS: 10022-68-1	Cadmium Nitrate

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05    GHS06

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Nitric Acid

· **Hazard statements**

Fatal if inhaled.

Causes severe skin burns and eye damage.

· **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment is urgent (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

· **Date of preparation / last revision**

Revision 0.0, 06-22-2022    Creation date for SDS. STN/JH

06/22/2022 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 15)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 1.0 ppm Multi-Component  
AA Standard in 5% Nitric Acid**

(Contd. of page 14)

EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Acute Toxicity - Inhalation 2: Acute toxicity – Category 2  
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A  
Eye Damage 1: Serious eye damage/eye irritation – Category 1

US