

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

1 Identification

- **Product identifier**
- **Trade name:** 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid
- **Article number:** COR013
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson shermann@aquasolutions.org
- **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 2 H330 Fatal if inhaled.



GHS05 Corrosion

Skin Corrosion 1A

H314 Causes severe skin burns and eye damage.

Eye Damage 1

H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05



GHS06

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Nitric Acid
- **Hazard statements**
Fatal if inhaled.
Causes severe skin burns and eye damage.
- **Precautionary statements**
Do not breathe dusts or mists.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 1)

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment is urgent (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

| | | |
|----------------|-------------|--------|
| CAS: 7697-37-2 | Nitric Acid | 5.933% |
|----------------|-------------|--------|

· **Table of Nonhazardous Ingredients**

| | | |
|-----------------|--------------------------------|---------|
| CAS: 7732-18-5 | Water | 93.196% |
| CAS: 1336-21-6 | Ammonium Hydroxide | 0.793% |
| CAS: 7784-27-2 | Aluminum Nitrate | 0.011% |
| CAS: 7789-02-8 | Chromium Nitrate Nonahydrate | 0.006% |
| CAS: 10043-35-3 | Boric Acid | 0.005% |
| CAS: 16919-19-0 | Ammonium hexafluorosilicate | 0.005% |
| CAS: 13477-34-4 | Calcium Nitrate Tetrahydrate | 0.005% |
| CAS: 554-13-2 | Lithium Carbonate | 0.004% |
| CAS: 10026-22-9 | Cobalt Nitrate Hexahydrate | 0.004% |
| CAS: 10196-18-6 | Zinc Nitrate, Reagent Grade | 0.004% |
| CAS: 6156-78-1 | Manganese Acetate Tetrahydrate | 0.004% |

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 2)

| | | |
|-----------------|---|--------|
| CAS: 7783-28-0 | Ammonium Phosphate Dibasic | 0.003% |
| CAS: 19004-19-4 | Cupric Nitrate Hydrate | 0.003% |
| CAS: 7631-99-4 | Sodium Nitrate | 0.003% |
| CAS: 7757-79-1 | Potassium Nitrate | 0.002% |
| CAS: 10042-76-9 | Strontium Nitrate | 0.002% |
| CAS: 10102-45-1 | Thallium Nitrate | 0.002% |
| CAS: 10022-31-8 | Barium Nitrate | 0.002% |
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent | 0.001% |
| CAS: 10099-74-8 | Lead Nitrate | 0.001% |
| CAS: 7761-88-8 | Silver Nitrate | 0.001% |
| CAS: 7446-08-4 | selenium dioxide | 0.001% |
| CAS: 7439-89-6 | Iron Metal | 0.001% |
| CAS: 7440-31-5 | Tin Metal | 0.001% |
| CAS: 7440-36-0 | Antimony Metal | 0.001% |
| CAS: 7440-38-2 | arsenic | 0.001% |
| CAS: 7440-41-7 | beryllium | 0.001% |
| CAS: 10022-68-1 | Cadmium Nitrate | 0.001% |
| CAS: 12054-85-2 | Ammonium Molybdate Tetrahydrate ACS Grade | 0.001% |
| | Ammonium Hexafluorotitanate | 0.001% |
| CAS: 7439-95-4 | Magnesium | 0.001% |
| CAS: 7439-97-6 | Mercury | 0.001% |
| CAS: 7440-02-0 | Nickel Metal | 0.001% |

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 3)

- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-I:**

| | | |
|-----------------|--------------------------------|-------------------------|
| CAS: 7697-37-2 | Nitric Acid | 0.16 ppm |
| CAS: 1336-21-6 | Ammonium Hydroxide | 61 ppm |
| CAS: 7784-27-2 | Aluminum Nitrate | 83 mg/m ³ |
| CAS: 10043-35-3 | Boric Acid | 6 mg/m ³ |
| CAS: 16919-19-0 | Ammonium hexafluorosilicate | 12 mg/m ³ |
| CAS: 13477-34-4 | Calcium Nitrate Tetrahydrate | 12 mg/m ³ |
| CAS: 554-13-2 | Lithium Carbonate | 3.1 mg/m ³ |
| CAS: 10026-22-9 | Cobalt Nitrate Hexahydrate | 0.3 mg/m ³ |
| CAS: 10196-18-6 | Zinc Nitrate, Reagent Grade | 27 mg/m ³ |
| CAS: 6156-78-1 | Manganese Acetate Tetrahydrate | 13 mg/m ³ |
| CAS: 7783-28-0 | Ammonium Phosphate Dibasic | 20 mg/m ³ |
| CAS: 19004-19-4 | Cupric Nitrate Hydrate | 42 mg/m ³ |
| CAS: 7631-99-4 | Sodium Nitrate | 4.1 mg/m ³ |
| CAS: 7757-79-1 | Potassium Nitrate | 9 mg/m ³ |
| CAS: 10042-76-9 | Strontium Nitrate | 5.7 mg/m ³ |
| CAS: 10102-45-1 | Thallium Nitrate | 0.078 mg/m ³ |
| CAS: 10022-31-8 | Barium Nitrate | 2.9 mg/m ³ |
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent | 0.64 mg/m ³ |
| CAS: 10099-74-8 | Lead Nitrate | 0.24 mg/m ³ |
| CAS: 7761-88-8 | Silver Nitrate | 0.047 mg/m ³ |

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 4)

| | | |
|-----------------|---|--------------------------|
| CAS: 7446-08-4 | selenium dioxide | 0.84 mg/m ³ |
| CAS: 7439-89-6 | Iron Metal | 3.2 mg/m ³ |
| CAS: 7440-31-5 | Tin Metal | 6 mg/m ³ |
| CAS: 7440-36-0 | Antimony Metal | 1.5 mg/m ³ |
| CAS: 7440-38-2 | arsenic | 1.5 mg/m ³ |
| CAS: 7440-41-7 | beryllium | 0.0023 mg/m ³ |
| CAS: 10022-68-1 | Cadmium Nitrate | 0.27 mg/m ³ |
| CAS: 12054-85-2 | Ammonium Molybdate Tetrahydrate ACS Grade | 2.8 mg/m ³ |
| CAS: 7439-95-4 | Magnesium | 18 mg/m ³ |
| CAS: 7439-97-6 | Mercury | 0.15 mg/m ³ |

PAC-2:

| | | |
|-----------------|---|-------------------------|
| CAS: 7697-37-2 | Nitric Acid | 24 ppm |
| CAS: 1336-21-6 | Ammonium Hydroxide | 330 ppm |
| CAS: 7784-27-2 | Aluminum Nitrate | 920 mg/m ³ |
| CAS: 10043-35-3 | Boric Acid | 23 mg/m ³ |
| CAS: 16919-19-0 | Ammonium hexafluorosilicate | 130 mg/m ³ |
| CAS: 13477-34-4 | Calcium Nitrate Tetrahydrate | 130 mg/m ³ |
| CAS: 554-13-2 | Lithium Carbonate | 34 mg/m ³ |
| CAS: 10026-22-9 | Cobalt Nitrate Hexahydrate | 23 mg/m ³ |
| CAS: 10196-18-6 | Zinc Nitrate, Reagent Grade | 300 mg/m ³ |
| CAS: 6156-78-1 | Manganese Acetate Tetrahydrate | 22 mg/m ³ |
| CAS: 7783-28-0 | Ammonium Phosphate Dibasic | 210 mg/m ³ |
| CAS: 19004-19-4 | Cupric Nitrate Hydrate | 150 mg/m ³ |
| CAS: 7631-99-4 | Sodium Nitrate | 45 mg/m ³ |
| CAS: 7757-79-1 | Potassium Nitrate | 100 mg/m ³ |
| CAS: 10042-76-9 | Strontium Nitrate | 62 mg/m ³ |
| CAS: 10102-45-1 | Thallium Nitrate | 4.3 mg/m ³ |
| CAS: 10022-31-8 | Barium Nitrate | 350 mg/m ³ |
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent | 7 mg/m ³ |
| CAS: 10099-74-8 | Lead Nitrate | 180 mg/m ³ |
| CAS: 7761-88-8 | Silver Nitrate | 0.9 mg/m ³ |
| CAS: 7446-08-4 | selenium dioxide | 1.6 mg/m ³ |
| CAS: 7439-89-6 | Iron Metal | 35 mg/m ³ |
| CAS: 7440-31-5 | Tin Metal | 67 mg/m ³ |
| CAS: 7440-36-0 | Antimony Metal | 13 mg/m ³ |
| CAS: 7440-38-2 | arsenic | 17 mg/m ³ |
| CAS: 7440-41-7 | beryllium | 0.025 mg/m ³ |
| CAS: 10022-68-1 | Cadmium Nitrate | 2.1 mg/m ³ |
| CAS: 12054-85-2 | Ammonium Molybdate Tetrahydrate ACS Grade | 30 mg/m ³ |
| CAS: 7439-95-4 | Magnesium | 200 mg/m ³ |
| CAS: 7439-97-6 | Mercury | 1.7 mg/m ³ |

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 5)

| | | |
|-----------------|---|-------------------------|
| · PAC-3: | | |
| CAS: 7697-37-2 | Nitric Acid | 92 ppm |
| CAS: 1336-21-6 | Ammonium Hydroxide | 2,300 ppm |
| CAS: 7784-27-2 | Aluminum Nitrate | 5,500 mg/m ³ |
| CAS: 10043-35-3 | Boric Acid | 830 mg/m ³ |
| CAS: 16919-19-0 | Ammonium hexafluorosilicate | 780 mg/m ³ |
| CAS: 13477-34-4 | Calcium Nitrate Tetrahydrate | 770 mg/m ³ |
| CAS: 554-13-2 | Lithium Carbonate | 210 mg/m ³ |
| CAS: 10026-22-9 | Cobalt Nitrate Hexahydrate | 140 mg/m ³ |
| CAS: 10196-18-6 | Zinc Nitrate, Reagent Grade | 1,800 mg/m ³ |
| CAS: 6156-78-1 | Manganese Acetate Tetrahydrate | 740 mg/m ³ |
| CAS: 7783-28-0 | Ammonium Phosphate Dibasic | 1,300 mg/m ³ |
| CAS: 19004-19-4 | Cupric Nitrate Hydrate | 240 mg/m ³ |
| CAS: 7631-99-4 | Sodium Nitrate | 270 mg/m ³ |
| CAS: 7757-79-1 | Potassium Nitrate | 600 mg/m ³ |
| CAS: 10042-76-9 | Strontium Nitrate | 370 mg/m ³ |
| CAS: 10102-45-1 | Thallium Nitrate | 26 mg/m ³ |
| CAS: 10022-31-8 | Barium Nitrate | 2,100 mg/m ³ |
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent | 70 mg/m ³ |
| CAS: 10099-74-8 | Lead Nitrate | 1,100 mg/m ³ |
| CAS: 7761-88-8 | Silver Nitrate | 5.4 mg/m ³ |
| CAS: 7446-08-4 | selenium dioxide | 9.5 mg/m ³ |
| CAS: 7439-89-6 | Iron Metal | 150 mg/m ³ |
| CAS: 7440-31-5 | Tin Metal | 400 mg/m ³ |
| CAS: 7440-36-0 | Antimony Metal | 80 mg/m ³ |
| CAS: 7440-38-2 | arsenic | 100 mg/m ³ |
| CAS: 7440-41-7 | beryllium | 0.1 mg/m ³ |
| CAS: 10022-68-1 | Cadmium Nitrate | 13 mg/m ³ |
| CAS: 12054-85-2 | Ammonium Molybdate Tetrahydrate ACS Grade | 180 mg/m ³ |
| CAS: 7439-95-4 | Magnesium | 1,200 mg/m ³ |
| CAS: 7439-97-6 | Mercury | 8.9 mg/m ³ |

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**

· Storage:

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 6)

- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

CAS: 7697-37-2 Nitric Acid

| | |
|-----|--|
| PEL | Long-term value: 5 mg/m ³ , 2 ppm |
| REL | Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm |
| TLV | Short-term value: 4 ppm Long-term value: 2 ppm |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Avoid contact with the eyes.
 - Avoid contact with the eyes and skin.
- **Breathing equipment:**
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid

(Contd. of page 7)

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Clear

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 83 °C (181.4 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density at 20 °C (68 °F):** 1.02041 g/cm³ (8.51532 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

· **Solvent content:**

Water: 93.2 %

VOC content: 0.00 %

0.0 g/l / 0.00 lb/gal

Solids content: 0.0 %

· **Other information** No further relevant information available.

US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 8)

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

| | | |
|------------|---------|-----------|
| Inhalative | LC50/4h | 0.84 mg/l |
|------------|---------|-----------|

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

Very toxic

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

| | | |
|-----------------|----------------------------|----|
| CAS: 10026-22-9 | Cobalt Nitrate Hexahydrate | 2B |
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent | 2B |
| CAS: 10099-74-8 | Lead Nitrate | 2A |
| CAS: 7446-08-4 | selenium dioxide | 3 |
| CAS: 7440-38-2 | arsenic | 1 |
| CAS: 7440-41-7 | beryllium | 1 |
| CAS: 10022-68-1 | Cadmium Nitrate | 1 |
| CAS: 7439-97-6 | Mercury | 3 |
| CAS: 7440-02-0 | Nickel Metal | 2B |

· **NTP (National Toxicology Program)**

| | | |
|-----------------|--------------|---|
| CAS: 10099-74-8 | Lead Nitrate | R |
| CAS: 7440-38-2 | arsenic | K |
| CAS: 7440-41-7 | beryllium | K |

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 9)

| | | |
|--|-----------------|---|
| CAS: 10022-68-1 | Cadmium Nitrate | K |
| CAS: 7440-02-0 | Nickel Metal | R |
| · OSHA-Ca (Occupational Safety & Health Administration) | | |
| CAS: 7440-38-2 | arsenic | |
| CAS: 10022-68-1 | Cadmium Nitrate | |

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

| | |
|----------------------------------|---|
| · UN-Number | |
| · DOT, IMDG, IATA | UN3264 |
| · UN proper shipping name | |
| · DOT | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) |
| · IMDG, IATA | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid) |

(Contd. on page 11)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid

(Contd. of page 10)

· **Transport hazard class(es)**

· **DOT**



· **Class** 8 Corrosive substances
· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances
· **Label** 8

· **Packing group**

· **DOT, IMDG, IATA** II

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Corrosive substances

· **Hazard identification number (Kemler code):** 86

· **EMS Number:** F-A,S-B

· **Segregation groups** Strong acids

· **Stowage Category** B

· **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 1 L
On cargo aircraft only: 30 L

· **IMDG**

· **Limited quantities (LQ)** 1L

· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(NITRIC ACID), 8, II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 11)

· **Sara**· **Section 355 (extremely hazardous substances):**

| | |
|----------------|----------------------------|
| CAS: 7697-37-2 | Nitric Acid |
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent |

· **Section 313 (Specific toxic chemical listings):**

| | |
|-----------------|------------------------------|
| CAS: 7697-37-2 | Nitric Acid |
| CAS: 1336-21-6 | Ammonium Hydroxide |
| CAS: 7784-27-2 | Aluminum Nitrate |
| CAS: 7789-02-8 | Chromium Nitrate Nonahydrate |
| CAS: 13477-34-4 | Calcium Nitrate Tetrahydrate |
| CAS: 554-13-2 | Lithium Carbonate |
| CAS: 10026-22-9 | Cobalt Nitrate Hexahydrate |
| CAS: 10196-18-6 | Zinc Nitrate, Reagent Grade |
| CAS: 7757-79-1 | Potassium Nitrate |
| CAS: 10042-76-9 | Strontium Nitrate |
| CAS: 10102-45-1 | Thallium Nitrate |
| CAS: 10022-31-8 | Barium Nitrate |
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent |
| CAS: 10099-74-8 | Lead Nitrate |
| CAS: 7761-88-8 | Silver Nitrate |
| CAS: 7446-08-4 | selenium dioxide |
| CAS: 7440-36-0 | Antimony Metal |
| CAS: 7440-38-2 | arsenic |
| CAS: 7440-41-7 | beryllium |
| CAS: 10022-68-1 | Cadmium Nitrate |
| CAS: 7439-97-6 | Mercury |
| CAS: 7440-02-0 | Nickel Metal |

· **TSCA (Toxic Substances Control Act):**

| | |
|-----------------------------|--------|
| Water | ACTIVE |
| Nitric Acid | ACTIVE |
| Ammonium Hydroxide | ACTIVE |
| Boric Acid | ACTIVE |
| Ammonium hexafluorosilicate | ACTIVE |
| Lithium Carbonate | ACTIVE |
| Ammonium Phosphate Dibasic | ACTIVE |
| Sodium Nitrate | ACTIVE |
| Potassium Nitrate | ACTIVE |
| Strontium Nitrate | ACTIVE |
| Thallium Nitrate | ACTIVE |
| Barium Nitrate | ACTIVE |
| Vanadium Pentoxide Reagent | ACTIVE |
| Lead Nitrate | ACTIVE |

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 12)

| | |
|------------------|--------|
| Silver Nitrate | ACTIVE |
| selenium dioxide | ACTIVE |
| Iron Metal | ACTIVE |
| Tin Metal | ACTIVE |
| Antimony Metal | ACTIVE |
| arsenic | ACTIVE |
| beryllium | ACTIVE |
| Magnesium | ACTIVE |
| Mercury | ACTIVE |
| Nickel Metal | ACTIVE |
| L-Tartaric Acid | ACTIVE |

· **Hazardous Air Pollutants**

| | |
|-----------------|----------------------------|
| CAS: 10026-22-9 | Cobalt Nitrate Hexahydrate |
| CAS: 10099-74-8 | Lead Nitrate |
| CAS: 7446-08-4 | selenium dioxide |
| CAS: 10022-68-1 | Cadmium Nitrate |

· **Proposition 65**

· **Chemicals known to cause cancer:**

| | |
|-----------------|----------------------------|
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent |
| CAS: 10099-74-8 | Lead Nitrate |
| CAS: 7440-38-2 | arsenic |
| CAS: 7440-41-7 | beryllium |
| CAS: 10022-68-1 | Cadmium Nitrate |
| CAS: 7440-02-0 | Nickel Metal |

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

| | |
|----------------|-------------------|
| CAS: 554-13-2 | Lithium Carbonate |
| CAS: 7439-97-6 | Mercury |

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

| | | |
|-----------------|------------------|-------------------------|
| CAS: 10043-35-3 | Boric Acid | I (oral) |
| CAS: 10102-45-1 | Thallium Nitrate | II |
| CAS: 10022-31-8 | Barium Nitrate | D, CBD(inh), NL(oral) |
| CAS: 10099-74-8 | Lead Nitrate | B2 |
| CAS: 7446-08-4 | selenium dioxide | D |
| CAS: 7440-38-2 | arsenic | A |
| CAS: 7440-41-7 | beryllium | B1, K/L(inh), CBD(oral) |
| CAS: 7439-97-6 | Mercury | D |

(Contd. on page 14)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 13)

| · TLV (Threshold Limit Value) | | |
|--------------------------------------|----------------------------|----|
| CAS: 10043-35-3 | Boric Acid | A4 |
| CAS: 10022-31-8 | Barium Nitrate | A4 |
| CAS: 1314-62-1 | Vanadium Pentoxide Reagent | A3 |
| CAS: 10099-74-8 | Lead Nitrate | A3 |
| CAS: 7440-38-2 | arsenic | A1 |
| CAS: 7440-41-7 | beryllium | A1 |
| CAS: 7439-97-6 | Mercury | A4 |
| CAS: 7440-02-0 | Nickel Metal | A5 |

| · NIOSH-Ca (National Institute for Occupational Safety and Health) | | |
|---|-----------------|--|
| CAS: 7440-38-2 | arsenic | |
| CAS: 7440-41-7 | beryllium | |
| CAS: 10022-68-1 | Cadmium Nitrate | |
| CAS: 7440-02-0 | Nickel Metal | |

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS06

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Nitric Acid

· **Hazard statements**

Fatal if inhaled.

Causes severe skin burns and eye damage.

· **Precautionary statements**

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment is urgent (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

US

(Contd. on page 15)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/22/2022

Reviewed on 06/22/2022

**Trade name: 8.0 ppm Multi-Component
AA Standard in 5% Nitric Acid**

(Contd. of page 14)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

· **Date of preparation / last revision**

Revision 0.0, 06-22-2022 Creation date for SDS. STN/JH
06/22/2022 / -

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Inhalation 2: Acute toxicity – Category 2

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Eye Damage 1: Serious eye damage/eye irritation – Category 1

US