



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> ERL113F			
POTASSIUM HYDROXIDE 0.5 NORMAL			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID			
Tested 07/21/22			
Tester DTRA			
Recorded 07/21/22			
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES		YES
Sample ID			
Tested 07/21/22			
Tester DTRA			
Recorded 07/21/22			
<b>DATE OF SAMPLING FOR TEST PURPOSES</b>	MM/DD/YYYY		07/20/22
Sample ID			
Tested 07/21/22			
Tester DTRA			
Recorded 07/21/22			
<b>AMBIENT TEMPERATURE DURING SAMPLING DEGC</b>	25.0 DEG C	10.0 - 35.0	22.3
Sample ID			
Tested 07/21/22			
Tester DTRA			
Recorded 07/21/22			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY MM/DD/YYYY		07/20/22
Sample ID			
Tested 07/21/22			
Tester DTRA			
Recorded 07/21/22			
<b>AMBIENT TEST TEMPERATURE DEGC</b>	20.0 DEG C	15.0 - 30.0	22.3
Sample ID			
Tested 07/21/22			
Tester DTRA			
Recorded 07/21/22			
<b>LOT NUMBER OF ORIGINAL MATERIAL</b>	LOT #		2061707
Sample ID			
Tested 07/21/22			
Tester DTRA			
Recorded 07/21/22			
<b>Actual Normality</b>	0.5000 EQ/L	0.4995 - 0.5005	0.4997
Sample ID			
Tested 07/21/22			
Tester DTRA			
Recorded 07/21/22			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**

**Certificate of Analysis / QC Results**

Customer PO # :

<b>Actual Density</b>	1.02322 GM/ML	1.02299 - 1.02345	1.02309
Sample ID			
Tested	07/21/22		
Tester	DTRA		
Recorded	07/21/22		
<b>N.I.S.T. Traceable to SRM 84 (KHP)</b>	YES YES		YES
Sample ID			
Tested	07/21/22		
Tester	DTRA		
Recorded	07/21/22		
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE LIQUID APPEARANCE		PASS
Sample ID			
Tested	07/21/22		
Tester	DTRA		
Recorded	07/21/22		
<b>INSTRUMENTS USED DURING PREPARATION</b>	LAB EQUIPMENT INSTRUMENT		M55,M81,BID08251,TIDS31424
Sample ID			
Tested	07/21/22		
Tester	DTRA		
Recorded	07/21/22		
<b>EXPIRATION DATE</b>	MM/DD/YYYY MM/DD/YYYY		07/30/24
Sample ID			
Tested	07/21/22		
Tester	DTRA		
Recorded	07/21/22		
<b>Lot #</b>	2071960		
<b>Made</b>	07/21/22		

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**