



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> FIS007F			
PERCHLORIC ACID 2.0 NORMAL			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID	YES		
Tested 07/26/22			
Tester JENC			
Recorded 07/26/22			
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE APPEARANCE		PASS
Sample ID			
Tested 07/26/22			
Tester JENC			
Recorded 07/26/22			
<b>QCSP16:STANDARDIZATION OF ACETOUS PERCHL</b>	YES		YES
Sample ID	QCSP16		
Tested 07/26/22			
Tester JENC			
Recorded 07/26/22			
<b>INSTRUMENTS USED DURING PREPARATION</b>	LAB EQUIPMENT USED INSTRUMENT		M100,VF6-17,M55,M91,BID022 53,TIDS8
Sample ID			
Tested 07/26/22			
Tester JENC			
Recorded 07/26/22			
<b>N.I.S.T. Traceable to SRM 723 THAM</b>	YES/NO		YES
Sample ID	YES		
Tested 07/26/22			
Tester JENC			
Recorded 07/26/22			
<b>Actual Normality</b>	2.0000 EQ/L	1.9950 - 2.0050	2.0014
Sample ID			
Tested 07/26/22			
Tester JENC			
Recorded 07/26/22			
<b>Actual Density</b>	1.11182 GM/ML	1.11142 - 1.11222	1.11183
Sample ID			
Tested 07/26/22			
Tester JENC			
Recorded 07/26/22			
<b>Lot #</b>	2070808		
<b>Made</b>	07/26/22		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 2

Date: 07/26/22 at 2:12 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**