



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 9766-10LHP			
WATER DISTILLED (10LHP)			
Test	Target/UOM	Range	Result
<b>CONDUCTIVITY</b>	< 1.0 UMHOS US/CM		<1.0 UMHOS
Sample ID			
Tested	10/05/22		
Tester	TBUR		
Recorded	10/05/22		
<b>TOC &lt; 50 PPB</b>	< 50 PPB PPB		<50 PPB
Sample ID			
Tested	10/05/22		
Tester	TBUR		
Recorded	10/05/22		
<b>SODIUM &lt; 5 PPB</b>	< 5 PPB PPB		<5 PPB
Sample ID			
Tested	10/05/22		
Tester	TBUR		
Recorded	10/05/22		
<b>CHLORIDE &lt; 5 PPB</b>	< 5 PPB PPB		<5 PPB
Sample ID			
Tested	10/05/22		
Tester	TBUR		
Recorded	10/05/22		
<b>SILICA &lt; 3 PPB</b>	3 PPB OR LESS PPB		3 PPB OR LESS
Sample ID			
Tested	10/05/22		
Tester	TBUR		
Recorded	10/05/22		
<b>HEAVY METALS AS LEAD</b>	< 10 PPB PPM		<10 PPB
Sample ID			
Tested	10/05/22		
Tester	TBUR		
Recorded	10/05/22		
<b>PPM NO3</b>	< 0.4 PPM PPM		<0.4 PPM
Sample ID			
Tested	10/05/22		
Tester	TBUR		
Recorded	10/05/22		
<b>PPM PHOSPHATE (PO4)</b>	< 1.0 PPM PPM		<1.0 PPM
Sample ID			
Tested	10/05/22		
Tester	TBUR		
Recorded	10/05/22		



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>PPM SULFATE (SO4)</b>	< 1.0 PPM PPM	<1.0 PPM
Sample ID		
Tested	10/05/22	
Tester	TBUR	
Recorded	10/05/22	
<b>RESISTIVITY IN MEGOHM*CM @25 C</b>	> 1.0 MEGOHM MEGOHM/CM	>1.0 MEGOHM
Sample ID		
Tested	10/05/22	
Tester	TBUR	
Recorded	10/05/22	
<b>CONDUCTIVITY (US/CM)</b>	< 1 UMHOS US/CM	<1 UMHOS
Sample ID		
Tested	10/05/22	
Tester	TBUR	
Recorded	10/05/22	
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY	08/30/23
Sample ID		
Tested	10/05/22	
Tester	TBUR	
Recorded	10/05/22	
<b>SHELF LIFE OF PRODUCT</b>	SHELF LIFE TIME	1 YEAR
Sample ID		
Tested	10/05/22	
Tester	TBUR	
Recorded	10/05/22	
<b>Lot #</b>	20823DS	
<b>Made</b>	08/30/22	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.



**Quality Manager**