



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> ERL213F			
POTASSIUM HYDROXIDE 0.005 NORMAL IN METHANOL (1LG)			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID	YES		
Tested 03/08/23			
Tester MHUS			
Recorded 03/08/23			
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES		YES
Sample ID	YES		
Tested 03/08/23			
Tester MHUS			
Recorded 03/08/23			
<b>DATE OF SAMPLING FOR TEST PURPOSES</b>	MM/DD/YYYY		03/08/23
Sample ID	MM/DD/YYYY		
Tested 03/08/23			
Tester MHUS			
Recorded 03/08/23			
<b>AMBIENT TEMPERATURE DURING SAMPLING DEGC</b>	25.0	10.0 - 35.0	21.9
Sample ID	DEG C		
Tested 03/08/23			
Tester MHUS			
Recorded 03/08/23			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY		03/08/23
Sample ID	MM/DD/YYYY		
Tested 03/08/23			
Tester MHUS			
Recorded 03/08/23			
<b>AMBIENT TEST TEMPERATURE DEG C</b>	20.0	15.0 - 30.0	21.9
Sample ID	DEG C		
Tested 03/08/23			
Tester MHUS			
Recorded 03/08/23			
<b>NORMALITY TO 4 DEC PLACES</b>	0.0050	0.0043 - 0.0055	0.0050
Sample ID	EQUIV/LITER		
Tested 03/08/23			
Tester MHUS			
Recorded 03/08/23			
<b>Actual Density</b>	0.79257	0.79116 - 0.79399	0.79254
Sample ID	GM/ML		
Tested 03/08/23			
Tester MHUS			
Recorded 03/08/23			



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>N.I.S.T. Traceable to SRM 84 (KHP)</b>	YES YES	YES
Sample ID		
Tested	03/08/23	
Tester	MHUS	
Recorded	03/08/23	
<b>APPEARANCE AND COLOR</b>	CLEAR LIQUID APPEARANCE	PASS
Sample ID		
Tested	03/08/23	
Tester	MHUS	
Recorded	03/08/23	
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT	M55,BURET:04099,P67,TH:411 23
Sample ID		
Tested	03/08/23	
Tester	MHUS	
Recorded	03/08/23	
<b>SHELF LIFE OF PRODUCT</b>	1 MONTH TIME	1 MONTH
Sample ID		
Tested	03/08/23	
Tester	MHUS	
Recorded	03/08/23	
<b>EXPIRATION DATE</b>	MM/DD/YYYY MM/DD/YYYY	04/15/23
Sample ID		
Tested	03/08/23	
Tester	MHUS	
Recorded	03/08/23	
<b>Lot #</b>	3022013	
<b>Made</b>	03/08/23	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**