



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> MOR001F			
SILVER NITRATE 0.1 NORMAL IN IPA			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
Sample ID	YES		
Tested 05/09/23			
Tester LWIL			
Recorded 05/09/23			
<b>SAMPLE COLLECTION &amp; HANDLING PER LAB040</b>	YES		YES
Sample ID	YES		
Tested 05/09/23			
Tester LWIL			
Recorded 05/09/23			
<b>DATE OF SAMPLING FOR TEST PURPOSES</b>	MM/DD/YYYY		05/09/23
Sample ID	MM/DD/YYYY		
Tested 05/09/23			
Tester LWIL			
Recorded 05/09/23			
<b>AMBIENT TEMPERATURE DURING SAMPLING DEGC</b>	25.0	10.0 - 35.0	21.0
Sample ID	DEG C		
Tested 05/09/23			
Tester LWIL			
Recorded 05/09/23			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY		05/09/23
Sample ID	MM/DD/YYYY		
Tested 05/09/23			
Tester LWIL			
Recorded 05/09/23			
<b>AMBIENT TEST TEMPERATURE DEG C</b>	20.0	15.0 - 30.0	21.0
Sample ID	DEG C		
Tested 05/09/23			
Tester LWIL			
Recorded 05/09/23			
<b>Actual Normality</b>	0.1000	0.0995 - 0.1005	0.1002
Sample ID	EQ/L		
Tested 05/09/23			
Tester LWIL			
Recorded 05/09/23			
<b>N.I.S.T. Traceable to SRM 919</b>	YES		YES
Sample ID	YES		
Tested 05/09/23			
Tester LWIL			
Recorded 05/09/23			



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)


**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>APPEARANCE AND COLOR</b>	CLEAR LIQUID APPEARANCE	PASS
Sample ID		
Tested	05/09/23	
Tester	LWIL	
Recorded	05/09/23	
<b>INSTRUMENTS USED DURING PREPARATION</b>	<b>INSTRUMENT</b>	M103,VF2-B1,BID02253,PIDM9
Sample ID		1
Tested	05/09/23	
Tester	LWIL	
Recorded	05/09/23	
<b>IPA TESTED FOR PEROXIDES</b>	YES	YES
Sample ID	YES	
Tested		
Tester		
Recorded		
<b>Lot #</b>	3050559	
<b>Made</b>	05/09/23	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.



**Quality Manager**