

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 9109 SULFURIC ACID 5.0 NORMAL			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON</b>	YES		YES
<b>FILE</b>	YES		
Sample ID			
Tested 05/08/23			
Tester JENC			
Recorded 05/08/23			
<b>SAMPLE COLLECTION &amp; HANDLING</b>	YES		YES
<b>PER LAB040</b>	YES		
Sample ID			
Tested 05/08/23			
Tester JENC			
Recorded 05/08/23			
<b>DATE OF SAMPLING FOR TEST</b>	MM/DD/YYYY		05/08/23
<b>PURPOSES</b>	MM/DD/YYYY		
Sample ID			
Tested 05/08/23			
Tester JENC			
Recorded 05/08/23			
<b>AMBIENT TEMPERATURE DURING</b>	25.0	10.0 - 35.0	21.4
<b>SAMPLING DEGC</b>	DEG C		
Sample ID			
Tested 05/08/23			
Tester JENC			
Recorded 05/08/23			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY		05/08/23
	MM/DD/YYYY		
Sample ID			
Tested 05/08/23			
Tester JENC			
Recorded 05/08/23			
<b>AMBIENT TEST TEMPERATURE</b>	20.0	15.0 - 30.0	21.4
<b>DEG C</b>	DEG C		
Sample ID			
Tested 05/08/23			
Tester JENC			
Recorded 05/08/23			
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE		PASS
	LIQUID		
	APPEARANCE		
Sample ID			
Tested 05/08/23			
Tester JENC			
Recorded 05/08/23			
<b>QCSP5: STANDARDIZATION OF</b>	YES		YES
<b>AQUEOUS ACIDS</b>	METHOD		
Sample ID			
Tested 05/08/23			
Tester JENC			
Recorded 05/08/23			

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>INSTRUMENTS USED DURING PREPARATION</b>		INSTRUMENT	T-52A,GC,T-243,M55,BURET:0 2253
Sample ID			
Tested	05/08/23		
Tester	JENC		
Recorded	05/08/23		
<b>NORMALITY TO 4 DEC PLACES</b>		5.0000 EQUIV/LITER	4.9950 - 5.0050 4.9988
Sample ID			
Tested	05/08/23		
Tester	JENC		
Recorded	05/08/23		
<b>N.I.S.T. Traceable to SRM 723</b>		YES YES	YES
Sample ID			
Tested	05/08/23		
Tester	JENC		
Recorded	05/08/23		
<b>EXPIRATION DATE</b>		MM/DD/YY MM/DD/YYYY	05/30/25
Sample ID			
Tested	05/08/23		
Tester	JENC		
Recorded	05/08/23		
<b>Actual Density</b>		1.14952 GM/ML	1.14764 - 1.15040 1.14780
Sample ID			
Tested	05/08/23		
Tester	JENC		
Recorded	05/08/23		
<b>Lot #</b>		3050439	
<b>Made</b>		05/08/23	
<b>Packaged Product:</b>		9109 SULFURIC ACID 5.0 NORMAL	
<b>Lot #</b>			

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.