



**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 7235			
POTASSIUM HYDROXIDE 0.01 N. IN IPA ASTM D3242, D974			
Test	Target/UOM	Range	Result
<b>Prepared to ASTM D3242-98</b>	Yes		YES
	PASS		
Sample ID			
Tested 05/19/23			
Tester JENC			
Recorded 05/19/23			
<b>Actual Normality</b>	0.0100	0.0095 - 0.0105	0.0102
	EQ/L		
Sample ID			
Tested 05/19/23			
Tester JENC			
Recorded 05/19/23			
<b>N.I.S.T. Traceable to SRM 84</b>	Yes		YES
	YES		
Sample ID			
Tested 05/19/23			
Tester JENC			
Recorded 05/19/23			
<b>PREPARED TO FORMULATION ON FILE</b>	YES		YES
	YES		
Sample ID			
Tested 05/19/23			
Tester JENC			
Recorded 05/19/23			
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE TO LIGHT HAZY APPEARANCE		PASS
Sample ID			
Tested 05/19/23			
Tester JENC			
Recorded 05/19/23			
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT		M113,T-140,M115,BID-0280,PI D-M91
Sample ID			
Tested 05/19/23			
Tester JENC			
Recorded 05/19/23			
<b>EXPIRATION DATE</b>	MM/DD/YY MM/DD/YYYY		05/30/24
Sample ID			
Tested 05/19/23			
Tester JENC			
Recorded 05/19/23			
<b>Actual Density</b>	0.78610	0.78521 - 0.78699	0.78640
	GM/ML		
Sample ID			
Tested 05/19/23			
Tester JENC			
Recorded 05/19/23			



Aqua Solutions, Inc.  
 Ph: 281-479-2569  
 Fax: 281-479-2790  
 P.O. Box 70  
 Deer Park, TX 77536  
 Website: [www.aquasolutions.org](http://www.aquasolutions.org)

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

SHELF LIFE OF PRODUCT	SHELF LIFE TIME	1 YEAR
Sample ID		
Tested	05/19/23	
Tester	JENC	
Recorded	05/19/23	
<b>Lot #</b>	3051133	
<b>Made</b>	05/19/23	

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**