Printing date 07/03/2023

Reviewed on 07/03/2023

#### **1** Identification

- · Product identifier
- · Trade name: Total Carbon Std 1,000 ppm  $TOC = 800 \ ppm; \ IC = 200 \ ppm$
- Article number: SPE322
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

### 2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- · Signal word Not Applicable
- · Hazard statements Not Applicable
- · Precautionary statements
- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a closed container.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0 Health = 0FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)



Printing date 07/03/2023

Reviewed on 07/03/2023

Trade name: Total Carbon Std 1,000 ppm TOC = 800 ppm; IC = 200 ppm

(Contd. of page 1)

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components: Not Applicable

· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	99.673%	
CAS: 877-24-7	Potassium Hydrogen Phthalate	0.17%	
CAS: 497-19-8	Sodium Carbonate Anhydrous	0.088%	
CAS: 144-55-8	Sodium Bicarbonate	0.07%	

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## · Protective Action Criteria for Chemicals

• PAC-1:
----------

CAS: 877-24-7	Potassium Hydrogen Phthalate	9.6 mg/m³
CAS: 497-19-8	Sodium Carbonate Anhydrous	7.6 mg/m³
	(Co	ntd on maga 2)

(Contd. on page 3)

US

Printing date 07/03/2023

Reviewed on 07/03/2023

#### Trade name: Total Carbon Std 1,000 ppm TOC = 800 ppm; IC = 200 ppm

		(Contd. of page 2)
CAS: 144-55-8	Sodium Bicarbonate	13 mg/m <sup>3</sup>
· PAC-2:		
CAS: 877-24-7	Potassium Hydrogen Phthalate	110 mg/m <sup>3</sup>
CAS: 497-19-8	Sodium Carbonate Anhydrous	83 mg/m <sup>3</sup>
CAS: 144-55-8	Sodium Bicarbonate	140 mg/m <sup>3</sup>
· PAC-3:		
CAS: 877-24-7	Potassium Hydrogen Phthalate	630 mg/m <sup>3</sup>
CAS: 497-19-8	Sodium Carbonate Anhydrous	500 mg/m <sup>3</sup>
CAS: 144-55-8	Sodium Bicarbonate	840 mg/m <sup>3</sup>

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

<sup>·</sup> Control parameters

Printing date 07/03/2023

Reviewed on 07/03/2023

(Contd. of page 3)

#### Trade name: Total Carbon Std 1,000 ppm TOC = 800 ppm; IC = 200 ppm

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

# 9 Physical and chemical properties

Odor threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Boiling range:0°C (32°F) Boiling point/Boiling range:100°C (212°F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Plammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Vpper:Not determined.Vapor pressure at 20°C (68°F):23 hPa (17.3 mm Hg)Density at 20°C (68°F):1.00199 g/cm³ (8.36161 lbs/gal)Relative density Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Mot metaric:Not determined.	General Information		
Color:ColorlessOdorOdorlessOdor threshold:Not determined.pH-value:Not determined.Change in conditionImplicable.Metting point/Melting range:0 °C (21 °F)Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Pamperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Implicable.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):2 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 gcm3 (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Soluber:Not determined.Solubility in / Miscibility withNot determined.Water:Not determined.Soluber:Not determined.Viscosity:Not determined.Dynamic:Not determined.Soluber:Not determined.Viscosity:Not determined.Dynamic:Not determined.Soluber:Not determined.Viscosity:Solubility in / M			
Odor:OdorlessOdor threshold:Not determined.pH-value:Not determined.change in conditionNot determined.Melting point/Melting range:0°C (32°F)Boiling point/Belting range:100°C (212°F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapor pressure at 20°C (68°F):23 hPa (17.3 mm Hg)Density at 20°C (68°F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Soluber:Not determined.Viscosity:Not determined.Dynamic:Not determined.Soluber:Not determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Soluber:Not determined.Solubility in / Miscibility with Water:Not determined.Solubility in / Miscibility with Water:Not determined.Viscosity:Not determined.Dynamic:Not determined.Solubility in / Miscibility of Dynamice:Not determined.Solubility in / Miscibility in / Dynamice: <th></th> <th>*</th> <th></th>		*	
Odor threshold:Not determined.pH-value:Not determined.Change in condition Melting point/Melting range:0 °C (32 °F) Boiling point/Melting range:100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Planmability (solid, gaseous):Not determined.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal) Relative densitySolubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solubility in / Miscibility with Water:Fully miscible.Solue tortent: Water:Not determined.Solue tortent: Water:Not determined.<			
pH-value:Not determined.Change in condition Melting point/Melting range:0 °C (32 °F) Boiling point/Boiling range:00 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not determined.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Not determined.Lower:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Not determined.Solvent content:Water:99.7 % 0.00 g/1/ 0.00 lb/gal			
Change in condition     0°C (32°F)       Boiling point/Boiling range:     100°C (212°F)       Flash point:     Not applicable.       Flammability (solid, gaseous):     Not applicable.       Decomposition temperature:     Not determined.       Ignition temperature:     Product is not selfigniting.       Danger of explosion:     Product does not present an explosion hazard.       Explosion limits:     Lower:       Lower:     Not determined.       Upper:     Not determined.       Vapor pressure at 20°C (68°F):     23 hPa (17.3 mm Hg)       Density at 20°C (68°F):     1.00199 g/cm³ (8.36161 lbs/gal)       Relative density     Not determined.       Vapor density     Not determined.       Vapor density     Not determined.       Solubility in / Miscibility with     Water:       Water:     Fully miscible.       Partition coefficient (n-octanol/water): Not determined.       Viscosity:     Dynamic:       Dynamic:     Not determined.       Solvent content:     Water:       Water:     99.7 %       VOC content:     0.00 %       0.00 %     0.00 [b/gal			
Meting point/Meting range:0 °C (32 °F) 100 °C (212 °F)Flash point:Not applicable.Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:	pH-value:	Not determined.	
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Vot determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content:Water:Water:99.7 %VOC content:0.00 % 0.0 g/1/0.00 lb/gal			
Flash point:     Not applicable.       Flammability (solid, gaseous):     Not applicable.       Decomposition temperature:     Not determined.       Ignition temperature:     Product is not selfigniting.       Danger of explosion:     Product does not present an explosion hazard.       Explosion limits:     Lower:       Lower:     Not determined.       Upper:     Not determined.       Vapor pressure at 20 °C (68 °F):     23 hPa (17.3 mm Hg)       Density at 20 °C (68 °F):     1.00199 g/cm <sup>3</sup> (8.36161 lbs/gal)       Relative density     Not determined.       Vapor density     Not determined.       Solubility in / Miscibility with     Fully miscible.       Partition coefficient (n-octanol/water): Not determined.     Not determined.       Viscosity:     Not determined.       Dynamic:     Not determined.       Kinematic:     Not determined.       Viscosity:     Not determined.       Dynamic:     Not determined.       Kinematic:     Not determined.       Viscosity:     Not determined.       Dynamic:     Not determined.       Kinematic:     Not determined.       VOC content:     0,00 %   <			
Flammability (solid, gaseous):     Not applicable.       Decomposition temperature:     Not determined.       Ignition temperature:     Product is not selfigniting.       Danger of explosion:     Product does not present an explosion hazard.       Explosion limits:     Lower:       Lower:     Not determined.       Upper:     Not determined.       Vapor pressure at 20 °C (68 °F):     23 hPa (17.3 mm Hg)       Density at 20 °C (68 °F):     1.00199 g/cm³ (8.36161 lbs/gal)       Relative density     Not determined.       Vapor density     Not determined.       Solubility in / Miscibility with     Water:       Water:     Fully miscible.       Partition coefficient (n-octanol/water): Not determined.       Viscosity:     Not determined.       Dynamic:     Not determined.       Viscosity:     Not determined.       Dynamic:     Not determined.       Viscosity:     Not determined.       Dynamic:     Not determined.       Viscosity:     Solvent content:       Water:     99.7 %       VOC content:     0.00 %       0.00 %     0.0 g/l / 0.00 lb/gal	Boiling point/Boiling range:	100 °C (212 °F)	
Decomposition temperature:Not determined.Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:ValueLower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Water:99.7 % 0.00 % 0.0 g/l / 0.00 lb/gal	Flash point:	Not applicable.	
Ignition temperature:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Value of the explosion limits:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:99.7 % 0.00 % 0.0 g/l / 0.00 lb/gal	Flammability (solid, gaseous):	Not applicable.	
Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic:Not determined.Solvent content: Water:99.7 % 0.00 % 0.00 % 0.0 g/1 / 0.00 lb/gal	Decomposition temperature:	Not determined.	
Explosion limits: Lower: Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative density Vapor densityNot determined.Vapor density Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:99.7 % 0.00 g/l / 0.00 lb/gal	Ignition temperature:	Product is not selfigniting.	
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Water:99.7 % 0.00 % 0.00 % 0.0 g/l / 0.00 lb/gal	Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:99.7 % 0.00 % 0.00 g/ / 0.00 lb/gal	Explosion limits:		
Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:99.7 % 0.00 % 0.0 g/l / 0.00 lb/gal		Not determined.	
Density at 20 °C (68 °F):1.00199 g/cm³ (8.36161 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:99.7 %Water:0.00 % 0.0 g/l / 0.00 lb/gal	Upper:	Not determined.	
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:99.7 %Water:99.7 %OO %0.00 %OU g/l / 0.00 lb/gal	Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor densityNot determined.Evaporation rateNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:99.7 % 0.00 % 0.0 g/l / 0.00 lb/gal	Density at 20 °C (68 °F):	1.00199 g/cm <sup>3</sup> (8.36161 lbs/gal)	
Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water: 0.00 % 0.0 g/l / 0.00 lb/gal99.7 % 0.00 g/l / 0.00 lb/gal	Relative density	Not determined.	
Solubility in / Miscibility with Water:     Fully miscible.       Partition coefficient (n-octanol/water):     Not determined.       Viscosity: Dynamic: Kinematic:     Not determined.       Solvent content: Water: 0.00 % 0.0 g/l / 0.00 lb/gal     99.7 %	Vapor density	Not determined.	
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Dynamic:Not determined.Kinematic:Not determined.Solvent content:99.7 %Water:99.7 %VOC content:0.00 %0.00 g/l / 0.00 lb/gal	Evaporation rate	Not determined.	
Partition coefficient (n-octanol/water): Not determined.       Viscosity:       Dynamic:     Not determined.       Kinematic:     Not determined.       Solvent content:     99.7 %       VOC content:     0.00 %       0.0 g/l / 0.00 lb/gal			
Viscosity:     Not determined.       Dynamic:     Not determined.       Kinematic:     Not determined.       Solvent content:     99.7 %       Water:     99.7 %       VOC content:     0.00 %       0.0 g/l / 0.00 lb/gal	Water:	Fully miscible.	
Dynamic:Not determined.Kinematic:Not determined.Solvent content:99.7 %Water:99.7 %VOC content:0.00 %0.00 g/l / 0.00 lb/gal	Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.	
Kinematic:Not determined.Solvent content:99.7 %Water:99.7 %VOC content:0.00 %0.0 g/l / 0.00 lb/gal			
Solvent content:       99.7 %         Water:       99.7 %         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal	Dynamic:	Not determined.	
Water:       99.7 %         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal	Kinematic:	Not determined.	
VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal	Solvent content:		
0.0 g/l / 0.00 lb/gal			
	VOC content:		
Solids content: 0.3 %		0.0 g/l / 0.00 lb/gal	
	Solids content:	0.3 %	

Printing date 07/03/2023

Reviewed on 07/03/2023

#### Trade name: Total Carbon Std 1,000 ppm TOC = 800 ppm; IC = 200 ppm

(Contd. of page 4)

• Other information

No further relevant information available.

#### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

· Additional ecological information:

- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

<sup>–</sup> ÚS

Printing date 07/03/2023

Reviewed on 07/03/2023

Trade name: Total Carbon Std 1,000 ppm TOC = 800 ppm; IC = 200 ppm

• Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	Not regulated	
UN proper shipping name		
DOT, IATA	Not regulated	
IMDG	Not Regulated	
	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not regulated	
Packing group		
DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not regulated	

# 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

Water

Potassium Hydrogen Phthalate

Sodium Carbonate Anhydrous

(Contd. on page 7)

ACTIVE

ACTIVE

ACTIVE

<sup>–</sup> US

Printing date 07/03/2023

Reviewed on 07/03/2023

#### Trade name: Total Carbon Std 1,000 ppm TOC = 800 ppm; IC = 200 ppm

	(Contd. of page 6)
Sodium Bicarbonate	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements Not Applicable	
· Hazard pictograms Not Applicable	
• Signal word Not Applicable • Hazard statements Not Applicable	
· Precautionary statements	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if preser	nt and easy to do.
Continue rinsing.	
Store in a closed container.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ons.
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

- · Contact:
- Date of preparation / last revision
   Revision 0.0, 07-03-2023: Creation date for SDS. STN
   07/03/2023
   Abbreviations and acronyms:
   IMDG: International Maritime Code for Dangerous Goods
   DOT: US Department of Transportation
   IATA: International Air Transport Association
   EINECS: European Inventory of Existing Commercial Chemical Substances
   ELINCS: European List of Notified Chemical Substances
   CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 8)

Printing date 07/03/2023

Reviewed on 07/03/2023

#### Trade name: Total Carbon Std 1,000 ppm TOC = 800 ppm; IC = 200 ppm

(Contd. of page 7)

US

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit