Printing date 05/23/2023

Reviewed on 05/23/2023

If $B, S \pm 0.10$ SolutionArticle number: SIN005Details of the supplier of the safety data sheetAque Solutions, Inc.Aque Solutions, Inc.Aque Solutions, Inc.Aque Solutions, Inc.Aque Solutions, Inc.Aque Solutions, Inc.Bi Highway 225DEER PARK, TX 77536USAWoo 256-2586Information department:Technical CoordinatorSherman Nelson shermann(@ aquasolutions.orgTechnical CoordinatorSherman Nelson shermann(@ aquasolutions.orgEmergency telephone number:Chemtree:Chemtree:Chemtree:Out-24-9300Canntee:Charter:Out-24-9300Canntee:Chemtree:Out-24-9300Canntee:Chemtree:Out-24-9300Canntee:Chemtree:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:Out-24-9300Canntee:O	Trade name: Formaldehyde	e 10% w/w		
Details of the supplier of the safety data sheet Manufacturer/Suppliers Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77336 USA 800-256-2586Importantion department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technice: 613-996-6666Importantion department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technice: 613-996-6666Hazard(s) identification Construct: 613-996-6666Importantion of the substance or mixture Topic of the substance or mixtureImportant Topic of the substance or mixtureImportantion of the substance or mixtureImportant Topic of GIS02 Flame Flammable Liquids 3H226 Flammable liquid and vapor.Import Cell Mutagenicity 2 Topic of GIS05 CorrosionH314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.Skin Corrosion 1B Tey Damage 1H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.Import Covic of GIS07H302 Harmful if swallowed. Acute Toxicity - Oral 4 H312 Harmful if swallowed. Acute Toxicity - Dermal 4 H312 Harmful if inhaled. Sensitization - Skin 1H317 May cause an allergic skin reaction.				
Manufacturer/Supplier: Aqua Solutions, Inc.       Image: Constraint of the supplication of the supplicati	Article number: SYN005			
Technical Coordinator         Sherman Nelson shermann@aquasolutions.org         Technical Coordinator         Sherman Nelson shermann@aquasolutions.org         Emergency telephone number:         Chemitre:         Chemitre:         613-996-6666             Hazard(s) identification             Classification of the substance or mixture         Image:         Image:         GHS02 Flame         Flammable Liquids 3       H226 Flammable liquid and vapor.         Image:       GHS08 Health hazard         Germ Cell Mutagenicity 2       H341 Suspected of causing genetic defects.         Carrinogenicity 1B       H350 May cause cancer.         Image:       GHS05 Corrosion         Skin Corrosion 1B       H314 Causes severe skin burns and eye damage.         Eye Damage 1       H318 Causes serious eye damage.         Eye Damage 1       H318 Causes serious eye damage.         GHS07       GHS07         Acute Toxicity - Oral 4       H302 Harmful if swallowed.         Acute Toxicity - Dermal 4       H312 Harmful in contact with skin.         Acute Toxicity - Inhalation 4       H332 Harmful if inhaled.         Sensitization - Skin 1       H317 May cause an allergic skin reaction. </th <th>Details of the supplier of the Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586</th> <th>e safety data sheet</th> <th></th> <th>AQUA SOLUTIONS</th>	Details of the supplier of the Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	e safety data sheet		AQUA SOLUTIONS
Classification of the substance or mixture         GHS02 Flame         Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H326 Flammable liquid and vapor.         Image: Flammable Liquids 3       H321 Suspected of causing genetic defects.         Flammable Liquids 3       H341 Suspected of cause genetic defects.         Flammable Liquids 3       H350 May cause cancer.         Image: Flammable Liquids 5       H314 Causes severe skin burns and eye damage.         Flammable Liquids 6       H318 Causes serious eye damage.         Image: Flammable Liquids 6       H318 Causes serious eye damage.         Image: Flammable Liquids 7       H318 Causes serious eye damage.         Image: Flammable Liquids 7       H318 Causes serious eye damage.         Image: Flammable Liquids 7       H318 Causes serious eye damage.         Image: Flammable Liquids 7       H312 Harmful if swallowed.         Acute Toxicity - Oral 4       H312 Harmful in contact with skin.         Acute Toxicity - Inhalation 4       H332 Harmful	Technical Coordinator Sherman Nelson shermann@	aquasolutions.org		
Classification of the substance or mixture         GHS02 Flame         Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H226 Flammable liquid and vapor.         Image: Flammable Liquids 3       H326 Flammable liquid and vapor.         Image: Flammable Liquids 3       H321 Suspected of causing genetic defects.         Flammable Liquids 3       H341 Suspected of cause genetic defects.         Flammable Liquids 3       H350 May cause cancer.         Image: Flammable Liquids 5       H314 Causes severe skin burns and eye damage.         Flammable Liquids 6       H318 Causes serious eye damage.         Image: Flammable Liquids 6       H318 Causes serious eye damage.         Image: Flammable Liquids 7       H318 Causes serious eye damage.         Image: Flammable Liquids 7       H318 Causes serious eye damage.         Image: Flammable Liquids 7       H318 Causes serious eye damage.         Image: Flammable Liquids 7       H312 Harmful if swallowed.         Acute Toxicity - Oral 4       H312 Harmful in contact with skin.         Acute Toxicity - Inhalation 4       H332 Harmful	Hazard(s) identification	1		
GHS02 FlameFlammable Liquids 3H226 Flammable liquid and vapor.Image: Flammable Liquids 3H341 Suspected of causing genetic defects.Image: Flammable Liquids 3H341 Suspected of causing genetic defects.Image: Flammable Liquids 3H341 Suspected of causing genetic defects.Image: Flammable Liquids 3H341 Causes severe skin burns and eye damage.Image: Flammable Liquids 3H314 Causes severe skin burns and eye damage.Image: Flammable Liquids 3H314 Causes serious eye damage.Image: Flammable Liquids 3H318 Causes serious eye damage.Image: Flammable Liquids 4H302 Harmful if swallowed.Acute Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.				
Flammable Liquids 3H226 Flammable liquid and vapor.Flammable Liquids 3H226 Flammable liquid and vapor.Germ Cell Mutagenicity 2H341 Suspected of causing genetic defects.Carcinogenicity 1BH350 May cause cancer.Free CorrosionH314 Causes severe skin burns and eye damage.Skin Corrosion 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.Out of Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Oral 4H302 Harmful in contact with skin.Acute Toxicity - Inhalation 4H322 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	Classification of the substan	ice or mixture		
GHS08 Health hazardGerm Cell Mutagenicity 2H341 Suspected of causing genetic defects. Carcinogenicity 1BH350 May cause cancer.TreeH350 CorrosionSkin Corrosion 1BH314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.Eye Damage 1H318 Causes serious eye damage.TreeH318 Causes serious eye damage.Kute Toxicity - Oral 4H302 Harmful if swallowed. H312 Harmful in contact with skin. Acute Toxicity - Inhalation 4Acute Toxicity - Inhalation 4H332 Harmful if inhaled. H317 May cause an allergic skin reaction.				
GHS08 Health hazardGerm Cell Mutagenicity 2H341 Suspected of causing genetic defects. Carcinogenicity 1BH350 May cause cancer.TreeH350 CorrosionSkin Corrosion 1BH314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.Eye Damage 1H318 Causes serious eye damage.TreeH318 Causes serious eye damage.Kute Toxicity - Oral 4H302 Harmful if swallowed. H312 Harmful in contact with skin. Acute Toxicity - Inhalation 4Acute Toxicity - Inhalation 4H332 Harmful if inhaled. H317 May cause an allergic skin reaction.				
Germ Cell Mutagenicity 2H341 Suspected of causing genetic defects.Carcinogenicity 1BH350 May cause cancer.Image: GHS05 CorrosionH314 Causes severe skin burns and eye damage.Skin Corrosion 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.Image: GHS07H302 Harmful if swallowed.Acute Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame		inor	
Germ Cell Mutagenicity 2H341 Suspected of causing genetic defects.Carcinogenicity 1BH350 May cause cancer.Image: GHS05 CorrosionH314 Causes severe skin burns and eye damage.Skin Corrosion 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.Image: GHS07H302 Harmful if swallowed.Acute Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame		ipor.	
Carcinogenicity 1BH350 May cause cancer.Image: GHS05 CorrosionImage: GHS05 CorrosionSkin Corrosion 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.Image: GHS07Image: GHS07Acute Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3	H226 Flammable liquid and vo	<i>upor.</i>	
Skin CorrosionH314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.Eye Damage 1H318 Causes serious eye damage.OperationGHS07Acute Toxicity - Oral 4H302 Harmful if swallowed. H312 Harmful in contact with skin. Acute Toxicity - Inhalation 4Acute Toxicity - Inhalation 4H322 Harmful if inhaled. 	GHS02 Flame Flammable Liquids 3	H226 Flammable liquid and vo	ipor.	
GHS05 CorrosionSkin Corrosion 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.GHS07Acute Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3	H226 Flammable liquid and vo zard	- · · · · · · · · · · · · · · · · · · ·	
Skin Corrosion 1BH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.Image 1H318 Causes serious eye damage.Image 1H302 Harmful if swallowed.Acute Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B	H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer.	- · · · · · · · · · · · · · · · · · · ·	
Eye Damage 1H318 Causes serious eye damage.Image 1H318 Causes serious eye damage.Image 1Image 1Image 2Image 2 </td <td>GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B</td> <td>H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer.</td> <td>- · · · · · · · · · · · · · · · · · · ·</td> <td></td>	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B	H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer.	- · · · · · · · · · · · · · · · · · · ·	
Eye Damage 1H318 Causes serious eye damage.Image 1H318 Causes serious eye damage.Image 1Image 1Image 2Image 2 </td <td>GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B</td> <td>H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer.</td> <td>- · · · · · · · · · · · · · · · · · · ·</td> <td></td>	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B	H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer.	- · · · · · · · · · · · · · · · · · · ·	
GHS07Acute Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B GHS05 Corrosion	H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer.	netic defects.	
Acute Toxicity - Oral 4H302 Harmful if swallowed.Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1B	H226 Flammable liquid and va zard H341 Suspected of causing gen H350 May cause cancer. H314 Causes severe skin burns	netic defects.	
Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B GHS05 Corrosion	H226 Flammable liquid and va zard H341 Suspected of causing gen H350 May cause cancer. H314 Causes severe skin burns	netic defects.	· · · · · · · · · · · · · · · · · · ·
Acute Toxicity - Dermal 4H312 Harmful in contact with skin.Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1B Eye Damage 1	H226 Flammable liquid and va zard H341 Suspected of causing gen H350 May cause cancer. H314 Causes severe skin burns	netic defects.	· · · · · · · · · · · · · · · · · · ·
Acute Toxicity - Inhalation 4H332 Harmful if inhaled.Sensitization - Skin 1H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1B Eye Damage 1	H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer. H314 Causes severe skin burns H318 Causes serious eye dama	netic defects.	· · · · · · · · · · · · · · · · · · ·
Sensitization - Skin 1 H317 May cause an allergic skin reaction.	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07	H226 Flammable liquid and va zard H341 Suspected of causing ger H350 May cause cancer. H314 Causes severe skin burns H318 Causes serious eye dama H302 Harmful if swallowed.	netic defects. s and eye damage.	· · · · · · · · · · · · · · · · · · ·
	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4	H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer. H314 Causes severe skin burns H318 Causes serious eye dama H302 Harmful if swallowed. H312 Harmful in contact with	netic defects. s and eye damage.	
Label elements	GHS02 Flame Flammable Liquids 3 GHS08 Health ha Germ Cell Mutagenicity 2 Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Dermal 4	H226 Flammable liquid and vo zard H341 Suspected of causing gen H350 May cause cancer. H314 Causes severe skin burns H318 Causes serious eye dama H302 Harmful if swallowed. H312 Harmful in contact with H332 Harmful if inhaled.	netic defects. s and eye damage. ige.	

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Formaldehyde 10% w/w pH 8.5  $\pm$  0.10 Solution

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Formaldehyde · Hazard statements Flammable liquid and vapor. Harmful if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 3)


- US -

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Formaldehyde 10% w/w pH 8.5  $\pm$  0.10 Solution

(Contd. of page 2)



· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous comp	ponents:	
CAS: 50-00-0 Fe	prmaldehyde	27.0%
• Table of Nonhaz	ardous Ingredients	
CAS: 7732-18-5	Water	72.9%
CAS: 1310-73-2	Sodium Hydroxide	0.1%

## 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 4)

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Formaldehyde 10% w/w pH 8.5  $\pm$  0.10 Solution

(Contd. of page 3)

## 5 Fire-fighting measures

- · Extinguishing media
- $\cdot$  Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- $\cdot$  Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

#### **6** Accidental release measures

	tions, protective equipment and emergency procedures	
	ry protective device.	
Wear protective	equipment. Keep unprotected persons away.	
• Environmental p		
Dilute with plent	y of water.	
Do not allow to e	enter sewers/ surface or ground water.	
• Methods and ma	tterial for containment and cleaning up:	
Absorb with liqu	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing	agent.	
Dispose contami	nated material as waste according to section 13.	
Ensure adequate	ventilation.	
· Reference to oth	er sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 13 fc	or disposal information.	
· Protective Action	n Criteria for Chemicals	
· PAC-1:		
CAS: 50-00-0	Formaldehyde	0.90 ppm
CAS: 1310-73-2	Sodium Hydroxide	$0.5 \ mg/m^3$
· PAC-2:		
CAS: 50-00-0	Formaldehyde	14 ppm
CAS: 1310-73-2	Sodium Hydroxide	5 mg/m <sup>3</sup>
· PAC-3:		
CAS: 50-00-0	Formaldehyde	56 ppm
CAS: 1310-73-2		$50 \text{ mg/m}^3$

## 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 5)

US

Printing date 05/23/2023

Reviewed on 05/23/2023

#### Trade name: Formaldehyde 10% w/w pH 8.5 $\pm$ 0.10 Solution

(Contd. of page 4)

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

#### CAS: 50-00-0 Formaldehyde

PEL Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)

- REL Long-term value: 0.016 ppm Ceiling limit value: 0.1\* ppm \*15-min; See Pocket Guide App. A
- TLV Short-term value: 0.3 ppm Long-term value: 0.1 ppm DSEN: RSEN, A1

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 05/23/2023

Reviewed on 05/23/2023

# Trade name: Formaldehyde 10% w/w $pH 8.5 \pm 0.10$ Solution

(Contd. of page 5)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Characteristic	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	8.5	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	-3 °C (26.6 °F)	
Flash point:	56 °C (132.8 °F)	
Flammability (solid, gaseous):	Flammable.	
Auto igniting:	300 °C (572 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	7 Vol %	
Upper:	73 Vol %	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.94983 g/cm <sup>3</sup> (7.92633 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Formaldehyde 10% w/w pH 8.5  $\pm$  0.10 Solution

		(Contd. of page 6
· Solvent content:		
Organic solvents:	27.0 %	
Water:	72.9 %	
VOC content:	27.00 %	
	256.5 g/l / 2.14 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

 $\cdot$  Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

 Oral
 LD50
 >741 mg/kg (rat)

 Dermal
 LD50
 1,111 mg/kg

 Inhalative
 LC50/4h
 11.1 mg/l

#### · Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitization possible through skin contact.

#### · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 50-00-0 Formaldehyde	1
· NTP (National Toxicology Program)	
CAS: 50-00-0 Formaldehyde	K
	(Contd. on page 8)

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Formaldehyde 10% w/w pH 8.5  $\pm$  0.10 Solution

(Contd. of page 7)

#### · OSHA-Ca (Occupational Safety & Health Administration)

CAS: 50-00-0 Formaldehyde

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

• *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.* 

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN2924
	0112727
· UN proper shipping name	
DOT	Flammable liquids, corrosive, n.o.s. (Formaldehyde solutions
	flammable)
IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Formaldehyde
,	solutions, flammable)

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Formaldehyde 10% w/w pH 8.5  $\pm$  0.10 Solution

	(Contd. of pag
Transport hazard class(es)	
DOT	
3	
Class	2 Elaumahla liquida
Label	3 Flammable liquids 3, 8
IMDG	
Class	3 Flammable liquids
Label	3/8
IATA	
3	
Class	2 Elaumahla liauida
Label	3 Flammable liquids 3 (8)
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-C
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: E1
- • • • • • • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Formaldehyde 10% w/w *pH* 8.5 ± 0.10 *Solution* 

(Contd. of page 9)

· UN "Model Regulation":

UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (FORMALDEHYDE SOLUTIONS, FLAMMABLE), 3 (8), III

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture	;
· Sara	

· Section 355 (extremely hazardous substances):	
CAS: 50-00-0 Formaldehyde	
· Section 313 (Specific toxic chemical listings):	
CAS: 50-00-0 Formaldehyde	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Formaldehyde	ACTIVE
Sodium Hydroxide	ACTIVE
· Hazardous Air Pollutants	
CAS: 50-00-0 Formaldehyde	
· Proposition 65	
· Chemicals known to cause cancer:	
CAS: 50-00-0 Formaldehyde	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
CAS: 50-00-0 Formaldehyde	B1
· TLV (Threshold Limit Value)	
CAS: 50-00-0 Formaldehyde	A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 50-00-0 Formaldehyde

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

(Contd. on page 11)

US

Printing date 05/23/2023

Reviewed on 05/23/2023

# Trade name: Formaldehyde 10% w/w $pH 8.5 \pm 0.10$ Solution

	(Contd. of page 10)
Hazard-determining components of labeling:	
Formaldehyde	
Hazard statements	
Flammable liquid and vapor.	
Harmful if swallowed, in contact with skin or if inhaled.	
Causes severe skin burns and eye damage.	
May cause an allergic skin reaction.	
Suspected of causing genetic defects.	
May cause cancer.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wat	er/shower.
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,	if present and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international.	regulations
	regulations.
National regulations:	
Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	
Information about limitation of use:	
Workers are not allowed to be exposed to the hazardous carcinogenic materials cont	tained in this preparation
Exceptions can be made by the authorities in certain cases.	anca in mis preparation.
<b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	
Chemical safety assessment. A Chemical safety Assessment has not been carried out.	

(Contd. on page 12)

US

Printing date 05/23/2023

Reviewed on 05/23/2023

Trade name: Formaldehyde 10% w/w pH 8.5  $\pm$  0.10 Solution

(Contd. of page 11)

	is information is based on our present knowledge. However, this shall not constitute a guarantee for a certific product features and shall not establish a legally valid contractual relationship.
· De	partment issuing SDS: Environment protection department.
$\cdot Cc$	ntact:
·D	ute of preparation / last revision
	vision 1.0 5/23/2023 Reviewed SDS for accuracy. STN
	vision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN
Re	vision 0.0, 11-14-2016: Creation date for SDS. STN
05	/23/2023
· A1	breviations and acronyms:
	DG: International Maritime Code for Dangerous Goods
	DT: US Department of Transportation
	TA: International Air Transport Association
	NECS: European Inventory of Existing Commercial Chemical Substances
	INCS: European List of Notified Chemical Substances
	S: Chemical Abstracts Service (division of the American Chemical Society)
NF	PA: National Fire Protection Association (USA)
HM	11S: Hazardous Materials Identification System (USA)
	C: Volatile Organic Compounds (USA, EU)
	50: Lethal concentration, 50 percent
	50: Lethal dose, 50 percent
PB	T: Persistent, Bioaccumulative and Toxic
	vB: very Persistent and very Bioaccumulative
	OSH: National Institute for Occupational Safety
	HA: Occupational Safety & Health
	V: Threshold Limit Value
	L: Permissible Exposure Limit
	L: Recommended Exposure Limit
	ummable Liquids 3: Flammable liquids – Category 3
	ute Toxicity - Oral 4: Acute toxicity – Category 4
	n Corrosion 1B: Skin corrosion/irritation – Category 1B
	e Damage 1: Serious eye damage/eye irritation – Category 1
	nsitization - Skin 1: Skin sensitisation – Category 1
	rm Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 minocernicity IB: Commingenicity – Cetterem IB
	rcinogenicity 1B: Carcinogenicity – Category 1B
• •• 1	Data compared to the previous version altered.