Printing date 06/09/2023

Reviewed on 05/11/2023

1 Identification

- · Product identifier
- · Trade name: Solution D-L2 (Hydrochloric Acid)
- Article number: DET012A
- CAS Number: 7647-01-0
- EC number:
- 231-595-7
- · Index number:
- 017-002-01-X
- \cdot Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: techservices@ofite.com Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Corrosive to Metals 1 Skin Corrosion 1A Eye Damage 1 H290 May be corrosive to metals.H314 Causes severe skin burns and eye damage.H318 Causes serious eye damage.

GHS07

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



 Signal word Danger
 Hazard statements May be corrosive to metals.

(Contd. on page 2)

US

Printing date 06/09/2023

Reviewed on 05/11/2023

Trade name: Solution D-L2 (Hydrochloric Acid)

	(Contd. of page 1)
Causes severe skin burns and eye damage.	(**************************************
May cause respiratory irritation.	
· Precautionary statements	
Keep only in original container.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	A) OF
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	<i>ver</i> .
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres	ent and easy to do
Continue rinsing.	eni unu eusy io uo.
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Absorb spillage to prevent material damage.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up. Store in corrosive resistant container with a resistant inner liner.	
	<i>.</i> •
Dispose of contents/container in accordance with local/regional/national/international regular	ions.
Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} \mathbf{H}ealth = 3\\ Fire = 0\\ Reactivity = 0 \end{array}$	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 Health = 3	
FIRE 0 Fire = 0	
$\frac{1}{\text{REACTIVITY 0}} Reactivity = 0$	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <i>PBT:</i> Not applicable.	
• vPvB : Not applicable.	
· · · · · · · · · · · · · · · · · · ·	
3 Composition/information on ingredients	
· Chemical characterization: Substances	
· CAS No. Description	
CAS: 7647-01-0 Hydrochloric Acid	
Identification number(s)	
• EC number: 231-595-7	
• Index number: 017-002-01-X	

4 First-aid measures

 \cdot Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

US

Printing date 06/09/2023

Reviewed on 05/11/2023

Trade name: Solution D-L2 (Hydrochloric Acid)

(Contd. of page 2)

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions: Dilute with plenty of water.*
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- **PAC-1:** 1.8 ppm
- **PAC-2:** 22 ppm
- · PAC-3: 100 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

(Contd. on page 4)

Printing date 06/09/2023

Reviewed on 05/11/2023

Trade name: Solution D-L2 (Hydrochloric Acid)

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

\cdot Components with limit values that require monitoring at the workplace:		
CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³	
PEL	<i>Ceiling limit value: 7 mg/m³, 5 ppm</i>	
	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm	
	A4	

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 06/09/2023

Reviewed on 05/11/2023

Trade name: Solution D-L2 (Hydrochloric Acid)

(Contd. of page 4)

Information on basic physical and ch	nemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Pungent
Odor threshold:	Not determined.
pH-value:	<1
Change in condition	
Melting point/Melting range:	-30 °C (-22 °F)
Boiling point/Boiling range:	>100 °C (>212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 21 °C (69.8 °F):	226.636 hPa (170 mm Hg)
Density at 20 °C (68 °F):	1.18 g/cm ³ (9.8471 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 06/09/2023

Reviewed on 05/11/2023

Trade name: Solution D-L2 (Hydrochloric Acid)

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

Printing date 06/09/2023

*

Reviewed on 05/11/2023

Trade name: Solution D-L2 (Hydrochloric Acid)

(Contd. of page 6)

	UN1789
DOT IMDG, IATA	<i></i>
IMDG, IATA	TT 1 11 · · · 1
,	Hydrochloric acid
Transport hazard class(es)	HYDROCHLORIC ACID
Transport nazara class(es)	
DOT	
CORROSIVE	
	8 Corrosive substances 8
	0
IMDG, IATA	
8	
Class	8 Corrosive substances
Label	8
Packing group	
	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
	F-A,S-B
	(SGG1a) Strong acids
Stowage Category	C
	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
	1L
	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml

(Contd. on page 8)

US

Printing date 06/09/2023

Reviewed on 05/11/2023

Trade name: Solution D-L2 (Hydrochloric Acid)

(Contd. of page 7)

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



```
· Signal word Danger
· Hazard statements
May be corrosive to metals.
 Causes severe skin burns and eye damage.
May cause respiratory irritation.
· Precautionary statements
Keep only in original container.
Do not breathe dusts or mists.
 Wash thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
 Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Store in corrosive resistant container with a resistant inner liner.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
```

(Contd. on page 9)

Printing date 06/09/2023

*

Reviewed on 05/11/2023

Trade name: Solution D-L2 (Hydrochloric Acid)

(Contd. of page 8)

This information is based on our present knowledge. However, this shall not constitute specific product features and shall not establish a legally valid contractual relationship.	e a guarantee for an
Department issuing SDS: Environment protection department.	
Contact:	
Date of preparation / last revision	
Revision 1.0 06-02-2023, Hazard phrases to match supplier SDS. STN	
06/09/2023	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
PBT: Persistent. Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Corrosive to Metals 1: Corrosive to metals – Category 1	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	