Printing date 05/17/2023


Reviewed on 05/17/2023

Product identifier	
Trade name: <u>lodoform 50 gpL</u> in Chloroform	
Article number: OXY067B	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Hazard(s) identification Classification of the substance or mixture GHS06 Skull and crossbones	
Classification of the substance or mixture	H331 Toxic if inhaled.
Classification of the substance or mixture GHS06 Skull and crossbones	H331 Toxic if inhaled.
Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Inhalation 3	H331 Toxic if inhaled. H351 Suspected of causing cancer.
Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard	
Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 2	H351 Suspected of causing cancer.
Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 2	<ul> <li>H351 Suspected of causing cancer.</li> <li>H361 Suspected of damaging fertility or the unborn child</li> <li>H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system</li> </ul>
Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 2 Specific Target Organ Toxicity - Repeated Exposure 1	<ul> <li>H351 Suspected of causing cancer.</li> <li>H361 Suspected of damaging fertility or the unborn child</li> <li>H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system</li> </ul>
Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 2 Specific Target Organ Toxicity - Repeated Exposure 1	<ul> <li>H351 Suspected of causing cancer.</li> <li>H361 Suspected of damaging fertility or the unborn child</li> <li>H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.</li> </ul>
Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 2 Specific Target Organ Toxicity - Repeated Exposure 1 GHS07 Acute Toxicity - Oral 4	<ul> <li>H351 Suspected of causing cancer.</li> <li>H361 Suspected of damaging fertility or the unborn child</li> <li>H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory syste through prolonged or repeated exposure.</li> <li>H302 Harmful if swallowed.</li> </ul>

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Iodoform 50 gpL in Chloroform



· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Iodoform 50 gpL in Chloroform

(Contd. of page 2)

· Dangerous co	mponents:	
CAS: 67-66-3	Chloroform	96.692%
CAS: 75-47-8	Iodoform, 99%	3.308%

## 4 First-aid measures

### · Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Iodoform 50 gpL in Chloroform

· Protective Action Criteria for Chemicals	(Contd. of page 3)
· PAC-1:	
CAS: 67-66-3 Chloroform	2 ppm
· PAC-2:	
CAS: 67-66-3 Chloroform	64 ppm
· PAC-3:	
CAS: 67-66-3 Chloroform	3,200 ppm

## 7 Handling and storage

### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

## CAS: 67-66-3 Chloroform

- PEL Ceiling limit value: 240 mg/m<sup>3</sup>, 50 ppm
- REL Short-term value: 9.78\* mg/m<sup>3</sup>, 2\* ppm
- \*60-min; See Pocket Guide App. A
- *TLV Long-term value: 10 ppm* A3

## CAS: 75-47-8 Iodoform, 99%

REL Long-term value: 10 mg/m<sup>3</sup>, 0.6 ppm

TLV Long-term value: 0.001\* ppm

\*inhalable fraction and vapor; Skin, A4

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

(Contd. on page 5)

US

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Iodoform 50 gpL in Chloroform

(Contd. of page 4)

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Purple	
Odor:	Chloroform-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-63.5 °C (-82.3 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	982 °C (1,799.6 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

Printing date 05/17/2023

Reviewed on 05/17/2023

#### Trade name: Iodoform 50 gpL in Chloroform

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	210 hPa (157.5 mm Hg)	
Density at 20 °C (68 °F):	1.5122 g/cm <sup>3</sup> (12.61931 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water at 25 °C (77 °F):	5 g/l	
Partition coefficient (n-octanol/wate	p <b>r):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	3.3 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute	Toxicity	Estimate)
------------	----------	-----------

	LD50	493 mg/kg
Dermal	LD50	35,790 mg/kg (rat)
Inhalative	LC50/4h	3.1 mg/l

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

(Contd. on page 7)

US

Printing date 05/17/2023

Reviewed on 05/17/2023

#### Trade name: Iodoform 50 gpL in Chloroform

(Contd. of page 6)

2B

R

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-66-3 Chloroform

· NTP (National Toxicology Program)

CAS: 67-66-3 Chloroform

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
DOT, IMDG, IATA	UN2810
· UN proper shipping name	
$\cdot DOT$	Toxic, liquids, organic, n.o.s. (Chloroform, Iodoform, 99%)
· IMDG, IATA	TOXIC LIQUID, ORGANIC, N.O.S.

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Iodoform 50 gpL in Chloroform

	(Contd. of page
· Transport hazard class(es)	
·DOT	
TOXIC	
· Class · Label	6.1 Toxic substances 6.1
· IMDG, IATA	
· Class	6.1 Toxic substances
· Label	6.1
· Packing group · DOT, IMDG, IATA	111
· Environmental hazards: · Marine pollutant:	No
<ul> <li>Special precautions for user</li> <li>EMS Number:</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	Warning: Toxic substances F-A,S-A A SW2 Clear of living quarters.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• UN "Model Regulation":	UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (CHLOROFORM IODOFORM, 99%), 6.1, III

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

CAS: 67-66-3 Chloroform

(Contd. on page 9)

<sup>–</sup> US –

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Iodoform 50 gpL in Chloroform

	(Contd. of page
• Section 313 (Specific toxic chemical listings):	
CAS: 67-66-3 Chloroform	
• TSCA (Toxic Substances Control Act):	
Chloroform	ACTIVE
Iodoform, 99%	ACTIVE
Hazardous Air Pollutants	
CAS: 67-66-3 Chloroform	
Proposition 65	
Chemicals known to cause cancer:	
CAS: 67-66-3 Chloroform	
Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males:	

· EPA (Environmental Protection Agency)

CAS: 67-66-3 Chloroform

· TLV (Threshold Limit Value)

CAS: 67-66-3 Chloroform

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 67-66-3 Chloroform

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Chloroform Iodoform, 99%
Hazard statements Harmful if swallowed. Toxic if inhaled. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.
Precautionary statements Avoid release to the environment.

(Contd. on page 10)

B2, L, NL

AЗ

Printing date 05/17/2023

Reviewed on 05/17/2023

#### Trade name: Iodoform 50 gpL in Chloroform

(Contd. of page 9)

Wear protective gloves / eye protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in accordance with local/regional/national/international regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 1.0 05/17/2023 reviewed SDS for accuracy. S.T.N. Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN Revision 1.1, 03-07-2023: Reviewed SDS. STN 05/17/2023

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Carcinogenicity 2: Carcinogenicity – Category 2 Toxic to Reproduction 2: Reproductive toxicity – Category 2 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1 • \* Data compared to the previous version altered.