Printing date 11/02/2022

Reviewed on 11/02/2022

1 Identification

- · Product identifier
- · Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets
- Article number: S2927
- · CAS Number:
- 1310-73-2
- EC number:
- 215-185-5
- · Index number:
- 011-002-00-6
- · Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: techservices@ofite.com Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

*

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements
Harmful if swallowed.
Causes severe skin burns and eye damage.

(Contd. on page 2)

Printing date 11/02/2022

Reviewed on 11/02/2022

(Contd. of page 1)

Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets Precautionary statements

Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eve protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) *Health* = 3

 $\begin{array}{c} Health = 5\\ Fire = 0\\ Reactivity = 2 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH 3	Health = 3
	Fire = 0
REACTIVITY 2	<i>Reactivity</i> $= 2$

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Substances • CAS No. Description
- CAS: 1310-73-2 Sodium Hydroxide
- · Identification number(s)
- EC number: 215-185-5
- · Index number: 011-002-00-6

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

Printing date 11/02/2022

Reviewed on 11/02/2022

(Contd. of page 2)

Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets

· After swallowing:

Immediately call a doctor.

- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Use neutralizing agent.
 Dispose contaminated material as waste according to item 13.
 Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1: 0.5 mg/m³
- · PAC-2: 5 mg/m³
- · PAC-3: 50 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US

Printing date 11/02/2022

Reviewed on 11/02/2022

Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physic General Information	cal and chemical properties	
· Appearance:		
Form:	Solid	
Color:	White	
· Odor:	Odorless	
• Odor threshold:	Not determined.	
pH-value:	>12	

Printing date 11/02/2022

Reviewed on 11/02/2022

Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets

	(Contd. of	page 4
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
• Vapor pressure at 800 •C (1,472 •F):	3.5 hPa (2.6 mm Hg)	
• Density at 20 •C (68 •F):	2.13 g/cm ³ (17.77485 lbs/gal)	
· Bulk density: · Relative density · Vapor density · Evaporation rate	2,130 kg/m ³ Not determined. Not applicable. Not applicable.	
• Solubility in / Miscibility with Water at 20 °C (68 °F):	420 g/l	
· Partition coefficient (n-octanol/water)	: Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE)

• Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye: Strong caustic effect.

(Contd. on page 6)

US

Printing date 11/02/2022

Reviewed on 11/02/2022

Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets

(Contd. of page 5)

- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1823	
· UN proper shipping name		
$\cdot DOT$	Sodium hydroxide, solid	
· IMDG, IATA	SODIUM HYDROXIDE, SOLID	

Printing date 11/02/2022

Reviewed on 11/02/2022

Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets

	(Contd. of pa
Transport hazard class(es)	
DOT	
the state	
CORROSIVE	
Class	8 Corrosive substances
Label	8
· IMDG, IATA	
the second se	
8	
Class	8 Corrosive substances
Label	8
Packing group	
· DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
• Hazard identification number (Kemler code).	
· EMS Number:	F-A,S-B
• Segregation groups • Stowage Category	(SGG18) Alkalis A
· Stowage Category · Segregation Code	SG35 Stow "separated from" SGG1-acids
	SOSS Slow separated from SOOT-actas
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
Quantity limitations	On passenger aircraft/rail: 15 kg
~ ·	On cargo aircraft only: 50 kg
Hazardous substance:	1000 lbs, 454 kg
·IMDG	
· Limited quantities (LQ)	1 kg
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

*

• Section 355 (extremely hazardous substances): Substance is not listed.

• Section 313 (Specific toxic chemical listings): Substance is not listed.

(Contd. on page 8)

US

Printing date 11/02/2022

Reviewed on 11/02/2022

(Contd. of page 7)

Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets

- TSCA (Toxic Substances Control Act): ACTIVE
- Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger · Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- · Date of preparation / last revision
- *Revision 1.0, 11-02-2022: Reviewed SDS for accuracy. STN 11/02/2022*
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 9)

US

Printing date 11/02/2022

Reviewed on 11/02/2022

Trade name: Sodium Hydroxide, Reagent ACS Grade Pellets

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)	(Contd. of page 8)
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
• * Data compared to the previous version altered.	
	US