

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Packaged Product:</b> 8667			
SODIUM HYDROXIDE 1.2 NORMAL LOW CARBONATE			
Test	Target/UOM	Range	Result
<b>PREPARED TO FORMULATION ON</b>	YES		YES
<b>FILE</b>	YES		
Sample ID			
Tested 10/10/23			
Tester AFRE			
Recorded 10/10/23			
<b>SAMPLE COLLECTION &amp; HANDLING</b>	YES		YES
<b>PER LAB040</b>	YES		
Sample ID			
Tested 10/10/23			
Tester AFRE			
Recorded 10/10/23			
<b>DATE OF SAMPLING FOR TEST</b>	MM/DD/YYYY		10/10/2023
<b>PURPOSES</b>	MM/DD/YYYY		
Sample ID			
Tested 10/10/23			
Tester AFRE			
Recorded 10/10/23			
<b>AMBIENT TEMPERATURE DURING</b>	25.0	10.0 - 35.0	20.0
<b>SAMPLING DEGC</b>	DEG C		
Sample ID			
Tested 10/10/23			
Tester AFRE			
Recorded 10/10/23			
<b>DATE OF TESTING OF SAMPLE</b>	MM/DD/YYYY		10/10/2023
	MM/DD/YYYY		
Sample ID			
Tested 10/10/23			
Tester AFRE			
Recorded 10/10/23			
<b>AMBIENT TEST TEMPERATURE</b>	20.0	15.0 - 30.0	20.0
<b>DEG C</b>	DEG C		
Sample ID			
Tested 10/10/23			
Tester AFRE			
Recorded 10/10/23			
<b>Product nitrogen purged</b>	YES		YES
	YES		
Sample ID			
Tested 10/10/23			
Tester AFRE			
Recorded 10/10/23			
<b>QCSP7: STANDARDIZATION OF</b>	YES		YES
<b>AQUEOUS BASES</b>	METHOD		
Sample ID			
Tested 10/10/23			
Tester AFRE			
Recorded 10/10/23			

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

<b>Actual Normality</b>	1.2000 EQ/L	1.1990 - 1.2010	1.1995
Sample ID			
Tested	10/11/23		
Tester	AFRE		
Recorded	10/11/23		
<b>N.I.S.T. Traceable to SRM 84 (KHP)</b>	YES YES		YES
Sample ID			
Tested	10/11/23		
Tester	AFRE		
Recorded	10/11/23		
<b>PPM INORGANIC CARBON</b>	25.0 PPM	0.0 - 25.0	12.1
Sample ID			
Tested	10/11/23		
Tester	AFRE		
Recorded	10/11/23		
<b>Actual Density</b>	1.04915 GM/ML	1.04815 - 1.05035	1.04914
Sample ID			
Tested	10/11/23		
Tester	AFRE		
Recorded	10/11/23		
<b>APPEARANCE AND COLOR</b>	CLEAR WATER WHITE LIQUID APPEARANCE		PASS
Sample ID			
Tested	10/11/23		
Tester	AFRE		
Recorded	10/11/23		
<b>INSTRUMENTS USED DURING PREPARATION</b>	INSTRUMENT		T-8667,M25,BID-0488,PID-M91
Sample ID			
Tested	10/11/23		
Tester	AFRE		
Recorded	10/11/23		
<b>SHELF LIFE OF PRODUCT</b>	1 YEAR TIME		1 YEAR
Sample ID			
Tested	10/11/23		
Tester	AFRE		
Recorded	10/11/23		
<b>EXPIRATION DATE</b>	MM/DD/YYYY MM/DD/YYYY		10/30/2024
Sample ID			
Tested	10/11/23		
Tester	AFRE		
Recorded	10/11/23		
<b>Lot #</b>	3100349		
<b>Made</b>	10/11/23		



Aqua Solutions, Inc.  
Ph: 281-479-2569  
Fax: 281-479-2790  
P.O. Box 70  
Deer Park, TX 77536  
Website: [www.aquasolutions.org](http://www.aquasolutions.org)

Page: 3

Date: 10/11/23 at 2:31 PM

**Aqua Solutions, Inc.**  
**6913 Highway 225**  
**Deer Park, TX, 77536**  
**281/479-2569**  
**Certificate of Analysis / QC Results**  
**Customer PO # :**

This is to certify that the product listed above has been prepared according to the agreed upon formulation. The solutions producer has a Quality Management System which governs each step of the manufacturing process to insure the production of a consistent product. Traceability from the producer's lot numbers to the original manufacturer's lot number is maintained. Certificates of Analysis for the raw materials used to prepare this product are available upon request.

The weights and/or volumes used to prepare this product are N.I.S.T. Traceable. All balances used in the preparation of product are calibrated daily against N.I.S.T. Traceable weights. The balances are maintained and serviced on a regular basis by an outside certified company. All volumetric glassware used is N.I.S.T. Traceable and certified as meeting Class A specifications.

Unless otherwise agreed to, all chemicals used in the preparation of this product are Reagent ACS grade.

**Quality Manager**