Printing date 08/11/2023


Reviewed on 08/11/2023

1 Identification

- · Product identifier
- · Trade name: Water Standard 2.58% w/w in Methanol Certified Standard
- Article number: GEN089
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



(Contd. on page 2) US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Water Standard 2.58% w/w in Methanol Certified Standard

	(Contd. of page
Hazard-determining components of labeling:	
Methanol	
Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	5.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
2 <i>Q Reactivity</i> = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = *2$	
FIRE 3 Fire = 3	
REACTIVITY Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
<i>v</i>PvB: Not applicable.	

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

⁻US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name:	Water Standard 2.58% w/w
	in Methanol Certified Standard

(Contd. of page 2)

97.42%

2.58%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

• Dangerous components: CAS: 67-56-1 Methanol

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- \cdot Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name:	Water Standard 2.58% w/w
	in Methanol Certified Standard

· Protective Action Criteria for Chemicals	(Contd. of page 3)
· PAC-1:	
CAS: 67-56-1 Methanol	530 ppm
· PAC-2:	
CAS: 67-56-1 Methanol	2,100 ppm
· PAC-3:	
CAS: 67-56-1 Methanol	7200* ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters	
----------------------	--

· Com	ponents with limit values that require monitoring at the workplace:
CAS	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
· Ingr	edients with biological limit values:
CAS	5: 67-56-1 Methanol
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)
	(Contd. on page

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Water Standard 2.58% w/w in Methanol Certified Standard

(Contd. of page 4) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eve protection: Tightly sealed goggles · Body protection: Protective work clothing 9 Physical and chemical properties

- \cdot Information on basic physical and chemical properties
- General Information
- · Appearance: Form:

Color:

· Odor:

- Liquid Clear de l'alcool
- · Odor threshold:
 l

 · pH-value:
 Not determined.

 · pContd. on page 6)

US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Water Standard 2.58% w/w in Methanol Certified Standard

	(Contd. of page :
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	-97.8 °C (-144 °F) 64 °C (147.2 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits: Lower: Upper:	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.79171 g/cm³ (6.60682 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents: Water: VOC content:	97.4 % 2.6 % 97.42 % 771.3 g/l / 6.44 lb/gal
Solids content:	0.0 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Water Standard 2.58% w/w in Methanol Certified Standard

(Contd. of page 6)

11 Toxicological information · Information on toxicological effects			
· Acute toxic	•		
· LD/LC50 1	values tha	t are relevant for classification:	
ATE (Acut	te Toxicity	e Estimate)	
Oral	LD50	103 mg/kg	
Dermal	LD50	308 mg/kg	
Inhalative	LC50/4h	3.08 mg/l	
 on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Toxic Carcinogenic categories 			
· IARC (Inte	ernational	Agency for Research on Cancer)	
None of the ingredients is listed.			
· NTP (National Toxicology Program)			
None of the	None of the ingredients is listed.		
• OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.			

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- \cdot Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Reviewed on 08/11/2023

Trade name: Water Standard 2.58% w/w in Methanol Certified Standard

(Contd. of page 7)

· Uncleaned packagings:

Printing date 08/11/2023

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1230
UN proper shipping name	
DOT	Methanol solution
IMDG, IATA	METHANOL solution
Transport hazard class(es)	
DOT	
PAMARE LOOD	
Class	3 Flammable liquids
Label	3
Class	3 Flammable liquids
Label	3
Packing group	**
DOT, IMDG, IATA	11
Environmental hazards:	No
Marine pollutant:	
Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids
Hazara taeniijication number (Kemter coae): EMS Number:	530 F-E,S-D
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L

US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Water Standard 2.58% w/w in Methanol Certified Standard

	(Contd. of page 8)
· IMDG	
· Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2
1 1 (~	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3, II

15 Regulatory information

Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
Methanol	ACTIV
Water	ACTIV
Hazardous Air Pollutants	· · ·
CAS: 67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Water Standard 2.58% w/w in Methanol Certified Standard



16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- · Date of preparation / last revision
- Revision 1.0, 08/11/2023: Reviewed SDS for Accuracy.. STN Revision 0.1, Reviewed SDS. STN 08/11/2023 • Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Water Standard 2.58% w/w in Methanol Certified Standard

	(Contd. of page 10)
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
• * Data compared to the previous version altered.	US