Printing date 08/11/2023

Reviewed on 08/11/2023

1 Identification · Product identifier · Trade name: Methanol 10.00% w/w Aqueous Solution • Article number: GEN150 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 **2** Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol (Contd. on page 2) US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol 10.00% w/w Aqueous Solution

| | (Contd. of page |
|---|-----------------|
| Hazard statements | |
| Highly flammable liquid and vapor. | |
| Harmful if swallowed. | |
| Causes damage to the central nervous system and the visual organs. | |
| Precautionary statements | |
| Keep away from heat/sparks/open flames/hot surfaces No smoking. | |
| Keep container tightly closed. | |
| Ground/bond container and receiving equipment. | |
| Use explosion-proof electrical/ventilating/lighting/equipment. | |
| Use only non-sparking tools. | |
| Take precautionary measures against static discharge. | |
| Do not breathe dust/fume/gas/mist/vapors/spray. | |
| Wash thoroughly after handling. | |
| Do not eat, drink or smoke when using this product. | |
| Wear protective gloves/protective clothing/eye protection/face protection. | |
| If swallowed: Call a poison center/doctor if you feel unwell. | |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sho | wer. |
| IF exposed: Call a POISON CENTER or doctor/physician. | |
| Specific treatment (see on this label). Rinse mouth. | |
| | |
| In case of fire: Use CO2, powder or water spray to extinguish. | |
| Store in a well-ventilated place. Keep cool. | |
| Store locked up. | |
| Dispose of contents/container in accordance with local/regional/national/international regula Classification system: | uons. |
| NFPA ratings (scale 0 - 4) | |
| (111A runngs (scure 0 - 4) | |
| Health = 1 | |
| Fire = 3 | |
| \mathbf{V} Reactivity = 0 | |
| | |
| HMIS-ratings (scale 0 - 4) | |
| HEALTH I Health = $*1$ | |
| FIRE 3 $Fire = 3$ | |
| REACTIVITY Reactivity = 0 | |
| | |
| Other hazards Bessela of BBT and a DaB and another | |
| Results of PBT and vPvB assessment | |
| PBT: Not applicable. | |
| vPvB: Not applicable. | |
| | |
| Composition/information on ingredients | |
| Composition/information on ingreatents | |

• Description: Mixture of the substances listed below with nonhazardous additions.

| • Dangerous comp | ponents: | |
|-------------------|--------------------|-------|
| CAS: 67-56-1 M | lethanol | 10.0% |
| • Table of Nonhaz | ardous Ingredients | |
| CAS: 7732-18-5 | Water | 90.0% |
| | | US |

(Contd. on page 3)

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

10.00% w/w Aqueous Solution

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

| · Personal precautions, protective equipment and emergency procedures | |
|--|--------------------|
| Mount respiratory protective device. | |
| Wear protective equipment. Keep unprotected persons away. | |
| · Environmental precautions: | |
| Dilute with plenty of water. | |
| Do not allow to enter sewers/ surface or ground water. | |
| \cdot Methods and material for containment and cleaning up: | |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). | |
| Dispose contaminated material as waste according to section 13. | |
| Ensure adequate ventilation. | |
| · Reference to other sections | |
| See Section 7 for information on safe handling. | |
| See Section 8 for information on personal protection equipment. | |
| See Section 13 for disposal information. | |
| · Protective Action Criteria for Chemicals | |
| · PAC-1: | |
| CAS: 67-56-1 Methanol | 530 ppm |
| · PAC-2: | |
| CAS: 67-56-1 Methanol | 2,100 ppm |
| | (Contd. on page 4) |

US –

Printing date 08/11/2023

Reviewed on 08/11/2023

(Contd. of page 3)

7200* ppm

Trade name: Methanol

10.00% w/w Aqueous Solution

· PAC-3:

CAS: 67-56-1 Methanol

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

| · Com | ponents with limit values that require monitoring at the workplace: |
|--------|---|
| CAS | : 67-56-1 Methanol |
| PEL | Long-term value: 260 mg/m ³ , 200 ppm |
| REL | Short-term value: 325 mg/m ³ , 250 ppm |
| | Long-term value: 260 mg/m³, 200 ppm Skin |
| TLV | Short-term value: 250 ppm |
| | Long-term value: 200 ppm Skin; BEI |
| ·Ingr | edients with biological limit values: |
| CAS | : 67-56-1 Methanol |
| BEI | 15 mg/L |
| | LD50 Intraperitoneal: urine |
| | Time: end of shift |
| | LD50: Methanol (background, nonspecific) |
| · Addi | itional information: The lists that were valid during the creation were used as basis. |
| · Expo | osure controls |
| | onal protective equipment: |
| | eral protective and hygienic measures: |
| - | away from foodstuffs, beverages and feed. |
| Imm | ediately remove all soiled and contaminated clothing. |
| | (Contd. on page 5 |

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol 10.00% w/w Aqueous Solution

Wash hands before breaks and at the end of work.

- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and General Information | chemical properties | |
|---|------------------------------|--|
| Appearance: | | |
| Form: | Liquid | |
| Color: | Clear | |
| Odor: | Methanol | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 64 °C (147.2 °F) | |
| Flash point: | 11 °C (51.8 °F) | |
| Flammability (solid, gaseous): | Highly flammable. | |
| Auto igniting: | 455 °C (851 °F) | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

10.00% w/w Aqueous Solution

| | (Contd. of page | |
|---------------------------------------|--|--|
| Danger of explosion: | Product is not explosive. However, formation of explosive air/vap mixtures are possible. | |
| Explosion limits: | | |
| Lower: | 5.5 Vol % | |
| Upper: | 44 Vol % | |
| Vapor pressure at 20 °C (68 °F): | 128 hPa (96 mm Hg) | |
| Density at 20 °C (68 °F): | 0.97915 g/cm ³ (8.17101 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | e r): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Organic solvents: | 10.0 % | |
| Water: | 90.0 % | |
| VOC content: | 10.00 % | |
| | 97.9 g/l / 0.82 lb/gal | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

| Onal | LD50 | 1 000 |
|------|------|-------------|
| Oral | LD30 | 1,000 mg/kg |

| Dermal | LD50 | 3,000 mg/kg |
|--------|------|-------------|
|--------|------|-------------|

Inhalative LC50/4h 30 mg/l

(Contd. on page 7)

US ·

[·] Chemical stability

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

10.00% w/w Aqueous Solution

(Contd. of page 6)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)
- None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA

UN1230

(Contd. on page 8)

US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

10.00% w/w Aqueous Solution

| | (Contd. of page |
|---|--|
| UN proper shipping name | |
| DOT | Methanol solution |
| IMDG, IATA | METHANOL solution |
| Transport hazard class(es) | |
| DOT | |
| | |
| | |
| 3 | |
| | |
| Class Label | 3 Flammable liquids 3 |
| | 5 |
| IMDG, IATA | |
| | |
| | |
| 3 | |
| Class | 3 Flammable liquids |
| Label | 3 |
| Packing group | |
| DOT, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code): | |
| EMS Number: | F-E,S-D |
| Stowage Category | В |
| Stowage Code | SW2 Clear of living quarters. |
| Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 1 L |
| - | On cargo aircraft only: 60 L |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (\widetilde{EQ}) | Code: E2 |
| • • • • • • • • • • • • • • • • • • • | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1230 METHANOL SOLUTION, 3, II |
| | |

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

[—] US

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

10.00% w/w Aqueous Solution

| | (Contd. of page |
|---|-----------------|
| Sara | |
| Section 355 (extremely hazardous substances): | |
| None of the ingredients is listed. | |
| Section 313 (Specific toxic chemical listings): | |
| CAS: 67-56-1 Methanol | |
| TSCA (Toxic Substances Control Act): | |
| Water | ACTIVI |
| Methanol | ACTIVI |
| Hazardous Air Pollutants | |
| CAS: 67-56-1 Methanol | |
| Proposition 65 | |
| Chemicals known to cause cancer: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| Chemicals known to cause developmental toxicity: | |
| CAS: 67-56-1 Methanol | |
| Carcinogenic categories | |
| EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| TLV (Threshold Limit Value) | |

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Methanol
Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes damage to the central nervous system and the visual organs.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 10)

Printing date 08/11/2023

Reviewed on 08/11/2023

Trade name: Methanol

10.00% w/w Aqueous Solution

(Contd. of page 9)

Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). Rinse mouth. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision Revision 1.0, 08/11/2023: Reviewed SDS for Accuracy.. STN Creation date for SDS 07-16-2015. STN 08/11/2023 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids - Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 \cdot * Data compared to the previous version altered.

US