Printing date 08/02/2023

Reviewed on 08/02/2023

Identification	
· Product identifier	
• Trade name: Ammonia Solution	
10% as NH <sub>3</sub>	
· Article number: A4296	
$\cdot$ Details of the supplier of the safety data s	sheet
· Manufacturer/Supplier:	40114
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536 USA	
800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolution	is.org
· Emergency telephone number:	-
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
· Classification of the substance or mixture	a
GHS05 Corrosion	ε
GHS05 Corrosion Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.
GHS05 Corrosion	
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1	H314 Causes severe skin burns and eye damage.
GHS05 Corrosion Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Acute Toxicity - Oral 4	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex Label elements	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS07	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif Hazard pictograms	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation. fied and labeled according to the Globally Harmonized System (GHS
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of label Ammonium Hydroxide	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation. fied and labeled according to the Globally Harmonized System (GHS
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Ex Label elements GHS label elements The product is classif Hazard pictograms GHS05 GHS05 GHS07 Signal word Danger Hazard-determining components of label Ammonium Hydroxide Hazard statements	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation. fied and labeled according to the Globally Harmonized System (GHS
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation. fied and labeled according to the Globally Harmonized System (GHS
GHS05 Corrosion         Skin Corrosion 1B         Eye Damage 1         Image 2         Image 2     <	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation. fied and labeled according to the Globally Harmonized System (GHS
GHS05 Corrosion Skin Corrosion 1B Eye Damage 1	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H302 Harmful if swallowed. xposure 3 H335 May cause respiratory irritation. fied and labeled according to the Globally Harmonized System (GHS

Printing date 08/02/2023

Reviewed on 08/02/2023

Trade name: Ammonia Solution 10% as NH<sub>3</sub>

(Contd. of page 1) Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eve protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) *Health* = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH <sup>\*3</sup> Health = \*3 FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

 $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$ 

 • Dangerous components: CAS: 1336-21-6 Ammonium Hydroxide

32.397%

67.603%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

# 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

US ·

Printing date 08/02/2023

Reviewed on 08/02/2023

#### Trade name: Ammonia Solution 10% as NH<sub>3</sub>

(Contd. of page 2)

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equip	oment and emergency procedures	
Mount respiratory protective device.		
Wear protective equipment. Keep unpr	otected persons away.	
· Environmental precautions:		
Do not allow product to reach sewage	system or any water course.	
	f seepage into water course or sewage system.	
Dilute with plenty of water.		
Do not allow to enter sewers/ surface of	or ground water.	
· Methods and material for containmen		
	and, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.		
Dispose contaminated material as was	te according to section 13.	
Ensure adequate ventilation.		
· Reference to other sections		
See Section 7 for information on safe h	andling.	
See Section 8 for information on perso	nal protection equipment.	
See Section 13 for disposal information	n.	
· Protective Action Criteria for Chemica		
· PAC-1:		
CAS: 1336-21-6 Ammonium Hydroxia	le	61 ppm
· PAC-2:		
CAS: 1336-21-6 Ammonium Hydroxia	le	330 ppm
· PAC-3:		
CAS: 1336-21-6 Ammonium Hydroxia	le 2	2,300 ppm
•		US-

(Contd. on page 4)

Printing date 08/02/2023

Reviewed on 08/02/2023

Trade name: Ammonia Solution 10% as NH<sub>3</sub>

(Contd. of page 3)

### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 08/02/2023

Reviewed on 08/02/2023

Trade name: Ammonia Solution 10% as NH<sub>3</sub>

(Contd. of page 4)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information		
Appearance: Form:	71	
Form: Color:	Liquid Clear	
Odor:	Strong Ammonia	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	>12	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$ ):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.96436 g/cm³ (8.04758 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:	~ <b>-</b> /	
Water:	67.6 %	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	

Printing date 08/02/2023

Reviewed on 08/02/2023

(Contd. of page 5)

Trade name: Ammonia Solution 10% as NH3

Solids content:

· Other information

No further relevant information available.

# **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

0.0 %

# **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

*Oral LD50 1,543 mg/kg* 

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

· Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

US

Printing date 08/02/2023

Trade name: Ammonia Solution 10% as NH<sub>3</sub> Reviewed on 08/02/2023

(Contd. of page 6)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN2672	
· UN proper shipping name		
$\cdot DOT$	Ammonia solution solution	
· IMDG, IATA	AMMONIA SOLUTION solution	
· Transport hazard class(es)		
·DOT		
de de CORROSIVE		
· Class	8 Corrosive substances	
· Label	8	

Printing date 08/02/2023

Reviewed on 08/02/2023

Trade name: Ammonia Solution 10% as NH<sub>3</sub>

	(Contd. of page
IMDG, IATA	
8	
Class Label	8 Corrosive substances 8
	0
Packing group	
DOT, IMDG, IATA	111
Environmental hazards:	Product contains environmentally hazardous substance
	Ammonium Hydroxide
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code	
EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
	SW5 If under deck, stow in a mechanically ventilated space.
Segregation Code	SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ ~	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\tilde{E}Q)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2672 AMMONIA SOLUTION SOLUTION
	ENVIRONMENTALLY HAZARDOUS, 8, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 1336-21-6 Ammonium Hydroxide

#### · TSCA (Toxic Substances Control Act):

Water

ACTIVE (Contd. on page 9)

Printing date 08/02/2023

Reviewed on 08/02/2023

Trade name: Ammonia Solution

10% as NH 3

(Contd. of page 8) ACTIVE

Ammonium Hydroxide
• Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Ammonium Hydroxide · Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

(Contd. on page 10)

<sup>-</sup> US

Printing date 08/02/2023

Reviewed on 08/02/2023

Trade name: Ammonia Solution 10% as NH<sub>3</sub>

(Contd. of page 9)

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 0.0, 08/02/2023: Creation date for SDS. STN 08/02/2023

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

us –