Reviewed on 08/04/2023

inting date 08/04/2023	Reviewed on 08/04/202
I Identification	
· Product identifier	
• Trade name: <u>Dinitrophenylhydrazine</u> in Methanol (Saturated)	
• Article number: UC011	
• Details of the supplier of the safety data sheet	
• Manufacturer/Supplier: Aqua Solutions, Inc.	AQUA
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Classification of the substance or mixture GHS02 Flame Elammable Liquide 2 U225 Uieki	h flaumahla lianid and nan an
Flammable Liquids 2 H225 High	ly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3 H301 Toxic	if swallowed.
Acute Toxicity - Dermal 3 H311 Toxic	in contact with skin.
Acute Toxicity - Inhalation 3 H331 Toxic	if inhaled.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single Exposure 1 H370 Cause visua	es damage to the central nervous system and th l organs.
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled accor</li> <li>Hazard pictograms</li> </ul>	ding to the Globally Harmonized System (GHS).
GHS02 GHS06 GHS08	
· Signal word Danger	
Hazard-determining components of labeling:	
Methanol	(Contd on page

(Contd. on page 2)

US -

Printing date 08/04/2023

Reviewed on 08/04/2023

#### Trade name: Dinitrophenylhydrazine in Methanol (Saturated)

2.4 Divite on the territor	(Contd. of page 1)
2,4-Dinitrophenylhydrazine	
Hazard statements     Highly forward to liquid and war on	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools. Take presenting any maggings against static discharge	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.	
•	
Wear protective gloves/protective clothing/eye protection/face protection.	
<i>If swallowed: Immediately call a poison center/doctor.</i>	
Specific treatment (see on this label). Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF invitable D. Remove person to fresh an and keep comfortable for breaking. IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ç
· Classification system:	5.
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = $3$	
2 <b>U</b> Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH <sup>*2</sup> $Health = *2$	
<b>REACTIVITY</b> $\bigcirc$ <i>Reactivity</i> = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
• <b>vPvB:</b> Not applicable.	
**	

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3) US

Printing date 08/04/2023

Reviewed on 08/04/2023

#### Trade name: Dinitrophenylhydrazine in Methanol (Saturated)

(Contd. of page 2)

ſ	· Dangerous components:		
	CAS: 67-56-1	Methanol	99.621%
	CAS: 119-26-6	2,4-Dinitrophenylhydrazine	0.379%

#### 4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- *Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.*
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- $\cdot$  Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 4)

**<sup>-</sup>** U

Printing date 08/04/2023

Reviewed on 08/04/2023

Trade name:	Dinitrophenylhydrazine
	in Methanol (Saturated)

530 ppm
2,100 ppm
7200* ppm

#### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### CAS: 67-56-1 Methanol

- PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm
- REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm Long-term value: 260 mg/m<sup>3</sup>, 200 ppm Skin TLV Short-term value: 250 ppm Long-term value: 200 ppm
  - Skin: BEI

(Contd. on page 5)

US

Printing date 08/04/2023

Reviewed on 08/04/2023

Trade name: Dinitrophenylhydrazine in Methanol (Saturated)

(Contd. of page 4)

· Ingre	dients with biological limit values:
CAS:	67-56-1 Methanol
BEI .	15 mg/L
	LD50 Intraperitoneal: urine
,	Time: end of shift
	LD50: Methanol (background, nonspecific)
· Addit	tional information: The lists that were valid during the creation were used as basis.
· Expo	sure controls
· Perso	onal protective equipment:
	ral protective and hygienic measures:
-	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	protective clothing separately.
	l contact with the eyes and skin.
	thing equipment:
respin	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use ratory protective device that is independent of circulating air.
· Prote	ction of hands:
	Protective gloves
Due t chem	love material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the ical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic ph	ysical and chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Yellow-orange	
Odor:	Methanol	

Printing date 08/04/2023

Reviewed on 08/04/2023

#### Trade name: Dinitrophenylhydrazine in Methanol (Saturated)

	(Contd. of page
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-97.8 °C (-144 °F)
Boiling point/Boiling range:	64.4 °C (147.9 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.7915 g/cm³ (6.60507 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	<b>er):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	99.6 %
VOC content:	99.62 %
	788.5 g/l / 6.58 lb/gal
Solids content:	0.4 %
Other information	No further relevant information available.

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)

US

Printing date 08/04/2023

Reviewed on 08/04/2023

(Contd. of page 6)

Trade name: Dinitrophenylhydrazine in Methanol (Saturated)

• *Hazardous decomposition products:* No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

#### • Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral	LD50	100 mg/kg
		301 mg/kg
Inhalative	LC50/4h	3.01 mg/l

#### · Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 08/04/2023

Reviewed on 08/04/2023

#### Trade name: Dinitrophenylhydrazine in Methanol (Saturated)

(Contd. of page 7)

## **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)
Transport hazard class(es)	
DOT	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	33
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L

Printing date 08/04/2023

Reviewed on 08/04/2023

Trade name: Dinitrophenylhydrazine	
in Methanol (Saturated)	

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

## 15 Regulatory information

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
TSCA (Toxic Substances Control Act):	
Methanol	ACTIVI
2,4-Dinitrophenylhydrazine	ACTIVI
Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	

Printing date 08/04/2023

Reviewed on 08/04/2023

Trade name: Dinitrophenylhydrazine in Methanol (Saturated)

	(Contd. of page 9)
· Hazard pictograms	
$\bigwedge \land \land$	
$\nabla \vee \nabla$	
GHS02 GHS06 GHS08	
· Signal word Danger	
· Hazard-determining components of labeling:	
Methanol	
2,4-Dinitrophenylhydrazine	
· Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	•
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of preparation / last revision Revision 1.0, 08/04/2023: Reviewed SDS for Accuracy.. STN 08/04/2023
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

<sup>-</sup> US

Printing date 08/04/2023

Reviewed on 08/04/2023

## Trade name: Dinitrophenylhydrazine in Methanol (Saturated)

	(Contd. of page 10)
DOT: US Department of Transportation	'
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
$\cdot$ * Data compared to the previous version altered.	
· ·	